# SDM4 in R: Displaying and Describing Categorical Data (Chapter 2)

Nicholas Horton (nhorton@amherst.edu)

January 17, 2016

### Introduction and background

This document is intended to help describe how to undertake analyses introduced as examples in the Fourth Edition of *Stats: Data and Models* (2014) by De Veaux, Velleman, and Bock. More information about the book can be found at <a href="http://wps.aw.com/aw\_deveaux\_stats\_series">http://wps.aw.com/aw\_deveaux\_stats\_series</a>. This file as well as the associated R Markdown reproducible analysis source file used to create it can be found at <a href="http://www.amherst.edu/~nhorton/sdm4">http://www.amherst.edu/~nhorton/sdm4</a>.


This work leverages initiatives undertaken by Project MOSAIC (http://www.mosaic-web.org), an NSF-funded effort to improve the teaching of statistics, calculus, science and computing in the undergraduate curriculum. In particular, we utilize the mosaic package, which was written to simplify the use of R for introductory statistics courses. A short summary of the R needed to teach introductory statistics can be found in the mosaic package vignettes (http://cran.r-project.org/web/packages/mosaic).

#### Chapter 2: Displaying and describing categorical data

#### Section 2.1: Summarizing and displaying a single categorical variable

See displays on page 19-20.

```
library(mosaic); library(readr)
options(digits=3)
Titanic <- read delim("http://www.amherst.edu/~nhorton/sdm4/data/Titanic.txt", delim="\t")
tally(~ Class, data=Titanic)
## Class
     Crew
##
          First Second
                        Third
##
      885
                    285
                           706
             325
tally(~ Class, format="percent", data=Titanic)
## Class
##
     Crew
          First Second Third
##
     40.2
            14.8
                   12.9
                          32.1
barchart(tally(~ Class, data=Titanic))
```



Section 2.2: Exploring the relationship between two categorical variables

barplot(tally(~ Survived + Class, data=Titanic), beside=TRUE)

See display on page 21.

```
tally(~ Survived + Class, margin=TRUE, data=Titanic)
           Class
##
## Survived Crew First Second Third Total
##
      Alive 212
                   203
                          118
                                178
                                       711
##
      Dead
             673
                   122
                          167
                                528
                                     1490
##
      Total 885
                   325
                          285
                                706 2201
tally(~ Survived | Class, format="percent", data=Titanic)
##
           Class
## Survived Crew First Second Third
##
      Alive 24.0 62.5
                         41.4 25.2
      Dead 76.0 37.5
##
                         58.6 74.8
See display on page 24.
```



## Mosaic plot of Class by Survival

