Qodana Cloud Test Case Design

End-to-End User Flows

Product URL: https://qodana.cloud

Flow 1: Creating an Organization and Inviting a Member
This flow is the starting point for teamwork in Qodana Cloud. Setting up an organization lets the user manage projects and control permissions, while inviting members is essential for getting everyone involved. Testing this ensures that new users can onboard and collaborate smoothly.

Flow 2: Setting Up a New Project and Linking it to a Repository
This is a core use case — users come to Qodana Cloud to analyze code quality in their repositories. Linking a project to a repo is the first step in getting actionable insights. Ensuring this works reliably is critical for user satisfaction.

Flow 3: Running a Code Quality Analysis and Reviewing Results
The main value of Qodana Cloud is its code analysis. Running an analysis and reviewing the results is the end goal for most users. Testing this flow helps ensure that users can actually see useful feedback about their code, which is crucial for improving quality and making the product worthwhile.

Test Cases

Flow 1: Creating an Organization and Inviting a Member

Test Case ID	Title	Preconditions	Steps	Expected Result	Actual Result	Status	Bug ID/ Notes
TC-01	User can create a new organization	User is logged in; no existing organizations; User is redirected to '/create-organization' page	1. Fill in the name of organization. 2. Select the country/region. 3. Click on "Next" button.	Organization should appear in the dashboard.	Organization appears in the dashboard.	Pass	Note-01
TC-02	User can invite a member to organization with Viewer role	Organization exists; user is Owner	1. Open organization settings. 2. Open "Members" tab. 3. Click on "Invite members" button. 4. Enter email and select "Viewer" role. 5. . Click on "Invite" button.	Invitation should be sent successfully; member should appear with "Awaits acceptance" note and Viewer role.	Invitation is sent successfully; member appears with "Awaits acceptance" note and Viewer role.	Pass	
TC-03	User can invite a member to organization with Admin role	Organization exists; user is Owner	1. Open organization settings. 2. Open "Members" tab. 3. Click on "Invite members" button. 4. Enter email and select "Admin" role.	Invitation should be sent successfully; member should appear with "Awaits acceptance" note and Admin role.	Invitation is sent successfully; member appears with "Awaits acceptance" note and Admin role.	Pass	

			5. . Click on "Invite" button.				
TC-04	User can invite a member to organization with Editor role	Organization exists; user is Owner	1. Open organization settings. 2. Open “Members” tab. 3. Click on "Invite members" button. 4. Enter email and select "Editor" role. 5. . Click on "Invite" button.	Invitation should be sent successfully; member should appear with "Awaits acceptance" note and Editor role.	Invitation is sent successfully; member appears with "Awaits acceptance" note and Editor role.	Pass	
TC-05	User can not change invited member’s role while it is pending an acceptance	Organization exists; user is Owner, a member with any role is invited; pending an acceptance	1. Open organization settings. 2. Open “Members” tab. 3. Click on the role of the invited member to open the dropdown of roles.	All other role options should be disabled.	All other role options are disabled.	Pass	
TC-06	User can change invited member’s role if the latter has already accepted the invitation	Organization exists; user is Owner, a member with any role is invited; invitation is accepted	1. Open organization settings. 2. Open “Members” tab. 3. Click on the role of the invited member to open the dropdown of roles 4. Choose any option.	The role of the invited member should be updated successfully.	The role of the invited member is updated successfully.	Pass	
TC-07	Invited member	Organization exists; user is	1. Open invitation email.	New Member	New Member is	Pass	Note-02

	receives email and can accept invitation	Owner, invitation sent; member has access to email	2. Click "Accept Invitation". 3. Log in or sign up. 4. Open Organization's page as an Owner and refresh. 5. Open organization settings. 6. Open "Members" tab. 7. Check the members list.	should be added to organization with correct role.	added to organization with correct role.		
TC-08	Owner can revoke a pending invitation	Organization exists; user is Owner, invitation sent; pending an acceptance	1. Open organization settings. 2. Open "Members" tab. 3. Click on the role of the invited member 4. Click on "Remove member" button.	Invitation should be canceled; member should be removed from list.	Invitation is canceled; member is removed from list.	Pass	
TC-09	Viewer cannot invite other members to organization	Organization exists; user is Owner, Viewer is a member of organization	1. Log in as Viewer. 2. Open organization settings. 3. Open "Members" tab.	Viewer should be able to view all members and their roles, but "Invite members" button should not exist.	Viewer can view all members and their roles, but "Invite members" button does not exist.	Pass	
TC-10	Editor cannot invite other	Organization exists; user is Owner, Editor	1. Log in as Editor. 2. Open organization settings.	Editor should be able to view all members and their	Editor can view all members and their roles, but	Pass	

	members to organization	is a member of organization	3. Open “Members” tab.	roles, but "Invite members" button should not exist.	"Invite members" button does not exist.		
TC-11	Admin can invite other members to organization	Organization exists; user is Owner, Admin is a member of organization	1. Log in as Admin. 2. Open organization settings. 3. Open “Members” tab. 4. Click on "Invite members" button. 5. Enter email and select any role. 6 . Click on "Invite" button.	Invitation should be sent successfully; member should appear with "Awaits acceptance" note and relevant role.	Invitation is sent successfully; member appears with "Awaits acceptance" note and relevant role.	Pass	
TC-12	Owner can remove a member from organization	Organization exists; user is Owner, a member with any role exists in organization	1. Open organization settings. 2. Open “Members” tab. 3. Click on the role of the invited member 4. Click on "Remove member" button.	Member should be removed; no longer listed.	Member is removed; no longer listed.	Pass	
TC-13	User can invite a member to the team	Organization exists; user is Owner	1. Navigate to users team page. 2. Click on “Manage members” button. 3. Enter email and select a relevant role.	Invitation should be sent; if the member does not exist in the organization , the latter should appear with	Invitation is sent; if the member does not exist in the organization , the latter appears with "Awaits acceptance"	Pass	

			4. Click on "Invite" button.	"Awaits acceptance" note; otherwise it should appear in the list without pending status.	note; otherwise it appears in the list without pending status.		

Notes

Note-01: Organization Creation License Limitation

If you attempt to create an additional organization, you will be prompted with the following message:

"A trial license has already been used for your JetBrains Account organization. To continue using Qodana, please purchase a license."

This means a paid license is required to create more than one organization per JetBrains Account.

Screenshot:



Note-02: Invitation Acceptance and Email Delivery Guidance

1. If the invited member attempts to accept the invitation using the same device or browser session as the Owner, the Owner must first sign out of Qodana to avoid session conflicts.
2. If the invitation email is not received, please check the spam or junk folder before requesting a new invitation.

Screenshot:



Flow 2: Setting Up a New Project and Linking it to a Repository

Test Case ID	Title	Preconditions	Steps	Expected Result	Actual Result	Status	Bug ID/Notes
TC-01	User can create a new project	Organization exists; user is Owner	1. Navigate to team page. 2. Click on "Create project" button. 3. Enter project name. 4. Click on “Create” button.	Project should appear in organization’s project list.	Project appears in organization’s project list.	Pass	
TC-02	User can link project to a GitHub repository	Organization exists; user is Owner, Project exists; user has GitHub account	1. Open the project. 2. Click on "Github Actions” icon from the suggested CI/CD tools. 3. Choose a GitHub account or organization. 4. Select repository.	Repository should be linked; repo details should be shown in project.	Repository is linked; repo details are shown in project.	Pass	Note-01
TC-03	Viewer cannot create or link projects	Organization exists; Project exists	1. Log in as Viewer. 2. Navigate to team page.	"Create project" button should be missing.	"Create project" button is missing.	Pass	
TC-04	Editor cannot create or link projects	Organization exists; Project exists	1. Log in as Editor. 2. Navigate to team page.	"Create project" button should be missing.	"Create project" button is missing.	Pass	
TC-05	Admin can create or link projects	Organization exists; Project exists	1. Log in as Admin. 2. Navigate to team page.	"Create project" button should be visible.	"Create project" button is visibe.	Pass	

TC-06	Project name must be unique within organization	Organization exists; user is Owner; Project exists	1. Navigate to team page. 2. Click on "Create project" button. 3. Enter a project name that already exists. 4. Click on "Create" button.	Error message should be displayed: "*Project with the slug name (lower case, and spaces are treated as hyphens) already exists in this team.*"; project should not be created.	Error message is displayed: "*Project with the slug name (lower case, and spaces are treated as hyphens) already exists in this team.*"; project is not created.	Pass	
TC-07	User can update a repository in a project	Organization exists; user is Owner; Project exists; Project linked to repo	1. Open the project. 2. Click on three dots on top right. 3. Click on "Update VCS Settings." 4. Type the new repo URL. 5. Click "Update settings" button.	Repo should be updated; project should remain.	Repo is updated; project remains.	Pass	
TC-08	User can navigate to GitHub repo from Qodona project	Organization exists; user is Owner; Project exists; Project linked to repo	1. Open the project. 2. Click on three dots on top right. 3. Click on "Open in GitHub" button.	User should be navigated to GitHub repo page.	User is navigated to GitHub repo page.	Pass	
TC-09	User receives notification via email for successful repo linking	Organization exists; user is Owner; Project exists;	1. Link repo to project.	Email notification should be sent to User: "*A new public key was added to repo*".	Email notification is sent to User: "*A new public key was added to repo*".	Pass	

TC-10	User can change the default branch of repo	Organization exists; user is Owner, Project exists; Project linked to repo	1. Open the project. 2. Click on the default branch name. 3. Click on "Change default branch" option. 4. Choose the needed branch from dropdown. 5. Click on “Save” button.	The default branch should be updated.	The default branch is updated.	Pass	
TC-11	User can delete a project	Organization exists; user is Owner; Project exists	1. Open the project. 2. Click on three dots on top right 3. Click on “Delete project” button.	Project should be deleted.	Project is deleted.	Pass	

Notes

Note-01: Qodana App Installation Requirement

If the Qodana App is not installed in your GitHub organization, you will be prompted to install it before proceeding. The installation is necessary to enable Qodana configuration in your repository. To continue, choose the repository, click the "Install and Authorize" button and follow the instructions.

Screenshot:





Flow 3: Running a Code Quality Analysis and Reviewing Results

Test Case ID	Title	Preconditions	Steps	Expected Result	Actual Result	Status	Bug ID/ Notes
TC-01	User can run code analysis on linked repository	Organization exists; user is Owner, Project exists; Project linked to repo	1. Open the project. 2. Add Qodana token. 3. Choose the programming language you want to analyze. 4. Configure Qodana job. 5. Veiw analisys results in GitHub Actions.	Analysis should start; progress indicator should be shown.	Analysis starts; progress indicator is shown.	Pass	Note-01 Note-02
TC-02	User receives a notification when analysis completes	Organization exists; user is Owner, Project exists; Project linked to repo; Analysis running	1. Wait for analysis to finish.	Email notification should be sent to User informing about the analysis results.	Email notification is sent to User informing about the analysis results.	Pass	
TC-03	User can view analysis results in Qodana	Organization exists; user is Owner, Project exists; Project linked to repo; Analysis completed	1. Open the project. 2. Veiw analisys results.	Results dashboard should display issues, warnings, and scores; Current problems, Baseline problems,	Results dashboard displays issues, warnings, and scores; Current problems, Baseline problems,	Pass	

				Inspections, License audit tabs should be displayed.	Inspections, License audit tabs are displayed.		
TC-04	User can re-run code analysis on linked repository	Organization exists; user is Owner, Project exists; Project linked to repo; Analysis completed	1. Open the CI workflow in GitHub Actions. 2. Click on "Re-run all jobs" button.	Analysis should restart; progress indicator shoud be shown.	Analysis restarts; progress indicator is shown.	Pass	
TC-05	User can export analysis results	Organization exists; user is Owner, Project exists; Project linked to repo; Analysis completed	1. Open the project. 2. Click on "Download SARIF file" button. 3. Choose "Download report SARIF file" option.	File should be downloaded with results.	File is downloaded with results.	Pass	Note: Check file format and content.
TC-06	User can delete analysis results	Organization exists; user is Owner, Project exists; Project linked to repo; Analysis completed; Results available	1. Open the project. 2. Click on "Delete report" button. 3. Click on "Delete report" button again in confirmation modal.	Report should be deleted.	Report is deleted.	Pass	
TC-07	Viewer can view but not run analysis	Organization exists; user is Viewer, Project exists; Project linked to repo;	1. Log in as Viewer. 2. Open the project. 3. Click on three dots on	"Re-run all jobs" button shoud not be visible.	"Re-run all jobs" button is not visible	Pass	

		Analysis completed	top right 4. Click on “Open in GitHub” button.				
TC-08	Editor can view but not run analysis	Organization exists; user is Editor, Project exists; Project linked to repo; Analysis completed	1. Log in as Editor. 2. Open the project. 3. Click on three dots on top right 4. Click on “Open in GitHub” button.	"Re-run all jobs" button shoud not be visible.	"Re-run all jobs" button is not visible	Pass	
TC-09	Admin can rerun analysis	Organization exists; user is Admin, Project exists; Project linked to repo; Analysis completed	1. Log in as Admin. 2. Open the project. 3. Click on three dots on top right 4. Click on “Open in GitHub” button.	"Re-run all jobs" button shoud be displayed and be enabled.	"Re-run all jobs" button is displayed and is enabled.	Pass	

Notes

Note-01: Add Qodana token

On the GitHub repository's Settings tab, on the Secrets and variables / Actions page, add a new repository secret called **QODANA_TOKEN**, and set its value to the value of the Qodana project token.

Screenshot:



Note-02: Create a configuration file

On the Actions tab of the GitHub UI, set up a new workflow, create the .github/workflows/code_quality.yml and paste the configuration snippet text:

Screenshot:

```yaml
name: Qodana
on:
  workflow_dispatch:
  pull_request:
  push:
    branches: # Specify your branches here
      - main # The 'main' branch
      - 'releases/*' # The release branches

jobs:
  qodana:
    runs-on: ubuntu-latest
    permissions:
      contents: write
      pull-requests: write
      checks: write
    steps:
      - uses: actions/checkout@v3
        with:
          ref: ${{ github.event.pull_request.head.sha }}  # to check out the actual pull request commit, not the merge commit
          fetch-depth: 0  # a full history is required for pull request analysis
      - name: 'Qodana Scan'
        uses: JetBrains/qodana-action@v2026.1
        with:
          pr-mode: false
        env:
          QODANA_TOKEN: ${{ secrets.QODANA_TOKEN_670903371 }}
          QODANA_ENDPOINT: 'https://qodana.cloud'
```