



MERIDIAN PROTOCOL

Whitepaper

MRDN · BNB SMART CHAIN · BEP-20

Contract: 0xd4025a390a0b2a606f24Ea33A902D10D978715F2

Version 1.0 · 2026 · Living document

This document is not a solicitation to buy tokens. It does not promise price, yield, listing, or return. Every status marked “not yet completed,” “planned,” or “TBD” in this document is accurate as of the publication date above and should be independently verified against the project's official website and BscScan before relying on it.

Contents

1. Abstract
 2. Introduction
 3. Industry Context — BNB Smart Chain & the BEP-20 Standard
 4. Meridian Protocol — Token Specification
 5. Technical Architecture
 6. Independent Verification Methodology
 7. Protocol Utility Framework
 8. Tokenomics
 9. Liquidity & Market Infrastructure
 10. Roadmap
 11. Security Practices & Audit Status
 12. Legal & Regulatory Considerations
 13. Risk Disclosure
 14. Governance & Community
 15. Glossary of Terms
- Appendix A — Contract & Verification Reference
- Appendix B — Deployment Evidence Summary
- Appendix C — Official Channels
- Appendix D — Document Version History
- Legal Notice

1. Abstract

Meridian Protocol is a fixed-supply BEP-20 token (MRDN) deployed on BNB Smart Chain. This whitepaper documents what exists on-chain today, what is currently in development, and what remains an exploratory future direction — with each claim classified honestly rather than presented uniformly as fact. The purpose of this document is descriptive and educational: it is not investment advice, and it does not constitute an offer or solicitation to buy or sell MRDN in any jurisdiction.

A recurring theme throughout this document is the distinction between three categories of claim: things that are independently verifiable on-chain today (the contract's supply, decimals, and absence of admin functions), things that are in active development (community structure, finalized tokenomics), and things that are exploratory future directions with no committed timeline (staking, lightweight governance participation, ecosystem rewards). Readers are encouraged to independently verify every on-chain claim rather than rely on this document alone.

2. Introduction

Public blockchains allow anyone to independently verify the state of a smart contract without trusting the party that deployed it. This property — verifiability — is the foundation Meridian Protocol is built to take seriously. Rather than asking holders to trust marketing claims, Meridian Protocol's documentation is structured so that every factual claim about the token itself points to a place it can be checked: BscScan for the contract, this whitepaper and the project website for the surrounding claims, and future auditor and legal reports (once they exist) for security and regulatory status.

This approach has a direct consequence for how this document is written. Sections describing on-chain facts are written in the present tense and can be checked immediately. Sections describing planned or exploratory work are explicitly labeled as such, and contain no specific dates or guaranteed outcomes, because none currently exist. Where the project has not yet done something — an audit, a legal review, a liquidity deployment — this document says so plainly rather than implying otherwise.

2.1 Why transparency-first documentation matters

The digital-asset space has a well-documented pattern: projects that describe unbuilt features in the present tense, or that present unaudited contracts as audited, create a mismatch between what a reasonable reader would believe and what actually exists. That mismatch is the root of much of the harm associated with low-quality token projects, independent of the underlying technology. Meridian Protocol's documentation is deliberately structured to avoid that mismatch, even where it means presenting a shorter list of live features than a reader might expect from a polished website.

3. Industry Context — BNB Smart Chain & the BEP-20 Standard

This section provides general background on the technology Meridian Protocol is built on. It describes the BNB Smart Chain network and the BEP-20 token standard as they generally function — it is not specific to Meridian Protocol and is included so readers unfamiliar with this infrastructure can evaluate the rest of this document with proper context.

3.1 BNB Smart Chain

BNB Smart Chain (BSC) is a blockchain network that supports smart contracts and is compatible with the Ethereum Virtual Machine (EVM), meaning contracts written in Solidity — the same language used on Ethereum — can be deployed on it with little or no modification. The network uses its own consensus mechanism and native gas token (BNB) to process transactions. Every transaction and every deployed contract's source code (once verified) is publicly viewable through block explorers such as BscScan.

3.2 The BEP-20 token standard

BEP-20 is BNB Smart Chain's token standard, closely modeled on Ethereum's ERC-20 standard. A BEP-20 token contract defines a fixed set of functions — including total supply, balance lookups, and transfers — that wallets, exchanges, and other contracts rely on to interact with the token in a predictable way. Because the standard is well established, most BEP-20 tokens (including MRDN) are built on top of audited, open-source base implementations rather than custom-written transfer logic, which reduces the amount of new code that could contain defects.

3.3 What “source-verified” means

When a contract's source code is “verified” on a block explorer, it means the explorer has confirmed that the human-readable source code the deployer submitted compiles to exactly the same bytecode that is actually running on-chain. This lets anyone read the real logic governing the token rather than trusting a description of it. It is an important transparency property, but it is a different thing from a security audit: verification confirms what code is running, not that the code is free of bugs or economic design flaws. This distinction is discussed further in Section 11.

4. Meridian Protocol — Token Specification

The table below states the complete, independently verifiable specification of the MRDN token as deployed.

Token name	Meridian Protocol
Symbol	MRDN
Standard	BEP-20
Network	BNB Smart Chain Mainnet (Chain ID 56)
Total supply	1,000,000,000 MRDN
Decimals	18
Supply model	Fixed — minted once at deployment, no mint function exists
Contract address	0xd4025a390a0b2a606f24Ea33A902D10D978715F2
Source verification	Verified on BscScan
Admin functions	None — no owner, mint, pause, or blacklist function

Every row above can be independently confirmed by opening the contract address on BscScan and reviewing the verified source code directly, without relying on this document.

5. Technical Architecture

5.1 Contract design

The MRDN contract (`LaunchToken.sol`) is a minimal BEP-20/ERC-20 implementation built directly on OpenZeppelin's standard, widely audited token base contract, rather than custom transfer logic. The constructor mints the entire fixed supply once, at deployment, to a single initial holder address, and decimals are set as an immutable value. There is no owner variable, and no function exists to mint additional supply, pause transfers, or blacklist addresses after deployment.

5.2 Why a minimal design

Relying on a standard, widely used base contract rather than writing custom token logic removes most of the common attack surface associated with token contracts — including reentrancy issues and custom fee-on-transfer bugs that have affected other projects. The tradeoff is that a minimal contract also does not include any on-chain mechanism (such as vesting or timelocks) to enforce future promises; those must instead be implemented as separate, additional infrastructure if and when they are built, and disclosed as such.

5.3 Known structural considerations

- The entire supply was minted to a single address at deployment. Until tokens are distributed to a treasury, liquidity, or vesting structure, that address controls the full 1,000,000,000 MRDN supply. This is disclosed as a concentration risk in Section 13.
- There is no on-chain time-lock or vesting mechanism. Any future allocation to team or treasury wallets is a matter of the project's own policy (for example, a multisig or a separate vesting contract), not something enforced automatically by the token contract itself.
- No admin backdoor exists, which is a design choice that limits both risk and flexibility: the project cannot unilaterally mint more tokens or freeze accounts, but it also cannot patch the contract if a defect were found after deployment.

6. Independent Verification Methodology

This section is a step-by-step guide for readers who want to verify the claims in this document themselves, rather than take them on faith.

6.1 Verifying the contract

- Open `bscscan.com/token/0xd4025a390a0b2a606f24Ea33A902D10D978715F2` in a browser.
- Confirm the “Contract” tab shows a green checkmark next to “Contract Source Code Verified.”
- Read the “Read Contract” tab: `totalSupply()` should return 1,000,000,000 with 18 decimals; there should be no `mint`, `pause`, or `blacklist` function listed under “Write Contract.”

6.2 Verifying official channels

Official channels are listed in Appendix C and on the project website's Official Links page. Any account, group, or contact claiming to represent Meridian Protocol that is not listed there should not be trusted, regardless of how it is branded.

6.3 Verifying claims in this document

Every status label used in this document (“verified,” “not yet completed,” “planned,” “TBD”) is intended to be re-checked against the live project website, which is updated as real work completes. If this PDF and the live website ever disagree, the live website should be treated as more current.

7. Protocol Utility Framework

Utility is classified into three tiers, defined below, so that no planned feature is ever confused with a live one.

7.1 Current

- MRDN exists on-chain and can be held or transferred like any BEP-20 token.
- No staking, governance, or access system is live on-chain today.

7.2 In development

- Community structure — defining how the holder community is organized and communicated with.
- Tokenomics finalization — confirming wallet-level allocation before it is presented as fact.

7.3 Future — exploratory, not committed

- Staking — a possible future direction, dependent on further development and audit. No timeline is promised.
- Community governance participation — exploring lightweight ways for holders to weigh in on project decisions. This does not refer to full on-chain DAO infrastructure, which is not planned at this scale, and is not built.
- Ecosystem rewards — possible future community incentive programs, scoped to what the project can realistically deliver as a small, independent team rather than a funded protocol organization.

Meridian Protocol does not promise guaranteed yield or investment returns. Items in Section 7.3 are directions being considered, not commitments with a delivery date, and may change or be abandoned as development continues.

8. Tokenomics

1,000,000,000 MRDN is the fixed total supply — this figure is verifiable on-chain and will not change. No allocation percentages have been assigned to specific wallets as of this document's publication date. The categories below are a structural framework under active consideration, not a completed distribution.

Community & Ecosystem	TBD
Liquidity	TBD
Treasury	TBD
Founder / Team	TBD
Marketing	TBD
Strategic Reserve	TBD

8.1 Status definitions

Once allocation is finalized, each category will be marked using one of the following statuses, consistently applied across all project documentation:

Confirmed	The allocation amount is finalized and publicly documented.
Locked	Tokens are held in a contract or mechanism that prevents movement until a stated date.
Vesting	Tokens release gradually according to a published schedule.
Planned	An allocation is intended but not yet implemented on-chain.
TBD	No decision has been finalized yet — the current status of every category above.

8.2 Total supply vs. circulating supply

Total supply (1,000,000,000 MRDN) is a fixed, on-chain fact. Circulating supply — the portion actually distributed and available to the public — is not yet defined, because no distribution has taken place. These two figures should not be assumed equal at any point before a real allocation is published.

9. Liquidity & Market Infrastructure

Liquidity status	Preparation / pending launch
Liquidity lock	Not yet established
Trading infrastructure	Coming soon
Exchange listings	None

9.1 Planned sequencing

The project's internal liquidity plan explicitly sequences liquidity deployment after — not before — the independent audit and legal review described in Sections 11 and 12. The planned sequence, none of which has occurred yet, is:

- Finalize tokenomics allocation with real, published wallet addresses.
- Complete an independent security audit and publish the report.
- Complete a legal review of the token structure and this document's language.
- Select a venue and trading pair (typically a BNB Chain decentralized exchange).
- Deploy liquidity and lock it through a reputable third-party locking service, publishing the lock transaction.
- Announce the trading pool only once it is actually live and locked — never in advance of it.

Once liquidity is actually established, this section will be updated with the decentralized exchange, pool and pair, liquidity amount, lock provider, lock duration, and a transaction hash for independent verification.

10. Roadmap

Phase 1 — Foundation **COMPLETED**

Smart contract development, automated unit tests, testnet and mainnet deployment, contract verification, core website infrastructure.

Phase 2 — Security & Documentation **IN PROGRESS**

Independent security audit, whitepaper, litepaper, legal documentation, risk disclosure, tokenomics finalization.

Phase 3 — Liquidity & Market Infrastructure **PLANNED**

Liquidity deployment, liquidity-lock implementation with public proof, trading infrastructure, community expansion.

Phase 4 — Ecosystem **PLANNED**

Utility development, applications, developer ecosystem, governance research, broader ecosystem integrations, scoped to real capacity.

Phase 5 — Expansion **FUTURE**

Future ecosystem expansion based on actual development progress. Exploratory only — announced if and when actually built.

No phase is marked completed until it actually is. This roadmap will be revised in place as work progresses; it is not rewritten to make past estimates look accurate in hindsight.

11. Security Practices & Audit Status

Source code verification	VERIFIED
Independent security audit	NOT YET COMPLETED
Legal / securities review	PLANNED

11.1 What an independent audit generally covers

For general reader context: a professional smart-contract audit typically involves a specialized firm manually and automatically reviewing contract source code for known vulnerability classes (reentrancy, integer overflow, access-control errors, logic errors), producing a written report that names the auditor, states the scope reviewed, and lists any findings with severity ratings and remediation status. A firm's reputation is tied to the accuracy of its reports, which is why the identity of the auditor matters as much as the existence of a report.

11.2 Current status

No third-party Solidity audit has been commissioned for the MRDN contract as of this document's publication date. MRDN should not be described or treated as audited. An informal, non-certified AI-assisted code read-through has been performed and is published separately on the project website; it has no professional standing and explicitly does not substitute for the audit described above. This section will be updated with the auditor's name, report link, scope, and findings the moment a real audit is completed.

11.3 Standing security notice

Meridian Protocol will never request your seed phrase, private key, or wallet password. No official channel will ever ask for this information under any circumstance.

12. Legal & Regulatory Considerations

This section provides general, educational background on how digital assets are typically evaluated by regulators. It is not legal advice, and it is not a legal opinion about MRDN specifically — no such opinion has been obtained as of this document's publication date.

12.1 General classification frameworks

In the United States, whether a digital asset is treated as a security is commonly assessed using the “Howey Test,” which asks whether purchasers are led to expect profit primarily from the efforts of others, rather than from using the asset itself. Other jurisdictions apply their own frameworks — for example, the European Union's Markets in Crypto-Assets (MiCA) regulation establishes its own categories and disclosure requirements for crypto-asset issuers. These frameworks generally look at substance (how an asset is actually marketed and structured) rather than labels a project applies to itself.

12.2 Why this matters for Meridian Protocol's documentation

Because classification depends on substance rather than labels, this document deliberately avoids language that could be read as promising profit from the efforts of the Meridian Protocol team — including guaranteed returns, price targets, or guaranteed exchange listings. This is a documentation discipline, not a substitute for an actual legal opinion, which has not yet been obtained for any jurisdiction.

12.3 Jurisdictional availability

Digital assets may be restricted, licensed, or prohibited differently across jurisdictions. It is each reader's own responsibility to determine whether acquiring, holding, or transacting in MRDN is lawful in their jurisdiction. Nothing in this document should be read as a representation that MRDN has been cleared for distribution in any specific country.

13. Risk Disclosure

This document is not a solicitation to buy tokens. It does not promise price, yield, listing, or return. Read this section in full before forming any view about MRDN.

MARKET RISK

MRDN may have no active market. If a market forms, price may be highly volatile and could fall to zero.

LIQUIDITY RISK

No liquidity has been provided as of this writing. Any future liquidity may be limited, concentrated, or withdrawn.

TECHNOLOGY RISK

The contract has not been independently audited. Smart contracts, including this one, can contain undiscovered defects.

REGULATORY RISK

No legal or securities-classification opinion has been obtained for MRDN in any jurisdiction. Regulatory treatment could change and could restrict trading or use.

UTILITY DEVELOPMENT RISK

Described utility (community structure, staking, governance participation, ecosystem rewards) is a roadmap direction, not a feature currently live on-chain. It may be delayed, changed, or not delivered.

CONCENTRATION RISK

Until allocation is published with wallet-level evidence, assume token distribution may be concentrated in few addresses. As of publication, the full supply resides in a single initial holder address.

TEAM AND CONTINUITY RISK

Meridian Protocol is developed by a small, independent team. Project continuity depends on that team's continued participation.

Nothing in this document constitutes financial, investment, tax, or legal advice. Readers should consider consulting an independent, licensed professional before making any decision involving MRDN.

14. Governance & Community

Meridian Protocol currently has no on-chain governance mechanism. Project decisions are made by the project's founding team. Lightweight community governance participation is listed as a future, exploratory direction in Section 7.3 — it is not currently built, and no timeline is promised for it.

14.1 Community channels

The project maintains official presence on the channels listed in Appendix C. These are the only channels authorized to speak on behalf of Meridian Protocol. Community members are encouraged to verify any announcement against the official website before acting on it.

14.2 Feedback and contributions

The project welcomes questions and feedback through its official contact email and community channels. As of this document's publication date, there is no formal contributor or bug-bounty program; a responsible disclosure process for security issues is described in the project's SECURITY.md file in its public code repository.

15. Glossary of Terms

BEP-20	The token standard used on BNB Smart Chain, closely modeled on Ethereum's ERC-20 standard.
BscScan	The primary block explorer for BNB Smart Chain, used to view transactions and verify contract source code.
Circulating supply	The portion of a token's total supply that has actually been distributed and is available in the market.
Contract verification	Confirmation by a block explorer that a contract's published source code compiles to the exact bytecode running on-chain.
Decentralized exchange (DEX)	A trading venue that operates via smart contracts rather than a centralized order book operator.
Fixed supply	A token design where the total number of tokens is set at deployment and cannot be increased afterward.
Gas	The fee paid to process a transaction or execute a smart contract on a blockchain network.
Liquidity lock	A mechanism, typically a third-party smart contract, that holds liquidity-pool tokens and prevents withdrawal until a stated date.
Security audit	A professional, named third party's structured review of a smart contract's code for vulnerabilities, resulting in a public report.
Total supply	The complete number of tokens that exist, as defined by the token contract.
Vesting	A schedule by which allocated tokens become available gradually over time, rather than all at once.
Wallet	Software or hardware that holds the cryptographic keys needed to control blockchain assets.

Appendix A — Contract & Verification Reference

Contract address	0xd4025a390a0b2a606f24Ea33A902D10D978715F2
BscScan token page	bscscan.com/token/0xd4025a390a0b2a606f24Ea33A902D10D978715F2
BscScan source code	bscscan.com/address/0xd4025a390a0b2a606f24Ea33A902D10D978715F2#code
Network	BNB Smart Chain Mainnet, Chain ID 56

Appendix B — Deployment Evidence Summary

The project's public GitHub repository contains the original deployment evidence generated during testnet and mainnet deployment, including: compiled contract ABI, deployment transaction records, on-chain readback confirming deployed values match source, automated test-suite output, and compiler output. These are historical records generated at deployment time and are provided for independent review rather than as claims requiring trust.

Note: an internal checksum file included in an earlier project handoff package did not match its target archive due to a filename mismatch during that handoff. This is disclosed for transparency; a fresh checksum was not regenerated for the public repository at time of writing.

Appendix C — Official Channels

Website	meridianprotocol.global
X / Twitter	x.com/Meridian_MRDN
Discord	discord.gg/2K3B69k3A
Email	meridianprotocol.global@gmail.com
BscScan	bscscan.com/token/0xd4025a390a0b2a606f24Ea33A902D10D978715F2

Any channel not listed above should not be trusted, regardless of how closely it resembles official branding.

Appendix D — Document Version History

v1.0	2026 — initial published whitepaper.
------	--------------------------------------

Legal Notice

This document is provided for informational purposes only and does not constitute an offer to sell, or a solicitation of an offer to buy, any security or investment product in any jurisdiction. Nothing in this document is financial, investment, tax, or legal advice. Statements about planned or future features are intentions, not commitments, and may change or not materialize. Meridian Protocol makes no representation or guarantee regarding the future price, liquidity, or exchange availability of MRDN. Cryptocurrency assets carry significant risk, including total loss of value — see Section 13 for full risk disclosure. This document is not audited or reviewed by a licensed legal or financial professional as of its publication date.