1)   2)

3)

4)

5)

6)

7)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git log
commit 1fd0146224017fb2e2af6dbdd54c0ce238fd7626 (HEAD -> master)
Author: MeriemDbibiGoMyCode <meriemdbibi.gomycode@gmail.com>
Date:   Fri Mar 11 11:35:36 2022 +0100

    adding third.txt
```

8)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ touch fourth.txt
```

9)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git add fourth.txt
```

10)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git commit -m "adding fourth.txt"
[master 8de6f48] adding fourth.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 fourth.txt
```

11)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git rm third.txt
rm 'third.txt'
```

12)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git add .
```

13)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git commit -m "removing third.txt"
[master 32a92f9] removing third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 delete mode 100644 third.txt
```

14)

```
Home@DESKTOP-H5SIB9M MINGW64 ~/Desktop/learn_git_again (master)
$ git log
commit 32a92f9ae6005e5e68d008650a7b41bebfe1b41a (HEAD -> master)
Author: MeriemDbibiGoMyCode <meriemdbibi.gomycode@gmail.com>
Date:   Fri Mar 11 12:52:19 2022 +0100

    removing third.txt

commit 8de6f48ba15b8c4b08b23e453690902139cd922c
Author: MeriemDbibiGoMyCode <meriemdbibi.gomycode@gmail.com>
Date:   Fri Mar 11 12:45:52 2022 +0100

    adding fourth.txt

commit 1fd0146224017fb2e2af6dbdd54c0ce238fd7626
Author: MeriemDbibiGoMyCode <meriemdbibi.gomycode@gmail.com>
Date:   Fri Mar 11 11:35:36 2022 +0100

    adding third.txt
```