1. Define a class 'product' with data members pcode, pname and price. Create 3 objects of the class and find the product having the lowest price.

```
import java.util.Scanner;
class Product {
  String pcode;
  String pname;
  double price;
  public Product(String pcode, String pname, double price) {
     this.pcode = pcode;
     this.pname = pname;
     this.price = price;
}
class Main {
  public static void main(String[] args) {
     System.out.println("Merin Babu");
     System.out.println("23mca042");
     System.out.println("13-02-24");
     System.out.println("\n");
     Scanner scanner = new Scanner(System.in);
     Product[] products = new Product[3];
     for (int i = 0; i < products.length; i++) {
       System.out.println("Enter details for product " + (i + 1) + ":");
       System.out.print("Product code: ");
       String pcode = scanner.nextLine();
       System.out.print("Product name: ");
       String pname = scanner.nextLine();
       System.out.print("Price: ");
       double price = scanner.nextDouble();
       scanner.nextLine();
       products[i] = new Product(pcode, pname, price);
```

```
Product lowestPriceProduct = products[0];
for (int i = 1; i < products.length; i++) {
    if (products[i].price < lowestPriceProduct.price) {
        lowestPriceProduct = products[i];
    }
}

System.out.println("\nProduct with the lowest price:");
System.out.println("Product code: " + lowestPriceProduct.pcode);
System.out.println("Product name: " + lowestPriceProduct.pname);
System.out.println("Price: " + lowestPriceProduct.price);
scanner.close();
}
</pre>
```

```
mca@Z238-UL:~/Merinjava$ javac Product.java
mca@Z238-UL:~/Merinjava$ java Main
Merin Babu
23mca042
13-02-24
Enter details for product 1:
Product code: 101
Product name: Eyeliner
Price: 200
Enter details for product 2:
Product code: 102
Product name: Lipstick
Price: 500
Enter details for product 3:
Product code: 103
Product name: Foundation
Price: 600
Product with the lowest price:
Product code: 101
Product name: Eyeliner
Price: 200.0
```

2. Read 2 matrices from the console and perform matrix addition.

```
import java.util.Scanner;
       public class MatrixAddition {
       public static void main(String[] args) {
       System.out.println("Merin \n23MCA042 \n13-02-24\n");
       Scanner scanner = new Scanner(System.in);
       System.out.print("Enter the number of rows: ");
       int rows = scanner.nextInt();
       System.out.print("Enter the number of columns: ");
       int cols = scanner.nextInt();
       int[][] matrix1 = new int[rows][cols];
       System.out.println("Enter the values for matrix 1:");
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < cols; j++) {
       matrix1[i][j] = scanner.nextInt();
       }
       int[][] matrix2 = new int[rows][cols];
       System.out.println("Enter the values for matrix 2:");
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < cols; j++) {
       matrix2[i][j] = scanner.nextInt();
       }
       int[][] result = new int[rows][cols];
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < cols; j++) {
       result[i][j] = matrix1[i][j] + matrix2[i][j];
       System.out.println("Results:");
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < rows; j++) {
```

```
System.out.print(result[i][j] + " ");
}
System.out.println();
}
scanner.close();
}
}
```

```
mca@Z238-UL:~/Merinjava$ javac MatrixAddition.java
mca@Z238-UL:~/Merinjava$ java MatrixAddition

Merin
23MCA042
13-02-24

Enter the number of rows: 2
Enter the number of columns: 2
Enter the values for matrix 1:
1
2
3
4
Enter the values for matrix 2:
1
2
3
4
Results:
2 4
6 8
```

3. Add complex numbers

"i");

scanner.close();

Program: import java.util.Scanner; public class ComplexNumberAddition { public static void main(String[] args) { System.out.println("Merin $\n23MCA042 \n13-02-24\n"$); Scanner scanner = new Scanner(System.in); System.out.println("Enter the real part of the first complex number:"); double real1 = scanner.nextDouble(); System.out.println("Enter the imaginary part of the first complex number:"); double imaginary1 = scanner.nextDouble(); System.out.println("Enter the real part of the second complex number:"); double real2 = scanner.nextDouble(); System.out.println("Enter the imaginary part of the second complex number:"); double imaginary2 = scanner.nextDouble(); double sumReal = real1 + real2; double sumImaginary = imaginary1 + imaginary2;

System.out.println("Sum of the complex numbers: " + sumReal + " + " + sumImaginary +

```
mca@ZZ38-UL:~/Merinjava$ javac ComplexNumberAddition.java
mca@ZZ38-UL:~/Merinjava$ java ComplexNumberAddition
Merin
23MCA042
13-02-24

Enter the real part of the first complex number:
3
Enter the imaginary part of the first complex number:
2
Enter the real part of the second complex number:
1
Enter the imaginary part of the second complex number:
2
Sum of the complex numbers: 4.0 + 4.0i
```

4. Read a matrix from the console and check whether it is symmetric or not.

```
import java.util.Scanner;
       public class MatrixSymmetryChecker {
       public static void main(String[] args) {
       System.out.println("Merin Babu\n23mca042 \n14-02-24");
       Scanner input = new Scanner(System.in);
       System.out.print("Enter the number of rows in the matrix: ");
       int rows = input.nextInt();
       System.out.print("Enter the number of columns in the matrix: ");
       int cols = input.nextInt();
       int[][] matrix = new int[rows][cols];
       System.out.println("Enter the elements of the matrix:");
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < cols; j++) {
       matrix[i][j] = input.nextInt();
       boolean isSymmetric = true;
       for (int i = 0; i < rows; i++) {
       for (int j = 0; j < cols; j++) {
       if (matrix[i][i] != matrix[i][i]) {
       isSymmetric = false;
       break:
       if (!isSymmetric) {
       break;
       if (isSymmetric) {
       System.out.println("The matrix is symmetric.");
       System.out.println("The matrix is not symmetric.");
```

```
mca@ZZ38-UL:~/Merinjava$ javac MatrixSymmetryChecker.java
mca@ZZ38-UL:~/Merinjava$ java MatrixSymmetryChecker

Merin Babu
23mca042
14-02-24
Enter the number of rows in the matrix: 3
Enter the number of columns in the matrix: 3
Enter the elements of the matrix:
1
2
3
2
4
5
3
5
8
The matrix is symmetric.
```

5. Create CPU with attribute price. Create inner class Processor (no. of cores, manufacturer) and static nested class RAM (memory, manufacturer). Create an object of CPU and print information of Processor and RAM.

```
class CPU
       double price;
       class Processor
             double cores;
             String manufacturer;
              double getCache()
                     return 4.3;
       protected class RAM
             double memory;
             String manufacturer;
             double getClockSpeed()
                     return 5.5;
public class CPUDetails
      public static void main(String[] args)
       System.out.println("Merin Babu\n23MCA042\n13-02-24");
       CPU cpu=new CPU();
       CPU.Processor processor=cpu.new Processor();
       CPU.RAM ram=cpu.new RAM();
       System.out.println("Processor Cache=" + processor.getCache());
       System.out.println("Ram Clock speed" + ram.getClockSpeed());
```

```
mca@Z238-UL:~/Merinjava$ javac CPUDetails.java
mca@Z238-UL:~/Merinjava$ java CPUDetails
Merin Babu
23MCA042
13-02-24
Processor Cache=4.3
```