

Beta and Gamma Functions: Definitions, Properties, Relationship, and Applications in Civil Engineering

Merina Aruja

2024-08-02

Beta Function

The Beta function, denoted as $\beta(m, n)$, is defined as:

$$\beta(m, n) = \int_0^1 x^{m-1} (1-x)^{n-1} dx$$

where $\text{Re}(m) > 0$ and $\text{Re}(n) > 0$.

Properties of the Beta Function

1. Symmetry:

$$\beta(m, n) = \beta(n, m)$$

2. Connection with the Gamma Function:

$$\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$$

3. Integral Representation:

$$\beta(m, n) = 2 \int_0^{\pi/2} (\sin \theta)^{2m-1} (\cos \theta)^{2n-1} d\theta$$

4. **Value for Positive Integers:**

$$\beta(m, n) = \frac{(m-1)!(n-1)!}{(m+n-1)!}$$

for positive integers m and n .

Gamma Function

The Gamma function, denoted as $\Gamma(n)$, is defined for $\text{Re}(n) > 0$ by the improper integral:

$$\Gamma(n) = \int_0^{\infty} x^{n-1} e^{-x} dx$$

Properties of the Gamma Function

1. **Reduction Formula:**

$$\Gamma(n+1) = n\Gamma(n)$$

2. **Relation to Factorials:** For a positive integer n :

$$\Gamma(n) = (n-1)!$$

Proof of the Reduction Formula

To derive the reduction formula $\Gamma(n+1) = z\Gamma(n)$, we start from the definition:

$$\Gamma(n+1) = \int_0^{\infty} x^n e^{-x} dx$$

Using integration by parts, let:

$$u = x^n \quad \text{and} \quad dv = e^{-x} dx$$

$$du = nx^{n-1} dx \quad \text{and} \quad v = -e^{-x}$$

Then,

$$\Gamma(n+1) = -x^n e^{-x} \Big|_0^{\infty} + \int_0^{\infty} nx^{n-1} e^{-x} dx$$

The boundary term $-x^n e^{-x} \Big|_0^\infty$ evaluates to 0, since $x^n e^{-x}$ tends to 0 as x approaches both 0 and ∞ . Thus,

$$\Gamma(n+1) = z \int_0^\infty x^{n-1} e^{-x} dt = n\Gamma(n)$$

Relationship Between Beta and Gamma Functions (with Proof)

The Beta function is related to the Gamma function through the following identity:

$$\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$$

Proof

Starting with the definition of the Beta function:

$$\beta(m, n) = \int_0^1 x^{m-1} (1-x)^{n-1} dx$$

We use the integral representations of the Gamma function:

$$\begin{aligned}\Gamma(m) &= \int_0^\infty t^{m-1} e^{-t} dt \\ \Gamma(n) &= \int_0^\infty u^{n-1} e^{-u} du\end{aligned}$$

Consider the double integral:

$$I = \int_0^\infty \int_0^\infty \frac{x^{m-1} y^{n-1}}{(x+y)^{m+n}} e^{-x-y} dx dy$$

We make the substitutions $x = tu$ and $y = t(1-u)$ with $t = x+y$ and $u = \frac{x}{x+y}$. The Jacobian of this transformation is t .

So, the integral becomes:

$$I = \int_0^1 \int_0^\infty (tu)^{m-1} [t(1-u)]^{n-1} t e^{-t} dt du$$

Simplifying, we get:

$$I = \int_0^1 u^{m-1}(1-u)^{n-1} du \int_0^\infty t^{m+n-1} e^{-t} dt$$

The second integral is $\Gamma(m+n)$, and the first integral is $\beta(m, n)$. Thus, we have:

$$\beta(m, n)\Gamma(m+n) = \Gamma(m)\Gamma(n)$$

Rearranging gives:

$$\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$$

This completes the proof of the relationship between the Beta and Gamma functions.

Applications of Beta and Gamma Functions in Civil Engineering

1. **Modeling Material Strength:** The Beta distribution, which is derived from the Beta function, is used to model the variability of material strength, such as the compressive strength of concrete. It provides a flexible model that can take into account different shapes of data distribution, helping engineers predict failure probabilities.
2. **Structural Reliability Analysis:** The Gamma distribution, which is derived from the Gamma function, is often used in the reliability analysis of structures and materials. It helps in modeling the time until failure of components under different stress conditions, allowing for better maintenance schedules and life predictions.
3. **Hydrology and Environmental Engineering:** The Gamma distribution is used to model rainfall amounts and river flow rates. This helps in the design of drainage systems, flood prediction, and management of water resources.
4. **Earthquake Engineering:** The Gamma function is used in the probabilistic seismic hazard analysis (PSHA) to model the distribution of earthquake inter-arrival times. This aids in the design of structures that can withstand seismic activities by understanding the probability of occurrence of different earthquake magnitudes.
5. **Traffic Engineering:** The Gamma distribution is applied in traffic flow modeling and analysis. It helps in understanding and predicting traffic congestion patterns, which can be critical for the design and management of road networks.

These applications demonstrate the importance of Beta and Gamma functions in various aspects of civil engineering, from material science to environmental and structural analysis.