InstaPlaque

PERSONAL WORDS, MADE LASTING

SAMPLE PROOF


Bench plaque

PROOF R01 · BRUSHED STAINLESS STEEL · 225 × 75 MM

This is how your design looks before anything is made. The wording, layout, size, finish and fixings are all shown, so you can check every detail and approve it with confidence.

Please check

- Every name, date and line break
- The size against your wall or bench
- The finish and the fixing positions
- Anything you would like changed




BRUSHED STAINLESS STEEL · BLACK INFILL · TWO Ø5 MM DOMED SCREW HEADS

SHOWN AT ABOUT 70% OF ACTUAL SIZE

InstaPlaque
instaplaque.co.uk · hello@instaplaque.co.uk
WhatsApp 07464 843841


PAGE 2 · SIZE, FIXINGS AND FINISH

Every measurement, before we make it.



Ø5 mm screw heads · domed cross-head · 2 holes Ø3 mm

FRONT VIEW · DIMENSIONS IN MM



Side section through a fixing (not to scale). Small domed screws, colour-matched to the plaque.

SIZE	225 × 75 mm, rectangle, square corners
FINISH	Brushed stainless steel, 1.5 mm solid metal
ENGRAVING	Lettering and single-line border, etched and paint-filled black
LETTERING	EB Garamond. Name 9.7 mm capital height; other lines about 5.5 mm
FIXINGS	Two domed cross-head screws, one at each end, Ø5 mm heads colour-matched to the plaque. Ø3 mm holes, centres 7.75 mm in from each end, on the centre line. Standard screw fixings included
BACKING	None: fixed directly to the surface
PRODUCTION	Estimated 5 working days after proof approval and payment
DELIVERY	UK delivery included

PAGE 3 · FITTING AND APPROVAL

Easy to fit, simple to approve.

1 Hold it in place

Centre it on the flat face of the backrest rail, level and clear of any existing bolts.

2 Mark the holes


Mark through the two holes, or measure 209.5 mm between centres on a level line.

3 Drill pilot holes

For a timber bench, drill small pilot holes. Keep holes away from joints and edges.

4 Fix the plaque

Screw it on firmly, without overtightening, so it sits flat.



Hole positions, viewed from the front. Both holes sit on the centre line, 7.75 mm in from each end. Standard screw fixings are included. Tell us what you are fixing to, so we can check the fixing arrangement.

HOW TO APPROVE

Happy with your proof?

Reply “approved” on WhatsApp or by email, or tell us what to change. We’ll update the proof until it’s right.

Your price and secure payment link go here

1. Approve your proof
2. Pay securely by card
3. We engrave, finish and pack it
4. Delivered to your door, UK delivery included