**InstaPlaque**

PERSONAL WORDS, MADE LASTING

SAMPLE PROOF

# Pet memorial plaque

**PROOF R01 · POLISHED STAINLESS STEEL · 250 × 150 MM**

This is how your design looks before anything is made. The wording, layout, size, finish and fixings are all shown, so you can check every detail and approve it with confidence.

## Please check

- Every name, date and line break
- The size against your wall or bench
- The finish and the fixing positions
- Anything you would like changed





POLISHED STAINLESS STEEL · BLACK INFILL · TWO Ø10 MM DECORATIVE CAPS

SHOWN AT ABOUT 65% OF ACTUAL SIZE


**InstaPlaque**
instaplaque.co.uk · hello@instaplaque.co.uk
WhatsApp 07464 843841

PAGE 2 · SIZE, FIXINGS AND FINISH

# Every measurement, before we make it.




FRONT VIEW · DIMENSIONS IN MM




Side section through a fixing (not to scale). A thin flat cap in the same finish covers each screw.

| | |
|---|---|
| SIZE | 250 × 150 mm, oval |
| FINISH | Polished stainless steel, 1.5 mm solid metal |
| ENGRAVING | Lettering, engraved portrait and double-line border, etched and paint-filled black |
| LETTERING | EB Garamond. Name 5.6 mm capital height; other lines about 3.1 mm |
| FIXINGS | Two screws, one at each side, covered by Ø10 mm decorative caps in the same finish. Ø5 mm holes, centres 14 mm in from each side, on the centre line. Standard fixings included |
| BACKING | None: fixed directly to the surface |
| PRODUCTION | Estimated 15 working days after proof approval and payment |
| DELIVERY | UK delivery included |

PAGE 3 · FITTING AND APPROVAL

# Easy to fit, simple to approve.

## 1 Hold it in place

Check it is level and clear of any joints, cables or pipes.

## 2 Mark the holes

Mark through the two holes, or measure 222 mm between centres on a level line.

## 3 Drill and plug


For brick or stone, drill and plug each hole. For wood, drill small pilot holes.

## 4 Fix the plaque

Screw it on firmly, without overtightening.

## 5 Add the caps

Cover each screw head with its decorative cap.




Hole positions, viewed from the front. Both holes sit on the horizontal centre line, 14 mm in from each side. Standard fixings are included. Tell us what you are fixing to, so we can check the fixing arrangement.

HOW TO APPROVE

### Happy with your proof?

Reply “approved” on WhatsApp or by email, or tell us what to change. We’ll update the proof until it’s right.

**Your price and secure payment link go here**

1. Approve your proof
2. Pay securely by card
3. We engrave, finish and pack it
4. Delivered to your door, UK delivery included