**InstaPlaque**

PERSONAL WORDS, MADE LASTING

SAMPLE PROOF

# Bench plaque

**PROOF R01 · BRUSHED STAINLESS STEEL · 225 × 65 MM**

This is how your design looks before anything is made. The wording, layout, size, finish and fixings are all shown, so you can check every detail and approve it with confidence.

## Please check

- Every name, date and line break
- The size against your wall or bench
- The finish and the fixing positions
- Anything you would like changed





BRUSHED STAINLESS STEEL · BLACK INFILL · TWO Ø5 MM DOMED SCREW HEADS

SHOWN AT ABOUT 70% OF ACTUAL SIZE

**InstaPlaque**
instaplaque.co.uk · hello@instaplaque.co.uk
WhatsApp 07464 843841


PAGE 2 · SIZE, FIXINGS AND FINISH

# Every measurement, before we make it.




**Ø5 mm screw heads** · domed cross-head · 2 holes Ø3 mm

FRONT VIEW · DIMENSIONS IN MM




Side section through a fixing (not to scale). Small domed screws, colour-matched to the plaque.

| | |
|---|---|
| SIZE | 225 × 65 mm, rectangle, square corners |
| FINISH | Brushed stainless steel, 1.5 mm solid metal |
| ENGRAVING | Lettering and single-line border, etched and paint-filled black |
| LETTERING | EB Garamond. Name 8.5 mm capital height; other lines about 4.8 mm |
| FIXINGS | Two domed cross-head screws, one at each end, Ø5 mm heads colour-matched to the plaque. Ø3 mm holes, centres 7.75 mm in from each end, on the centre line. Standard screw fixings included |
| BACKING | None: fixed directly to the surface |
| PRODUCTION | Estimated 5 working days after proof approval and payment |
| DELIVERY | UK delivery included |

PAGE 3 · FITTING AND APPROVAL

# Easy to fit, simple to approve.

## 1 Hold it in place

Centre it on the flat face of the backrest rail, level and clear of any existing bolts.

## 2 Mark the holes


Mark through the two holes, or measure 209.5 mm between centres on a level line.

## 3 Drill pilot holes

For a timber bench, drill small pilot holes. Keep holes away from joints and edges.

## 4 Fix the plaque

Screw it on firmly, without overtightening, so it sits flat.




Hole positions, viewed from the front. Both holes sit on the centre line, 7.75 mm in from each end. Standard screw fixings are included. Tell us what you are fixing to, so we can check the fixing arrangement.

HOW TO APPROVE

## Happy with your proof?

Reply “approved” on WhatsApp or by email, or tell us what to change. We’ll update the proof until it’s right.

**Your price and secure payment link go here**

1. Approve your proof
2. Pay securely by card
3. We engrave, finish and pack it
4. Delivered to your door, UK delivery included