



2020 Catalog



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-001-65	D65*H85mm	55mm	5W 8W	90lm/W	80/90	24° 38°	Cree	Lifud Eaglerise
SVW-001-87	D87*H115mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-002-83	D83*H110mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVW-002-102	D102*H120mm	90mm	12W 16W	90lm/W	80/90	15° 24° 38° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-003-68	D68*H75mm	55mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVW-003-90	D90*H110mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVW-003-110	D110*H115mm	95mm	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVW-003-138	D138*H120mm	125mm	16W 20W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-004-90	D90*H110mm	75mm	8W 12W	90lm/W	80/90	10°15° 24°38°	Cree	Lifud Eaglerise
SVW-004-110	D110*H120mm	95mm	12W 16W	90lm/W	80/90	10°15° 24°38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-005-89	D89*H109mm	75mm	8W 12W	90lm/W	80/90	15°24°40°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVW-006-89	D83*H107mm	75mm	8W 12W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVW-006-110	D110*H139mm	100mm	12W 16W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVW-006-134	D134*H136mm	125mm	20W 24W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVW-006-168	D168*H172mm	150mm	30W 36W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim

Lighting



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-001-72	D72*H80mm	62mm	5W 8W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-001-92	D92*H93mm	80mm	8W 12W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-002-69	D69.5*H64mm	65mm	5W 8W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-002-92	D92*H73mm	85mm	8W 12W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-004-62	D62*H65mm	55mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-004-72	D72*H80mm	65mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-004-85	D85*H82mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-005-75	D75*H64mm	65mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-005-85	D85*H84mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-006-75	D75*H72mm	70mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-007-90	D90*H58mm	75mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-007-100	D100*H65mm	90mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-007-110	D110*H78mm	100mm	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-007-120	D120*H85mm	110mm	20W 24W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-008-80	D80*H65mm	70mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-009-40	D40*H59mm	35mm	3W 5W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVS-009-60	D60*H83mm	55mm	5W 7W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVS-009-75	D75*H102mm	65mm	8W 12W	90lm/W	80/90	24°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-010-83	D83*H85mm	75mm	5W 8W	90lm/W	80/90	15° 25° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-011-98	D98*H86mm	90mm	8W 12W	90lm/W	80/90	20° 36° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-011-98-M	D98*H86mm	90mm	8W 12W	90lm/W	80/90	20° 36° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-012-100	D100*H82mm	85mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-013-76	D76*H61mm	65mm	5W 8W	90lm/W	80/90	24° 13°	Cree	Lifud Eaglerise
SVS-013-96	D96*H80mm	85mm	8W 12W	90lm/W	80/90	24° 13°	Cree	Lifud Eaglerise
SVS-013-125	D125*H105mm	110mm	18W 20W	90lm/W	80/90	24° 13°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-014-90	D90*H87mm	80mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-014-110	D110*H100mm	100mm	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-015-71	D71*H80mm	60mm	5W 8W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVS-015-95	D95*H100mm	80mm	8W 12W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-016-75	D75*H70mm	65mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-016-85	D85*H84mm	75mm	5W 7W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-017-85	D85*H85mm	75mm	8W 12W	90lm/W	80/90	24° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-018-72	D72*H58mm	60mm	3W 5W	90lm/W	80/90	24° 45°	Cree	Lifud Eaglerise
SVS-018-85	D85*H71mm	75mm	5W 8W	90lm/W	80/90	24° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-019-65	D65*H64mm	55mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-020-65	D65*H71mm	55mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-021-68	D68*H76mm	55mm	5W 7W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-022-75	D75*H85mm	65mm	5W 7W	90lm/W	80/90	10° 24° 36°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-023-60	D60*H60mm	55mm	3W 5W	90lm/W	80/90	15° 24°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-024-60	D60*H65mm	50mm	5W 7W	90lm/W	80/90	10° 24° 38°	Cree	Lifud Eaglerise
SVS-024-70	D70*H71mm	60mm	5W 8W	90lm/W	80/90	10° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-025-55	D55*H60mm	50mm	3W 5W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-025-60	D60*H61mm	50mm	5W 7W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-026-65	D65*H30mm	55mm	3W 5W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-026-75	D75*H30mm	65mm	5W 7W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-026-85	D85*H35mm	75mm	5W 8W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-030-85	D85*H106mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-031-68	D68*H60mm	55mm	5W 7W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVS-031-75	D75*H70mm	65mm	7W 10W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVS-031-85	D85*H80mm	75mm	8W 12W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVS-031-105	D105*H100mm	95mm	12W 16W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-032-63	D63*H77mm	55mm	5W 8W	90lm/W	80/90	24° 38°	Cree	Lifud Eaglerise
SVS-032-86	D86*H110mm	75mm	8W 10W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-032-110	D110*H140mm	95mm	12W 16W	90lm/W	80/90	15° 24° 38° 60°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-033-88	D88*H100mm	75mm	8W 12W	90lm/W	80/90	24° 38° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-034-88	88*88*H100mm	75mm	8W 12W	90lm/W	80/90	24° 38° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-035-88	D88*H100mm	75mm	8W 12W	90lm/W	80/90	24° 38° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-036-88	88*88*H100mm	75mm	8W 12W	90lm/W	80/90	24° 38° 45°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-037-58	D58*H73mm	50mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-037-70	D70*H83mm	65mm	5W 8W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-038-68	D68*H85mm	55mm	5W 7W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-038-90	D90*H103mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-038-110	D110*H120mm	95mm	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-039-65	D65mm *H51mm	50mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-039-75	D75mm *H65mm	60mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-039-75-M	D75mm *H51mm	65mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-039-85-M	D85mm *H65mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-040-63	D63*H63mm	55mm	5W 7W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-040-85	D85*H76mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-040-105	D105*H99mm	95mm	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-040-130	D130*H115mm	120mm	20W 24W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-041-65	D65*H48mm	55mm	5W 7W	90lm/W	80/90	24	Cree	Lifud Eaglerise
SVS-041-85	D85*H54mm	75mm	8W 10W	90lm/W	80/90	24	Cree	Lifud Eaglerise
SVS-041-105	D105*H62mm	85mm	12W 16W	90lm/W	80/90	24	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-042-65	65*65*H48mm	55*55mm	5W 7W	90lm/W	80/90	24	Cree	Lifud Eaglerise
SVS-042-85	85*85*H54mm	75*75mm	8W 10W	90lm/W	80/90	24	Cree	Lifud Eaglerise
SVS-042-105	105*105*H62mm	95*95mm	12W 16W	90lm/W	80/90	24	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-043-75	D75mm *H65mm	65mm	3W 5W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVS-043-85	D85mm *H81mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-044-69	D69*H90mm	60mm	5W 7W	90lm/W	80/90	15°-60°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-045-74	D74*H48mm	65mm	3W 5W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-045-89	D89*H62mm	75mm	8W 10W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVS-045-100	D100*H65mm	85mm	12W 16W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise

Sivim

Lighting



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVS-046-90	D90*H90mm	75mm	8W 10W	90lm/W	80/90	15°/23° 38°/45°/60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-001-90	D90*H115mm	75mm	8W 12W	90lm/W	80/90	10° 15° 24° 38°	Cree	Lifud Eaglerise
SVDS-001-110	D110*H135mm	90mm	12W 16W	90lm/W	80/90	10° 15° 24° 38°	Cree	Lifud Eaglerise
SVDS-001-138	D138*H158mm	125mm	20W 24W	90lm/W	80/90	10° 15° 24° 38°	Cree	Lifud Eaglerise
SVDS-001-160	D160*H178mm	145mm	30W	90lm/W	80/90	10° 15° 24° 38°	Cree	Lifud Eaglerise
SVDS-001-180	D180*H194mm	160mm	30W 40W	90lm/W	80/90	10° 15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-002-85	D85*H100mm	75mm	8W 12W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-002-110	D110*H110mm	100mm	12W 16W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-003-75	D75*H95mm	65mm	5W 8W	90lm/W	80/90	15° 24° 38° 45° 60°	Cree	Lifud Eaglerise
SVDS-003-85	D85*H115mm	75mm	8W 12W	90lm/W	80/90	15° 24° 38° 45° 60°	Cree	Lifud Eaglerise
SVDS-003-110	D110*H145mm	100mm	12W 16W	90lm/W	80/90	15° 24° 38° 45° 60°	Cree	Lifud Eaglerise
SVDS-003-135	D135*H170mm	125mm	20W 30W	90lm/W	80/90	15° 24° 38° 45° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-004-75	D75*H95mm	65mm	5W 8W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-004-85	D85*H110mm	75mm	8W 12W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-004-110	D110*H130mm	100mm	12W 16W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-004-135	D135*H160mm	125mm	20W 30W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-005-75	D75*H75mm	61mm	5W 8W	90lm/W	80/90	36°	Cree	Lifud Eaglerise
SVDS-005-87	D87*H85mm	75mm	8W 12W	90lm/W	80/90	36°	Cree	Lifud Eaglerise
SVDS-005-110	D110*H105mm	100mm	12W 16W	90lm/W	80/90	36°	Cree	Lifud Eaglerise
SVDS-005-135	D135*H120mm	125mm	20W 24W	90lm/W	80/90	36°	Cree	Lifud Eaglerise
SVDS-005-170	D170*H140mm	145mm	30W 36W	90lm/W	80/90	36°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-006-110	D110*H90mm	90mm	8W 12W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-006-130	D130*H95mm	115mm	16W 18W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-006-160	D160*H110mm	140mm	18W 20W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-006-190	D190*H130mm	160mm	24W 30W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-006-230	D230*H140mm	200mm	40W 48W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-007-110	D110*H90mm	90mm	8W 12W	90lm/W	80/90	18°24°60°	Cree	Lifud Eaglerise
SVDS-007-130	D130*H100mm	110mm	18W 20W	90lm/W	80/90	18°24°60°	Cree	Lifud Eaglerise
SVDS-007-160	D160*H110mm	140mm	20W 24W	90lm/W	80/90	24°38°60°	Cree	Lifud Eaglerise
SVDS-007-190	D190*H130mm	160mm	30W 36W	90lm/W	80/90	24°38°60°	Cree	Lifud Eaglerise
SVDS-007-230	D230*H150mm	200mm	40W 48W	90lm/W	80/90	24°38°60°	Cree	Lifud Eaglerise
SVDS-007-280	D280*H180mm	250mm	60W	90lm/W	80/90	24°38°60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-008-105	D105*H90mm	85mm	5W 8W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-008-135	D135*H110mm	110mm	8W 12W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-008-165	D165*H125mm	135mm	18W 20W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-008-195	D195*H130mm	165mm	24W 30W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise
SVDS-008-230	D230*H170mm	190mm	30W 40W	90lm/W	80/90	24° 60°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-009-77	D77*H102mm	67mm	5W 8W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-009-87	D87*H103mm	78mm	8W 12W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-009-110	D110*H130mm	103mm	12W 16W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-009-135	D135*H160mm	128mm	20W 24W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-009-178	D178*H180mm	170mm	30W 36W	90lm/W	80/90	30°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-010-105	D105*H135mm	90mm	8W 12W	90lm/W	80/90	15°	Cree	Lifud Eaglerise
SVDS-010-135	D135*H150mm	110mm	20W 24W	90lm/W	80/90	15°	Cree	Lifud Eaglerise
SVDS-010-165	D165*H170mm	135mm	30W 36W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-010-195	D195*H200mm	165mm	40W 48W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-010-230	D230*H220mm	190mm	48W	90lm/W	80/90	30°	Cree	Lifud Eaglerise
SVDS-010-280	D280*H260mm	250mm	60W	90lm/W	80/90	30°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-011-100	D100*H100mm	90mm	8W 12W	90lm/W	80/90	24°/60°	Cree	Lifud Eaglerise
SVDS-011-130	D130*H120mm	110mm	18W 20W	90lm/W	80/90	24°/60°	Cree	Lifud Eaglerise
SVDS-011-160	D160*H130mm	140mm	24W 30W	90lm/W	80/90	24°/60°	Cree	Lifud Eaglerise
SVDS-011-190	D190*H150mm	160mm	30W 40W	90lm/W	80/90	24°/60°	Cree	Lifud Eaglerise
SVDS-011-230	D230*H160mm	200mm	48W 60W	90lm/W	80/90	24°/60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-013-100	D100*H70mm	80mm	5W 7W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-013-106	D106*H70mm	80mm	8W 12W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-013-115	D115*H70mm	90mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-013-143	D143*H73mm	110mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-013-180	D180*H82mm	150mm	20W 24W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-013-190	D190*H82mm	165mm	30W 36W	90lm/W	80/90	60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-014-85	D85*H68mm	75mm	8W 10W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-014-100	D100*H87mm	85mm	12W 16W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-014-140	D140*H105mm	120mm	18W 20W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-014-175	D175*H115mm	145mm	24W 30W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-015-85	85*85*H70mm	75mm	8W 10W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-015-100	100*100*H87mm	85mm	12W 16W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-015-140	140*140*H105mm	120mm	18W 20W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise
SVDS-015-175	175*175*H118mm	150mm	24W 30W	90lm/W	80/90	15°24° 38°60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-016-90	D90*H95mm	80mm	8W 12W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-016-105	D105*H110mm	95mm	12W 16W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-016-125	D125*125mm	115mm	18W 20W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-017-90	D90*H78mm	75mm	8W 10W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-017-108	D108*H100mm	95mm	12W 16W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-017-138	D138*H109mm	120mm	20W 24W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-017-160	D160*H125mm	145mm	30W 36W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-018-70	D70*H55mm	60mm	5W 7W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-95	D95*H75mm	80mm	8W 12W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-120	D120*H95mm	110mm	16W 18W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-140	D140*H105mm	120mm	20W 24W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-167	D167*H120mm	150mm	24W 30W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-197	D197*H140mm	185mm	30W 40W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise
SVDS-018-236	D236*H165mm	220mm	48W 60W	90lm/W	80/90	15° 30° 45°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-019-90	D90*H90mm	80mm	5W 8W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-019-107	D107*H110mm	95mm	12W 16W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-019-135	D135*H130mm	125mm	20W 24W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-020-90	90*90*H90mm	80mm	5W 8W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-020-107	107*107*H110mm	95mm	12W 16W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-020-135	135*135*H130mm	125mm	20W 24W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-021-65	D65*H55mm	55mm	3W 5W	90lm/W	80/90	18°	Cree	Lifud Eaglerise
SVDS-021-85	D85*H60mm	72mm	8W 12W	90lm/W	80/90	28° 36°	Cree	Lifud Eaglerise
SVDS-021-105	D105*H83mm	92mm	12W 16W	90lm/W	80/90	18° 24° 38°	Cree	Lifud Eaglerise
SVDS-021-130	D130*H95mm	117mm	20W 24W	90lm/W	80/90	18° 24° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-022-65	D65*H60mm	55mm	3W 5W	90lm/W	80/90	18°	Cree	Lifud Eaglerise
SVDS-022-85	D85*H70mm	72mm	8W 12W	90lm/W	80/90	28° 36°	Cree	Lifud Eaglerise
SVDS-022-105	D105*H100mm	92mm	12W 16W	90lm/W	80/90	18° 24° 38°	Cree	Lifud Eaglerise
SVDS-022-130	D130*H120mm	117mm	20W 24W	90lm/W	80/90	18° 24° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-023-72	D72*H90mm	65mm	5W 8W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-023-98	D98*H103mm	85mm	8W 12W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-023-120	D120*H118mm	105mm	18W 20W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-023-143	D143*H130mm	130mm	20W 24W	90lm/W	80/90	45°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-029-95	D95*H59mm	80mm	5W 7W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-029-117	D117*H68mm	100mm	8W 10W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-029-136	D136*H83mm	120mm	12W 16W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-029-165	D165*H94mm	150mm	20W 24W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-029-98	D198*H106mm	170mm	24W 30W	90lm/W	80/90	45°	Cree	Lifud Eaglerise
SVDS-029-220	D220*H116mm	200mm	40W 48W	90lm/W	80/90	45°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-030-87	D87*H40mm	75mm	8W 12W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-030-106	D106*H45mm	95mm	12W 16W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-030-135	D135*H55mm	120mm	18W 20W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVDS-030-175	D175*H65mm	160mm	24W 30W	90lm/W	80/90	24°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-031-110	D110*H65mm	95mm	8W 10W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-031-130	D130*H71mm	110mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-031-165	D165*H82mm	140mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-031-190	D190*H100mm	170mm	24W 30W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVDS-031-230	D230*H117mm	200mm	40W 48W	90lm/W	80/90	60°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-032-82	D82*H40mm	69-78mm	5W 7W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVDS-032-102	D102*H45mm	83-98mm	8W 12W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVDS-032-116	D116*H55mm	98-112mm	12W 16W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVDS-032-141	D141*H65mm	120-135mm	16W 18W	50-60°	80/90	50-60°	Cree	50-60°
SVDS-032-165	D165*H75mm	141-161mm	20W 24W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVDS-032-194	D194*H85mm	171-190mm	30W 36W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVDS-032-220	D220*H95mm	196-214mm	40W 48W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVDS-033-90	D90*H65mm	75-80mm	8W 12W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-033-110	D110*H76mm	95-100mm	12W 16W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-033-135	D135*H97mm	115-120mm	20W 24W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise
SVDS-033-165	D165*H125mm	145-150mm	30W 36W	90lm/W	80/90	15° 24° 36°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-001-115	D115*H78mm	100mm	12W 16W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-001-135	D135*H80mm	120mm	18W 20W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-001-170	D170*H95mm	150mm	24W 30W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-001-195	D195*H105mm	170mm	30W 40W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-001-220	D220*H130mm	200mm	40W 48W	90lm/W	80/90	50°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-002-115	115*115*H78mm	100mm	12W 16W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-002-135	135*135*H80mm	120mm	18W 20W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-002-170	170*170*H95mm	150mm	24W 30W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-002-195	195*195*H105mm	170mm	30W 40W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-002-220	220*220*H130mm	200mm	40W 48W	90lm/W	80/90	50°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-003-110	D110*H59mm	90mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-003-127	D127*H70mm	110mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-003-164	D164*H81mm	145mm	24W 30W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-003-220	D220*H90mm	200mm	40W 48W	90lm/W	80/90	60°	Cree	Lifud Eaglerise



IP44/IP65

Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-004-110	110*110*H59mm	90mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-004-127	127*127*H70mm	110mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-004-165	165*165*H80mm	145mm	24W 30W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-004-220	220*220*H90mm	200mm	40W 48W	90lm/W	80/90	60°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-005-90	D90*H50mm	75mm	8W 12W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-005-120	D120*H65mm	100mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-005-150	D150*H85mm	120mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-005-200	D200*H105mm	170mm	24W 30W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-005-230	D230*H110mm	200mm	30W 40W	90lm/W	80/90	60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-006-87	D87*H33mm	80mm	5W 7W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVD-006-115	D115*H42mm	105mm	12W 16W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVD-006-142	D142*H50mm	130mm	18W 20W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVD-006-169	D169*H58mm	155mm	24W 30W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise
SVD-006-217	D217*H70mm	200mm	30W 40W	90lm/W	80/90	50-60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-007-90	D90*H45mm	70mm	5W 7W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-007-105	D105*H65mm	85mm	8W 10W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-007-130	D130*H68mm	105mm	12W 16W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-007-165	D165*H90mm	140mm	18W 20W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-007-190	D190*H95mm	165mm	24W 30W	90lm/W	80/90	60°	Cree	Lifud Eaglerise
SVD-007-225	D225*H105mm	200mm	30W 40W	90lm/W	80/90	60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-008-62	D62*H55mm	55mm	5W 7W	90lm/W	80/90	45° 60°	Cree	Lifud Eaglerise
SVD-008-85	D85*H70mm	75mm	8W 12W	90lm/W	80/90	45° 60°	Cree	Lifud Eaglerise
SVD-008-105	D105*H85mm	95mm	12W 16W	90lm/W	80/90	45° 60°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVD-009-86	D86*H55mm	70mm	5W 7W	90lm/W	80/90	50°	Cree	Lifud Eaglerise
SVD-009-101	D101*H60mm	85mm	8W 12W	90lm/W	80/90	24°38°55°	Cree	Lifud Eaglerise
SVD-009-140	D140*H73mm	120mm	18W 20W	90lm/W	80/90	24°38°55°	Cree	Lifud Eaglerise
SVD-009-180	D180*H94mm	160mm	30W 36W	90lm/W	80/90	24°38°55°	Cree	Lifud Eaglerise
SVD-009-212	D212*H110mm	195mm	40W 48W	90lm/W	80/90	24°38°55°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVL-001-76	76*45*H45mm	66*35mm	2W	90lm/W	80/90	15/30/45°	CREE
SVL-001-96	96*45*H45mm	96*35mm	3W	90lm/W	80/90	15/30/45°	CREE
SVL-001-150	150*45*H45mm	140*35mm	5W	90lm/W	80/90	15/30/45°	CREE
SVL-001-280	280*45*H45mm	270*35mm	10W	90lm/W	80/90	15/30/45°	CREE
SVL-001-413	413*45*H45mm	403*35mm	15W	90lm/W	80/90	15/30/45°	CREE



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVL-002-48	48*42*H42mm	35*35mm	1W	90lm/W	80/90	24°	CREE
SVL-002-70	70*48*H42mm	63*35mm	2W	90lm/W	80/90	24°	CREE
SVL-002-97	97*48*H42mm	87*35mm	3W	90lm/W	80/90	24°	CREE
SVL-002-125	125*48*H42mm	103*35mm	4W	90lm/W	80/90	24°	CREE
SVL-002-150	150*48*H42mm	138*35mm	5W	90lm/W	80/90	24°	CREE
SVL-002-220	220*48*H42mm	225*35mm	8W	90lm/W	80/90	24°	CREE
SVL-002-283	283*48*H42mm	270*35mm	10W	90lm/W	80/90	24°	CREE
SVL-002-415	415*48*H42mm	403*35mm	15W	90lm/W	80/90	24°	CREE



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVL-003-54	54*54*H49mm	45*45mm	1W	90lm/W	80/90	15/30/45°	CREE
SVL-003-131	131*54*H49mm	120*45mm	3W	90lm/W	80/90	15/30/45°	CREE
SVL-003-92	92*92*H49mm	82*82mm	4W	90lm/W	80/90	15/30/45°	CREE
SVL-003-207	207*54*H49mm	195*45mm	5W	90lm/W	80/90	15/30/45°	CREE
SVL-003-168	168*91*H49mm	157*82mm	8W	90lm/W	80/90	15/30/45°	CREE
SVL-003-1313	131*131*H49mm	119*119mm	9W	90lm/W	80/90	15/30/45°	CREE
SVL-003-397	397*54*H49mm	388*45mm	10W	90lm/W	80/90	15/30/45°	CREE
SVL-003-588	588*54*H49mm	577*45mm	15W	90lm/W	80/90	15/30/45°	CREE
SVL-003-246	246*132*H49mm	234*120mm	18W	90lm/W	80/90	15/30/45°	CREE

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVGR-001-1	100*100*H90mm	/	8W 12W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim


Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVGR-001-2	100*200*H90mm	/	8W*2 12W*2	90lm/W	80/90	24°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVGR-002-1-55	55*55*H80mm	/	5W 7W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVGR-002-1-75	75*75*H95mm	/	7W 10W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVGR-002-1-95	95*95*105mm	/	8W 12W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVGR-002-1-115	115*115*H160mm	/	12W 16W	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVGR-002-2 -55	55*110*H80mm	/	5W*2 7W*2	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVGR-002-2 -75	75*150*H95mm	/	7W*2 10W*2	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise
SVGR-002-2 -95	95*186*H110mm	/	8W*2 12W*2	90lm/W	80/90	15° 24° 38°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVGR-003-65	D65*H70mm	/	3W 5W	90lm/W	80/90	24°	Cree	Lifud Eaglerise
SVGR-003-85	D85*H80mm	/	8W 10W	90lm/W	80/90	24°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVGR-004-55	D55*H100mm	/	5W 7W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-004-75	D75*H130mm	/	7W 10W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-004-95	D95*H140mm	/	8W 12W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-004-115	D115*H160mm	/	12W 16W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-004-140	D140*H170mm	/	20W 24W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-004-170	D170*H180mm	/	30W 36W	90lm/W	80/90	15° 24° 38°	Cree



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVGR-005-90	D90*H90mm	/	8W 12W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-005-110	D110*H122mm	/	12W 16W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-005-130	D130*H152mm	/	20W 24W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-005-150	D150*H165mm	/	24W 30W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-005-170	D170*H184mm	/	30W 36W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-005-195	D195*H195mm	/	40W 48W	90lm/W	80/90	15° 24° 38°	Cree



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED
SVGR-006-90	90*90*H90mm	/	8W 12W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-006-110	110*110*H122mm	/	12W 16W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-006-130	130*130*H133mm	/	20W 24W	90lm/W	80/90	15° 24° 38°	Cree
SVGR-006-160	160*160*H165mm	/	24W 30W	90lm/W	80/90	15° 24° 38°	Cree

Sivim
Lighting





Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVADJ-001-R-1	D105*H127mm	95mm	8W 10W	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim

Lighting



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVADJ-001-2	210*112*H127mm	195*100mm	8W*2 10W*2	90lm/W	80/90	24°	Cree	Lifud Eaglerise



Model No.	Size	Cut off	Power	Flux	CRI	Beam	LED	Driver
SVADJ-001-3	282*112*H127mm	265*100mm	8W*3 10W*3	90lm/W	80/90	24°	Cree	Lifud Eaglerise

Sivim
Lighting



Surface mounted series GU10 down light



Brushed silver



Brushed black

Model No.:ASL80RD
Diameter:80mm
Height:85mm
QTY/CTN:30PCS
Meas:45*18*33.5cm



Sand black



Sand white



Brushed silver



Brushed black

Model No.:ASL80SQ
Diameter:80*80mm
Height:85mm
QTY/CTN:30PCS
Meas:45*18*33.5cm



Sand white

Sivim
Lighting



Sand black



Sand white

Model No.:ASL97RD

Diameter:97mm


Height:125mm

QTY/CTN:20PCS

Meas:53*22*328cm



Silver



Sand black



Sand white

Model No.:ASL97SQ
Diameter:97*97mm
Height:125mm
QTY/CTN:20PCS
Meas:53*22*32.8cm



ALS80-SQ-IP44

Diameter:80
Height:95mm
QTY/CTN:30PCS
Meas:45*18*33.5cm

Brushed aluminium



ALS80-RD-IP44



ALS97-2-RD-SS+S



ALS97-2-RD-BK+S

Diameter:97*180mm

Height:125mm

QTY/CTN:20PCS

Meas:54*28*39cm



ALS97-2-RD-BK



ALS97-2-RD-WH



ALS97-3-RD-WH

Diameter:180*180*180*H125mm

QTY/CTN:8PCS

Meas:36.5*36.5*25.5cm

Sivim
Lighting



ALS97-2-SQ-BK

Diameter:97*180mm

Height:125mm

QTY/CTN:20PCS

Meas:54*28*39cm



ALS97-2-SQ-WH

Sivim
Lighting



ALS-90-2-360 WH

Diameter:90*180*H100mm

Lampholder:GU10



ALS-90-360 WH

Diameter:90*H100mm

Lampholder:GU10



ALS-90-SQ-360 BK

Diameter:90*90*H100mm

Lampholder:GU10



Recessed down light fixtures





AL95-RD-SS+S

Size:95mm*25mm
QTY/CTN:100PCS
Meas:54*25*50cm



AL95-RD-WH



AL95-SQ-SS+S



AL95-SQ-BK

Size:92*92mm*25mm
QTY/CTN:100PCS
Meas:54*25*50cm



AL95-SQ-WH

Sivim

Lighting





AL-95SQ-2 BK

Size:92mm*175mm*25mm

QTY/CTN:50PCS

Meas:65*25*38cm



AL-95SQ-2 WH



AL-95SQ-2 SS+S



AL-95RD-2 SS+S

Size:95mm*175mm*25mm

QTY/CTN:50PCS

Meas:65*25*38cm



AL-95RD-2 WH

Sivim
Lighting



AL-95SQ-3 SS+S

Size:92mm*260mm*25mm

QTY/CTN:25PCS

Meas:64.5*25*28cm



AL-95SQ-3 WH



AL-95SQ-3 BK+S

Size:92mm*260mm*25mm

QTY/CTN:25PCS

Meas:64.5*25*28cm



AL-95SQ-3 SS+S



AL-95SQ-3 WH



Detail makes perfect



Showroom address: No. 47 Xin Xing Zhong Road, Guzhen, China

Factory address: No. 26, 6th Road, XinZhai, Tie Bian Ind., Henglan, Zhongshan, City, GD, China