

Firewall Rule Review

Payments Platform

example-estate.xml · generated 2026-07-30 18:33

2 YOUR NETWORKS	3 INBOUND	10 OUTBOUND	5 ALSO COVER YOU	61 CLEANUP CANDIDATES
--------------------	--------------	----------------	---------------------	--------------------------

Team	Payments Platform (payments)
Contact	payments@example.com
Configuration source	example-estate.xml
Configuration type	panorama, PAN-OS 11.1.0
Backup timestamp	2026-07-30 18:33
Report generated	2026-07-30 18:33
Configuration checksum	sha256:36184e5eb65b9931d22fc0f1f1b8a99e...
Tool	panorama-team-review 0.1.0

How to read this report

This report contains two kinds of rule, and only the first is a question to you.

- **Your rules** — written for your address space: the rule names one of your networks, or carries your team's tag or zone. You are the one who can say whether they are still needed.
 - **Inbound** — other systems may reach yours. These are your exposure.
 - **Outbound** — your systems may reach elsewhere.
 - **Both ends yours** — source and destination are both networks of yours.
 - **No direction** — attributed by tag, name or device group, which does not say which side you are on.
- **Rules that also cover your networks** — estate-wide rules that happen to include you: ping, DNS, Active Directory. Nothing is being asked of you here; they are listed so you can see the access you already have, and object if one of your systems must not have it.

Rules appear in the order the firewall evaluates them, grouped into the blocks it evaluates as a unit; the first matching rule wins. Addresses are the result of resolving address objects and groups. Object names are given so they can be cited in a change request. Questions about a rule, or need one changed? Raise a ticket with the firewall team and quote the rule name and its location.

Usage data not included. Rule hit counters are runtime state and are not contained in a configuration backup. This report therefore makes no statement about whether a rule is used. Hit counts can be collected separately via the optional enrichment module.

Your networks (2)

What this report considers yours, and how many of your own rules touch each. Everything else follows from this list, so a wrong entry makes the rest wrong in the same way.

NETWORK	SYSTEM	INBOUND RULES	OUTBOUND RULES
10.20.0.0/16	Payments production	3	10
10.20.1.5/32	payment-gw01 (settlement gateway)	3	8

Objects and groups inside your networks (23)

What your networks are called in the firewall. Every address object and group whose addresses lie entirely within your networks — these are the names to quote when you ask for a rule to be changed, and the names you will see in the rules below.

NAME	KIND	DEFINED IN	COVERS	DESCRIPTION
dag-production-owned	group	DG-Production	10.20.1.5/32, 10.20.1.9/32, 10.20.1.13/32, 10.20.1.17/32, 10.20.1.21/32	Dynamic group matching 'owner:payments'
grp-production-app	group	DG-Production	10.20.1.5/32, 10.20.1.6/32	Static group grp-production-app
grp-production-broken	group	DG-Production	10.20.1.5/32	Static group grp-production-broken
grp-production-nested	group	DG-Production	10.20.1.5/32, 10.20.1.6/32, 10.20.1.7/32	Static group grp-production-nested
net-production	object	DG-Production	10.20.0.0/16	production network segment
production-host-01	object	DG-Production	10.20.1.5/32	production application host 1
production-host-02	object	DG-Production	10.20.1.6/32	production application host 2
production-host-03	object	DG-Production	10.20.1.7/32	production application host 3
production-host-04	object	DG-Production	10.20.1.8/32	production application host 4
production-host-05	object	DG-Production	10.20.1.9/32	production application host 5
production-host-06	object	DG-Production	10.20.1.10/32	production application host 6
production-host-07	object	DG-Production	10.20.1.11/32	production application host 7
production-host-08	object	DG-Production	10.20.1.12/32	production application host 8
production-host-09	object	DG-Production	10.20.1.13/32	production application host 9
production-host-10	object	DG-Production	10.20.1.14/32	production application host 10
production-host-11	object	DG-Production	10.20.1.15/32	production application host 11
production-host-12	object	DG-Production	10.20.1.16/32	production application host 12
production-host-13	object	DG-Production	10.20.1.17/32	production application host 13
production-host-14	object	DG-Production	10.20.1.18/32	production application host 14
production-host-15	object	DG-Production	10.20.1.19/32	production application host 15
production-host-16	object	DG-Production	10.20.1.20/32	production application host 16
production-host-17	object	DG-Production	10.20.1.21/32	production application host 17
production-host-18	object	DG-Production	10.20.1.22/32	production application host 18

Your rules (53)

Written for your address space. These are the ones to decide on.

Inbound — who reaches your networks (3)

Traffic from elsewhere that is permitted to reach the networks you own.

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
1. DG-Production — pre-rules — applies to 001901000001; 2 of 20 rules in this block concern you							
2	production-pre-02	production-host-01	any	tcp/443	ssl	CHG0010007	MEDIUM Source is 'any'
13	production-pre-13	production-host-01	any	tcp/443	ssl		MEDIUM Source is 'any'; INFO No change reference
2. DG-Production — post-rules — applies to 001901000001; 1 of 2 rules in this block concern you							
2	production-post-02	production-host-01	any	tcp/443	ssl	CHG0010007	MEDIUM Source is 'any'

Outbound — what your networks reach (10)

Traffic your systems are permitted to send to other networks.

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
1. DG-Production — pre-rules — applies to 001901000001; 10 of 20 rules in this block concern you							
3	production-pre-03	net-production	any	tcp/443	web-browsing	CHG0010014	MEDIUM Destination is 'any'
5	production-pre-05	grp-production-app	grp-dns-servers	udp/53	dns		INFO No change reference
8	production-pre-08	net-production	partner-range	tcp/22	ssh	CHG0010049	HIGH Past its stated expiry date
9	production-pre-09	production-host-02	net-internet-doc	tcp/8080, tcp/8443	any		LOW No description
10	production-pre-10disabled	production-host-01	update-service	tcp/443	paloalto-updates	CHG0010063	INFO Disabled
11	production-pre-11	dag-production-owned	net-management	tcp/22	ssh	CHG0010070	INFO Expires soon
14	production-pre-14	net-production	any	tcp/443	web-browsing	CHG0010091	MEDIUM Destination is 'any'
16	production-pre-16	grp-production-app	grp-dns-servers	udp/53	dns	CHG0010105	INFO Expires soon
19	production-pre-19	net-production	partner-range	tcp/22	ssh	CHG0010126	HIGH Past its stated expiry date
20	production-pre-20	production-host-02	net-internet-doc	tcp/8080, tcp/8443	any		LOW No description

Both ends yours (7)

Source and destination are both networks you own, so no other team is involved.

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
1. DG-Production — pre-rules — applies to 001901000001; 6 of 20 rules in this block concern you							
1	production-pre-01	production-host-01, production-host-02	production-host-01, production-host-02	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
6	production-pre-06	grp-production-nested, net-production	grp-production-nested, net-production	tcp/443, tcp/8080, tcp/8443	any	CHG0010035	INFO Expires soon
7	production-pre-07	production-host-01, production-host-02	production-host-01, production-host-02	application-default	ms-sql-db	CHG0010042	
12	production-pre-12	production-host-01, production-host-02	production-host-01, production-host-02	tcp/443	ssl, web-browsing	CHG0010077	
17	production-pre-17	grp-production-nested, net-production	grp-production-nested, net-production	tcp/443, tcp/8080, tcp/8443	any		INFO No change reference
18	production-pre-18	production-host-01, production-host-02	production-host-01, production-host-02	application-default	ms-sql-db	CHG0010119	
2. DG-Production — post-rules — applies to 001901000001; 1 of 2 rules in this block concern you							
1	production-post-01	production-host-01, production-host-02	production-host-01, production-host-02	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon

No direction — attributed by label (33)

A tag, a naming convention or a device group puts these rules with your team, without saying which side of the connection you are on.

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
1. DG-DMZ — pre-rules — applies to 001901000003; 7 of 20 rules in this block concern you							
1	dmz-pre-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
4	dmz-pre-04	—	any	any	any	CHG0010021	HIGH Permits any source to any destination; MEDIUM No service or application restriction; MEDIUM Traffic is not logged
7	dmz-pre-07	—	any	application-default	ms-sql-db	CHG0010042	
10	dmz-pre-10 disabled	—	any	tcp/443	paloalto-updates	CHG0010063	INFO Disabled
13	dmz-pre-13	—	any	tcp/443	ssl		MEDIUM Source is 'any'; INFO No change reference
16	dmz-pre-16	—	any	udp/53	dns	CHG0010105	INFO Expires soon
19	dmz-pre-19	—	any	tcp/22	ssh	CHG0010126	HIGH Past its stated expiry date
2. DG-Production — pre-rules — applies to 001901000001; 1 of 20 rules in this block concern you							
4	production-pre-04	—	any	any	any	CHG0010021	HIGH Permits any source to any destination; MEDIUM No service or application restriction; MEDIUM Traffic is not logged
3. DG-Shared-Services — pre-rules — applies to 001901000000, 001901000002, 001901000004; 7 of 20 rules in this block concern you							
1	shared-services-pre-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
4	shared-services-pre-04	—	any	any	any	CHG0010021	HIGH Permits any source to any destination; MEDIUM No service or application restriction; MEDIUM Traffic is not logged
7	shared-services-pre-07	—	any	application-default	ms-sql-db	CHG0010042	
10	<i>shared-services-pre-10</i> <i>disabled</i>	—	any	<i>tcp/443</i>	<i>paloalto-updates</i>	CHG0010063	INFO Disabled
13	shared-services-pre-13	—	any	tcp/443	ssl		MEDIUM Source is 'any'; INFO No change reference
16	shared-services-pre-16	—	any	udp/53	dns	CHG0010105	INFO Expires soon
19	shared-services-pre-19	—	any	tcp/22	ssh	CHG0010126	HIGH Past its stated expiry date
4. DG-Development — pre-rules — applies to 001901000002; 7 of 20 rules in this block concern you							
1	development-pre-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
4	development-pre-04	—	any	any	any	CHG0010021	HIGH Permits any source to any destination; MEDIUM No service or application restriction; MEDIUM Traffic is not logged
7	development-pre-07	—	any	application-default	ms-sql-db	CHG0010042	
10	<i>development-pre-10</i> <i>disabled</i>	—	any	<i>tcp/443</i>	<i>paloalto-updates</i>	CHG0010063	INFO Disabled
13	development-pre-13	—	any	tcp/443	ssl		MEDIUM Source is 'any'; INFO No change reference
16	development-pre-16	—	any	udp/53	dns	CHG0010105	INFO Expires soon
19	development-pre-19	—	any	tcp/22	ssh	CHG0010126	HIGH Past its stated expiry date
5. DG-Partner — pre-rules — applies to 001901000004; 7 of 20 rules in this block concern you							

POS	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION	TICKET	FINDINGS
1	partner-pre-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
4	partner-pre-04	—	any	any	any	CHG0010021	HIGH Permits any source to any destination; MEDIUM No service or application restriction; MEDIUM Traffic is not logged
7	partner-pre-07	—	any	application-default	ms-sql-db	CHG0010042	
10	<i>partner-pre-10</i> disabled	—	any	tcp/443	paloalto-updates	CHG0010063	INFO Disabled
13	partner-pre-13	—	any	tcp/443	ssl		MEDIUM Source is 'any'; INFO No change reference
16	partner-pre-16	—	any	udp/53	dns	CHG0010105	INFO Expires soon
19	partner-pre-19	—	any	tcp/22	ssh	CHG0010126	HIGH Past its stated expiry date
6. DG-Development — post-rules — applies to 001901000002; 1 of 2 rules in this block concern you							
1	development-post-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
7. DG-Partner — post-rules — applies to 001901000004; 1 of 2 rules in this block concern you							
1	partner-post-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
8. DG-DMZ — post-rules — applies to 001901000003; 1 of 2 rules in this block concern you							
1	dmz-post-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon
9. DG-Shared-Services — post-rules — applies to 001901000000, 001901000002, 001901000004; 1 of 2 rules in this block concern you							
1	shared-services-post-01	—	any	tcp/443	ssl, web-browsing	CHG0010000	INFO Expires soon

Rules that also cover your networks (5)

Estate-wide rules maintained centrally. Nothing to decide — this is for information.

Without a clear direction (5)

Rules permitting any source to any destination, so no side can be called yours or theirs.

POS	DIRECTION	RULE	YOUR NETWORKS	OTHER SIDE	SERVICE / PORTS	APPLICATION
1. DG-DMZ — pre-rules — applies to 001901000003; 1 of 20 rules in this block concern you						
15	No direction	dmz-pre-15	—	any	any	any
2. DG-Production — pre-rules — applies to 001901000001; 1 of 20 rules in this block concern you						
15	No direction	production-pre-15	—	any	any	any
3. DG-Shared-Services — pre-rules — applies to 001901000000, 001901000002, 001901000004; 1 of 20 rules in this block concern you						
15	No direction	shared-services-pre-15	—	any	any	any
4. DG-Development — pre-rules — applies to 001901000002; 1 of 20 rules in this block concern you						
15	No direction	development-pre-15	—	any	any	any
5. DG-Partner — pre-rules — applies to 001901000004; 1 of 20 rules in this block concern you						
15	No direction	partner-pre-15	—	any	any	any

Cleanup candidates (61)

Findings on your own rules only, most significant first. Rules that merely cover your networks are maintained by the firewall team and are not listed here.

SEVERITY	FINDING	RULE	LOCATION	DETAIL	SUGGESTED ACTION
HIGH	Permits any source to any destination ANY_ANY	development-pre-04	DG-Development/pre	Both source and destination are 'any', so this rule allows traffic between all systems the firewall sees.	Restrict at least one side to the address objects actually needed.
HIGH	Past its stated expiry date EXPIRED_RULE	development-pre-19	DG-Development/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
HIGH	Permits any source to any destination ANY_ANY	dmz-pre-04	DG-DMZ/pre	Both source and destination are 'any', so this rule allows traffic between all systems the firewall sees.	Restrict at least one side to the address objects actually needed.
HIGH	Past its stated expiry date EXPIRED_RULE	dmz-pre-19	DG-DMZ/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
HIGH	Permits any source to any destination ANY_ANY	partner-pre-04	DG-Partner/pre	Both source and destination are 'any', so this rule allows traffic between all systems the firewall sees.	Restrict at least one side to the address objects actually needed.
HIGH	Past its stated expiry date EXPIRED_RULE	partner-pre-19	DG-Partner/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
HIGH	Permits any source to any destination ANY_ANY	production-pre-04	DG-Production/pre	Both source and destination are 'any', so this rule allows traffic between all systems the firewall sees.	Restrict at least one side to the address objects actually needed.
HIGH	Past its stated expiry date EXPIRED_RULE	production-pre-08	DG-Production/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
HIGH	Past its stated expiry date EXPIRED_RULE	production-pre-19	DG-Production/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
HIGH	Permits any source to any destination ANY_ANY	shared-services-pre-04	DG-Shared-Services/pre	Both source and destination are 'any', so this rule allows traffic between all systems the firewall sees.	Restrict at least one side to the address objects actually needed.
HIGH	Past its stated expiry date EXPIRED_RULE	shared-services-pre-19	DG-Shared-Services/pre	The description gives an expiry of 2026-06-13, 47 days ago, but the rule is still active.	Remove the rule, or extend it with a new change reference.
MEDIUM	No service or application restriction ANY_SERVICE	development-pre-04	DG-Development/pre	Service is 'any' and application is 'any', so every protocol and port is permitted.	Set an application (App-ID) or a service object.
MEDIUM	Traffic is not logged NO_LOGGING	development-pre-04	DG-Development/pre	Neither log-start nor log-end is set, so traffic matching this rule leaves no record.	Enable log-end so the traffic can be traced and the rule's usage assessed.

SEVERITY	FINDING	RULE	LOCATION	DETAIL	SUGGESTED ACTION
MEDIUM	Source is 'any' ANY_SOURCE	development-pre-13	DG-Development/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	No service or application restriction ANY_SERVICE	dmz-pre-04	DG-DMZ/pre	Service is 'any' and application is 'any', so every protocol and port is permitted.	Set an application (App-ID) or a service object.
MEDIUM	Traffic is not logged NO_LOGGING	dmz-pre-04	DG-DMZ/pre	Neither log-start nor log-end is set, so traffic matching this rule leaves no record.	Enable log-end so the traffic can be traced and the rule's usage assessed.
MEDIUM	Source is 'any' ANY_SOURCE	dmz-pre-13	DG-DMZ/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	No service or application restriction ANY_SERVICE	partner-pre-04	DG-Partner/pre	Service is 'any' and application is 'any', so every protocol and port is permitted.	Set an application (App-ID) or a service object.
MEDIUM	Traffic is not logged NO_LOGGING	partner-pre-04	DG-Partner/pre	Neither log-start nor log-end is set, so traffic matching this rule leaves no record.	Enable log-end so the traffic can be traced and the rule's usage assessed.
MEDIUM	Source is 'any' ANY_SOURCE	partner-pre-13	DG-Partner/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	Source is 'any' ANY_SOURCE	production-post-02	DG-Production/post	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	Source is 'any' ANY_SOURCE	production-pre-02	DG-Production/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	Destination is 'any' ANY_DESTINATION	production-pre-03	DG-Production/pre	The listed sources may reach any destination through this rule.	Name the destinations this access is meant for.
MEDIUM	No service or application restriction ANY_SERVICE	production-pre-04	DG-Production/pre	Service is 'any' and application is 'any', so every protocol and port is permitted.	Set an application (App-ID) or a service object.
MEDIUM	Traffic is not logged NO_LOGGING	production-pre-04	DG-Production/pre	Neither log-start nor log-end is set, so traffic matching this rule leaves no record.	Enable log-end so the traffic can be traced and the rule's usage assessed.
MEDIUM	Source is 'any' ANY_SOURCE	production-pre-13	DG-Production/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
MEDIUM	Destination is 'any' ANY_DESTINATION	production-pre-14	DG-Production/pre	The listed sources may reach any destination through this rule.	Name the destinations this access is meant for.
MEDIUM	No service or application restriction ANY_SERVICE	shared-services-pre-04	DG-Shared-Services/pre	Service is 'any' and application is 'any', so every protocol and port is permitted.	Set an application (App-ID) or a service object.
MEDIUM	Traffic is not logged NO_LOGGING	shared-services-pre-04	DG-Shared-Services/pre	Neither log-start nor log-end is set, so traffic matching this rule leaves no record.	Enable log-end so the traffic can be traced and the rule's usage assessed.

SEVERITY	FINDING	RULE	LOCATION	DETAIL	SUGGESTED ACTION
MEDIUM	Source is 'any' ANY_SOURCE	shared-services-pre-13	DG-Shared-Services/pre	Any system reaching this firewall may use this rule to access the listed destinations.	Restrict the source to the networks that legitimately need this access.
LOW	No description NO_DESCRIPTION	production-pre-09	DG-Production/pre	The rule has no description, so its purpose cannot be established from the configuration alone.	Add the purpose, the requester and the change reference.
LOW	No description NO_DESCRIPTION	production-pre-20	DG-Production/pre	The rule has no description, so its purpose cannot be established from the configuration alone.	Add the purpose, the requester and the change reference.
INFO	Expires soon EXPIRING_SOON	development-post-01	DG-Development/post	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	development-pre-01	DG-Development/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Disabled DISABLED_RULE	development-pre-10	DG-Development/pre	The rule is disabled and has no effect on traffic.	Delete it if it is no longer needed; disabled rules accumulate and obscure the active policy.
INFO	No change reference NO_TICKET	development-pre-13	DG-Development/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	development-pre-16	DG-Development/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	dmz-post-01	DG-DMZ/post	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	dmz-pre-01	DG-DMZ/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Disabled DISABLED_RULE	dmz-pre-10	DG-DMZ/pre	The rule is disabled and has no effect on traffic.	Delete it if it is no longer needed; disabled rules accumulate and obscure the active policy.
INFO	No change reference NO_TICKET	dmz-pre-13	DG-DMZ/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	dmz-pre-16	DG-DMZ/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	partner-post-01	DG-Partner/post	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	partner-pre-01	DG-Partner/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.

SEVERITY	FINDING	RULE	LOCATION	DETAIL	SUGGESTED ACTION
INFO	Disabled DISABLED_RULE	partner-pre-10	DG-Partner/pre	The rule is disabled and has no effect on traffic.	Delete it if it is no longer needed; disabled rules accumulate and obscure the active policy.
INFO	No change reference NO_TICKET	partner-pre-13	DG-Partner/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	partner-pre-16	DG-Partner/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	production-post-01	DG-Production/post	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	production-pre-01	DG-Production/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	No change reference NO_TICKET	production-pre-05	DG-Production/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	production-pre-06	DG-Production/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Disabled DISABLED_RULE	production-pre-10	DG-Production/pre	The rule is disabled and has no effect on traffic.	Delete it if it is no longer needed; disabled rules accumulate and obscure the active policy.
INFO	Expires soon EXPIRING_SOON	production-pre-11	DG-Production/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	No change reference NO_TICKET	production-pre-13	DG-Production/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	production-pre-16	DG-Production/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	No change reference NO_TICKET	production-pre-17	DG-Production/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	shared-services-post-01	DG-Shared-Services/post	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Expires soon EXPIRING_SOON	shared-services-pre-01	DG-Shared-Services/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.
INFO	Disabled DISABLED_RULE	shared-services-pre-10	DG-Shared-Services/pre	The rule is disabled and has no effect on traffic.	Delete it if it is no longer needed; disabled rules accumulate and obscure the active policy.

SEVERITY	FINDING	RULE	LOCATION	DETAIL	SUGGESTED ACTION
INFO	No change reference NO_TICKET	shared-services-pre-13	DG-Shared-Services/pre	The description holds no recognisable ticket number, so the rule cannot be traced back to an approved change.	Add the ticket reference to the description.
INFO	Expires soon EXPIRING_SOON	shared-services-pre-16	DG-Shared-Services/pre	The stated expiry is 2026-08-27, in 28 days.	Confirm whether the access is still needed before it lapses.

Generated by panorama-team-review 0.1.0 from example-estate.xml. This report reflects the configuration as backed up; changes made afterwards are not included.