Avian Influenza Exposure REDCap management: Set up work instructions

Document authors: Dr Merryn Roe (merryn.roe@gvhealth.org.au), Brandon Henley-Smith
REDCap developed by: GVPHU Epidemiology, Data and Analytics team (Jade Sorenson, Brandon Henley-Smith, Merryn Roe) with support from the GVPHU Clinical and HP teams
Date: 16/7/2026

Pre-Requisites	
Access to a REDCap server with survey capacity	Necessary
REDCap access available to the main operational team	Necessary
REDCap server with API functionality	Recommended
GitHub account	Recommended
High resolution logo for your LPHU/Department	Recommended

Table of contents

1. Introduction and Aim

Highly Pathogenic Avian Influenza (HPAI) can cause severe disease in birds and other wild and agricultural animals, with risk of spillover into humans who have been in close contact with infected animals.

When poultry farms, or other large animal agriculture facilities, have incursions of HPAI, a large number of people can be exposed depending on the size of the operation. Like any mass exposure event, this can pose significant operational pressure for the responding Public Health Unit/s. This workflow aims to support the operational public health management of these exposed individuals through SMS assisted triaging of contacts to see who was exposed, streamlining data entry for interviews, using automated SMS symptom follow up and bulk data import and cleaning processes. These resources have been designed to be scalable and efficient, as during an incident many infected premises (IP) sites may need to be managed concurrently. This template includes two IP sites with instructions on how to scale for more as needed.

The workflow is setup in 4 parts as demonstrated by the below flowcharts and the relevant REDCap instruments (highlighted):

1. SMS triaging of contact lists provided by premises

Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment	37
PHU Data Entry	10
Avian Influenza Follow-Up	20



2. PHO conducted phone interview (data collected in REDCap)

Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment	37
PHU Data Entry	10
Avian Influenza Follow-Up	20

3. SMS symptom follow up for high-level exposure contacts



Instrument name	Fields
Contact Upload Variables	5
Avian Influenza Triage IP1	5
Avian Influenza Triage IP2	5
Avian Influenza Contact Demographics	20
Avian Influenza Contact Facility IP1 Risk	44
Avian Influenza Contact Facility IP2 Risk	44
Avian Influenza Contact Symptoms Treatment	37
PHU Data Entry	10
Avian Influenza Follow-Up	20

*Logic used reflects current protocol. Protocol may be subject to change (IMT)

4. Bulk upload of data to PHESS and real time data pipelines for SitReps

The aim of this document is to provide work instructions which allow others to set up the tooling rapidly. This work instruction is aimed at an Epidemiologist or Data Analyst with some REDCap and R experience and access to a REDCap server.

Sections 2-10 focus on setting up the REDCap and associated R code, sections 11-15 walk through each step of the contact management process from the perspective of the Epidemiologist managing the workflow.

To get started:

1. Once you have downloaded the Git Template ensure you have the following folders:
   hpai_redcap_template/: Parent project folder
   - **raw_data/**: Folder for raw datasets. Only _template. files are tracked in Git.
   - **outputs/**: Folder stores generated results (plots, tables).
   - **code/**: Code folder.
   - **redcap_templates/**: Folder for REDCap templates.
   - **docs/**: Folder containing work instructions for REDCap use and setup.
   - **.gitignore**: GitIgnore file, dictates what is and is not tracked on Git.
   - **hpai_redcap_template.Rproj**: R Project file.

2. In the 'hpai_redcap_template/docs' folder you will find:
   a. This work instruction document for REDCap and code setup
   b. Operational work instructions explaining how to use the REDCap for PHOs and other non-developer users
   c. A 'Missing Ingredients' document to run through with the incident team.
   d. 'Avian Influenza Risk Flow Chart.png' summary of risk logic used for the REDCap development and the R code calculated risk assessment.

3. In the 'hpai_redcap_template/redcap_templates' folder you will find some of the templates for setting up the REDCap, the main one required is the .XML file titled 'HPAIExposureManagement_Template_2026-07-06.REDCap' this contains the full REDCap template, the others are backups for separate functions (alerts, data dictionary etc).

2. REDCap Project setup

1. Login to your REDCap account and create a new project:



2. Give project a title and select 'Upload a REDCap project XML file' - select the 'HPAIExposureManagement_Template_2026-07-06.REDCap' file from the template folder, this will import all of the surveys, user roles, reports and alerts.

   This step may require admin authorisation (which can take some time); it may be prudent to have one on hand in case.


+ Create a new REDCap Project
You may begin the creation of a new REDCap project on your own by completing the form below and clicking the Create Project button at the bottom.
Project title:
HPAI Exposure Management
Project's purpose:
How will it be used?
Operational Support
Project notes (optional):
Description of the project's use or purpose (displayed on the My Projects page)
For management of exposed individuals to the HPAI event - test with XML file
Project creation option:
Empty project (blank slate)
Upload a REDCap project XML file (CDISC ODM format)
Select XML file:
Choose File
HPAI_Survey_....REDCap.xml
Source REDCap version: 17.0.7
File creation date: 14/05/2026, 5:07:06 pm
Use a template (choose one below)
Choose a project template
Template title (sorted by title)
Template description
Basic Demography
Contains a single data collection instrument to capture basic demographic information.
Classic Database
Contains six data entry forms, including forms for demography and baseline data, three monthly data forms, and concludes with a completion data form.
Field Embedding Example Project
Contains a single data collection instrument to demonstrate the Field Embedding feature.
Human Cancer Tissue Biobank
Contains five data entry forms for collecting and tracking information for cancer tissue.
Longitudinal Database (1 arm)
Contains nine data entry forms (beginning with a demography form) for collecting data longitudinally over eight different events.
Longitudinal Database (2 arms)
Contains nine data entry forms (beginning with a demography form) for collecting data on two different arms (Drug A and Drug B) with each arm containing eight different events.
Create Project
Cancel

3. Reviewing surveys

1. To review/edit surveys navigate to the 'Designer' in the navigation page and select the 'Instrument name' you would like to review/edit



2. To add in test data you can also navigate to the 'Add / Edit Records' to familiarise yourself with the survey layout from the 'user / front end'



3. **There are some places in the survey text that will require updating for your specific LPHU/incident**.
    a. In the Triage and Risk surveys we have embedded autofill options for the site name and dates of interest. You need to update them in **each form** for them to work correctly



To update, select 'Edit' for each question and follow the instructions for what to update in the embedded section



For example:



This then means each instance of the site name and dates in that form will auto update and allows the data/epi to update efficiently and the cases record will retain the values of the day it was filled or last edited.

PHOs/other front end users cannot see these embedded fields, they will only see the questions that the embedded values autofill.

Here is an example of what a corresponding auto filled field will looks like in the back end of REDCap:



Once set up this is what it would look like for the PHO/contact/front end user:



b. Some other sections like the, '[LPHU]' highlighted above, have text that may benefit from updating in the back end to better reflect your incident/LPHU. Try searching for square brackets '[' in the data dictionary or REDCap designer to see them all.

4. Data Dictionary (bulk survey template)

If you would like to edit or make bulk changes to the surveys the best way to do this efficiently is using the Data Dictionary. This could be particularly helpful if you have additional Infected Premises and would like to replicate the 'Avian Influenza Triage IPx' and 'Avian Influenza Contact Facility IPx Risk' instruments.

1. Navigate to the 'Data Dictionary' page via Project Home and Design -> Dictionary
2. Go to 'Step 1 – Download the Data Dictionary' and review survey / edit
3. For bulk changes we have designed the variable/text naming to be conducive to find and replace all duplicated 'IP1' with IPx for ease of scaling.
   Eg find and replace 'IP1' with 'IP3' for the duplicated section.
4. Go to 'Step 3 – Navigate to 'Upload your Data Dictionary file' and upload the updated template you would like to use



5. Ensure you press 'Upload File' once file is selected
6. If successful you should be taken to the following page where you need to select 'Commit Changes'

This module will allow you to create new data collection instruments/surveys or edit existing ones. Changes may be made by either using the **Online Designer** or **Upload Data Dictionary** (see tabs above), in which you may use either method or both. The Online Designer may help you get some initial fields/forms built quickly or to make quick edits, but using the Data Dictionary file may be more helpful if you will be adding a large number of fields for this project.

Your document was uploaded successfully and awaits your confirmation below.

- You are now required to review any warnings below and then click the button at the bottom of the page to officially commit the field changes to the project. Follow the instructions below.
- The uploaded data dictionary **contains 211 fields**, which will replace the 1 fields that currently exist in the project (excluding 'Form Status' fields, which are automatically generated by REDCap).

Allowable warnings found in your Data Dictionary:

Variables/field names are recommended to be less than 26 characters in length. You may want to shorten the following variable names:

work_other_farm_contact_ip1 (A41)
high_risk_activities_other_ip1 (A42)
high_risk_activities_date_ip1 (A44)
high_risk_activities_ppe_date_ip1 (A48)
contact_animals_ppe_breach_ip1 (A52)
contact_animals_ppe_removal_ip1 (A53)
contact_animals_ppe_date_ip1 (A54)
contact_objects_ppe_breach_ip1 (A58)
contact_objects_ppe_removal_ip1 (A59)
contact_objects_ppe_date_ip1 (A60)
contact_other_ppe_breach_ip1 (A64)
contact_other_ppe_removal_ip1 (A65)
vicinity_animals_ppe_breach_ip1 (A70)
vicinity_animals_ppe_removal_ip1 (A71)
vicinity_animals_ppe_date_ip1 (A72)
vicinity_objects_ppe_breach_ip1 (A76)
vicinity_objects_ppe_removal_ip1 (A77)
vicinity_objects_ppe_date_ip1 (A78)
vicinity_other_ppe_breach_ip1 (A82)
vicinity_other_ppe_removal_ip1 (A83)
vicinity_other_ppe_date_ip2 (A142)
exposure_risk_assessment_ip2 (A144)
symptom_difficulty_breathing (A153)
symptom_productive_cough_fu (A185)
symptom_difficulty_breathing_fu (A187)

Are you ready to commit the changes to the project from the uploaded Data Dictionary?
(Click the button below to submit the changes.)

Commit Changes Cancel

5. Review set up of surveys

1. If you would like to add branding/additional formatting to your surveys, select the survey settings and update the ‘Survey Design Options’



2. Ensure you are happy with the ‘Survey settings’, particularly the ‘Survey Design Options’ where you can add your branding, ‘Survey Instructions’ text and ‘Survey Completion Text’ for **each survey**
3. Enable Surveys for IP2-IPX (if required)

6. User permissions

It is best practice to create role groups (easy to scale) with the access set to the minimum permissions required for that role. You can always add permissions and/or roles later and this protects from people accidentally breaking the project or editing / accessing data they shouldn’t be.

For this set we suggest 3 role groups;

Operational: Primarily for PHOs and TL, access to data entry and editing, access to some reporting (see section 6)

Leadership: Leadership (such as ML, Directors and some DH representatives) may require oversight but not direct access to data entry/export, a group to allow for report viewing and any additional permissions deemed appropriate would be a good place to start.

Epi/Data: Full data downloading rights, APIs, Project editing, user access rights. If you have a large Epi/Data team you may want to break this down further.

It is also possible to add people in with individual rights, but this can get messy, I would avoid in a large project where possible.

As the project creator you may also need to update your own rights to access some features such as APIs (see section 9)

1. Navigate to 'User Rights', you can create new roles by selecting 'Create role'



2. The template roles should look something like this:

Role name (click role name to edit role)	Username or users assigned to a role (click username to edit or assign to role)	Expiration (click expiration date to edit)	Project Design and Setup	User Rights	Data Access Groups	Data Viewing Rights	Data Export Rights	Alerts & Notifications	Add/Edit Reports	Stats & Charts	Calendar	Data Import Tool	Data Comparison Tool
—	roemerry (Merryn Roe)	never	✓	✓	✓	9 View & Edit		✓	✓	✓	✓	✓	✓
Epi/Data	[No users assigned]		✓	✓	✓	9 View & Edit	9 Full Data Set	✓	✓	✓	✓	✓	✗
Leadership	[No users assigned]		✗	👁	✗	9 Read Only	9 No Access	✓	✓	✓	✗	✗	✗
Operational	[No users assigned]		✗	✗	✗	9 View & Edit	9 Full Data Set	✗	✓	✓	✓	✗	✗

Logging	Email Logging	File Repository	Record Locking Customization	Lock/Unlock Records (instrument level)	Lock/Unlock Entire Records (record level)	Data Quality (create/edit rules)	Data Quality (execute rules)	API	REDCap Mobile App	Create Records	Rename Records	Delete Records	User Role ID (auto-generated)	Unique Role Name (auto-generated)
✓	✗	✓	✗	✗	✗	✓	✓	✗	✓	✓	✗	✗	—	—
✗	✗	✓	✗	✗	✗	✗	✗	Export	✗	✓	✗	✓	64	U-574KJK87AE
✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	✗	65	U-614AXKPK8L
✗	✗	✓	✗	✗	✗	✗	✗	✗	✗	✓	✗	✗	63	U-759A8YJFAW

3. You can start adding individuals to your project by assigning them directly to a role, depending on your server you should be able to search and select the user you want. <u>Users must already have a REDCap account to be added to a project.</u>



4. See ‘hpai_redcap_template\docs\Avian Influenza Exposure REDCap management - operational work instructions.docx’ for user instructions (aimed at PHOs/TLs non-setup users)

7. Operational Reports

1. There are 4 reports already generated in this template, they are:

Name	Description	Filter logic
Interview Triage - Operational List	List of contacts who have indicated being onsite at key premises OR who have not responded to triaging text and require interview	([exposure_ip1_yn] = "1" OR [exposure_ip2_yn] = "1") OR ([exposure_ip1_yn] = "" AND [exposure_ip2_yn] = "") AND ([avian_influenza_contact_facility_ip1_risk_complete] != "1" OR [avian_influenza_contact_facility_ip2_risk_complete] != "1"
High-Level Exposure Contact List	List of all individuals determined to have high-level exposures by PHOs	[exposure_risk_assessment_ip1] = 0 OR [exposure_risk_assessment_ip2] = 0
Symptomatic Contact List	List of all contacts who have ever reported experiencing symptoms during the period of interest, either in the original survey or automated SMS follow-up. Please note that there may be multiple rows per contact on this report as we have a new row for each symptom	([symptoms] = "1" OR [symptoms_yn_fu] = "1")

	follow up form response.	
Symptomatic Secondary Contacts List	List of secondary contacts that were reported as being unwell or experiencing any HPAI symptoms by interviewed contacts, either in the original survey or automated SMS follow-up survey.	([contact_symptoms_yn] = "1" OR [person_scoping_fu] = "1")

2. Reports can be accessed through the reports page, **noting that anyone who can access the report will also be able to download the data in the report – consider report access with this in mind!**



Here is an example of a report view:



3. To share a report link – just use that page's URL (see highlight), only those with access permissions will be able to view it:



4. Reports can also be accessed (by users with the appropriate permission) through the Navigation Panel reports shortcut once created



5. To review which users have permission to access a report, select ‘Edit’ on the report and update the user permissions through ‘Custom user access’ as needed. Noting that it is generally not advisable to make the reports publicly viewable.


REDCap
HPAI Exposure Management
Data Exports, Reports, and Stats
VIDEO: How to use Data Exports, Reports, and Stats
+ Create New Report
My Reports & Exports
Other Export Options
My Reports & Exports
Report name
View/Export Options
Management Options
All data (all records and fields)
Selected instruments (all records)
Interview Triage - Operational List
High-Level Exposure Contact List
Symptomatic Contact List
Symptomatic Secondary Contacts List
View Report
Export Data
Stats & Charts
Edit
Copy
Delete
+ Create New Report
Data Exports, Reports, and Stats


Name of Report:
Interview Triage - Operational List
Set as "public":
Enabling this feature below will auto-generate a public link for viewing the report without needing to log in to REDCap.
Report is publicly viewable by anyone with the public link
Open Sans
Paragraph
10pt
Description (optional):
Displayed on page below report name
List of contacts who have indicated being onsite at key premises OR who have not responded to triaging text and require interview
STEP 1
User Access: Choose who can edit and view this report
View Access: Choose who sees this report on their left-hand project menu
All users
– OR –
Custom user access
(Choose specific users, roles, or data access groups who will have access)
Edit Access: Choose who can edit, copy, or delete this report (requires user to have 'Add/Edit/Organize Reports' privileges)
All users
– OR –
Custom user access
(Choose specific users, roles, or data access groups who will have access)

6. To make a new report you can by navigating to the ‘Data Exports, Reports and Stats’ panel and select ‘Create New Report’



8. Alerts

"The Alerts & Notifications feature allows you to construct alerts and send customized notifications. These notifications may be sent to one or more recipients and can be triggered or scheduled when a form/survey is saved and/or based on conditional logic whenever data is saved or imported.” - REDCap

For this use case we are going to set up alerts so that a list of contacts (with or without a REDCap account) receive an automated email should certain logic be met.

The alerts we have prepared for this tooling focus on alerting key individuals if any responses to the symptom follow up survey indicate:

- An individual has symptoms
- An individual reports another contact with symptoms

Similar alerts can be set to any logic, however being mindful that the alert will be sent before opportunity for human review of any data.

1. Navigate to ‘Alerts & Notifications’, you edit alerts by either editing and uploading the template (see **steps 2-3**) or directly editing the roles (see **step 4**)



2. Download template from hpai_redcap_template\redcap_templates\HPAIExposureManagement_Alerts_Template.csv, save as and **ensure to edit the ‘email-from, email-to, email-cc'** rows (AA-AC) to reflect the appropriate contact details.
Replace ‘[ADD EMAIL HERE]’ with ‘your.name@email.ending’ multiple recipients can be separated by ‘,’
3. Select ‘Upload Alerts’ and upload the edited template .csv file (**Ensure you delete the old ones)**



4. You can also review a created alert by selecting ‘Edit’






STEP 2: Set the Alert Schedule
When to send the alert?
Send immediately
Send on next Day at time H:M
Send the alert days hours minutes
after the exact time that the alert was triggered
Send at exact date/time: DD/MM/YYYY HH:MM
Send it how many times?
Just once
Every time the form/survey in Step 1B is saved
(excludes data imports)
Multiple times on a recurring basis:
Send every 0 days after initially being sent.
Tip: A monthly recurrence can be approximated as 30.44 days.
Send up to times total (including the first time sent).
Leave blank to continue sending forever.
Alert expiration:
(optional)
DD/MM/YYYY HH:MM
This alert will be auto-deactivated at the specified date/time above. Note: This will cause any already-scheduled notifications not to be sent after the expiration time.
STEP 3: Message Settings
Alert Type:
Email
SMS Text Message
Voice Call
SendGrid Template
Email From:
* must provide value
REDCap
merryn.roe@gvhealth.org.au
Email To:
* must provide value
+ Show more options
× jade.sorenson@gvhealth.org.au
× merryn.roe@gvhealth.org.au
Or manually enter emails: jane@example.com; john@mysite.org
Subject
* must provide value
Avian Influenza Symptom Survey Alert
Message:
* must provide value
Prevent piping of data for Identifier fields ?
Open Sans
Paragraph
10pt
REDCap record ID: [record_id]
Name: [first_name]
Has self-reported symptoms and requires urgent follow up. See 'Symptomatic Case List' for contact details.
In the subject or message, you may use Piping and [⚡] Smart Variables
Example:
Hi [first_name]! Please complete this survey: [survey-link:followup_survey]
Learn about Data Collection Strategies for Repeating Surveys
Example of a repeating survey using recurring alerts:
Please complete your daily survey: [survey-link:daily_repeating_survey][new-instance]
Add attachments
Save
Cancel

9. APIs and R code

Access the most up-to date code ([hpai_redcap_template]) on GitHub (version controlled with live updates for bug fixes).

We recommend you download the full project folder setup from our source code on GitHub. Once downloaded you can rename the project folder and R project accordingly.

We'd recommend you create your own new GitHub repo for your project to manage version control and collaboration. If you have any changes you would like to contribute to the source code, please contact MerrynRoe (merryn.roe@gvhealth.org.au).

1. Generate your API key in REDCap.

   An API allows for instant data pulling from REDCap without having to download or manually export the data. This is more secure as long as you protect your API key.



   This step may require admin approval and can take some time. I'd recommend trying to do this in advance.

2. Copy your API key ***DO NOT SHARE THIS WITH ANYONE!*** API keys are unique per user.



3. Set up your API key using [the keyring package in R](#) – this step only needs to be run once! See line 21 of '**01_Creating contact uploads for REDCap.R**'
4. Ensure you update line 25 to reflect the link to your own REDCap server



5. The code should now be ready to run!

10. Testing and moving to production mode

I would encourage you to test the project thoroughly (ideally as a preparedness exercise), **including the below steps 10-14**, with testers/fake data before moving the project to production mode.

If you are setting this tooling up for the first time to respond to an incident, test as much as time allows before moving to production mode.

Production mode is the secure, final stage for active data collection, designed to protect data integrity by preventing accidental structural changes (e.g., deleting fields or changing variable names).

1. When ready to move to production mode go to 'Setup' in the navigation panel and work your way through the relevant checks by selecting 'I'm done!' on the relevant ones (optional

but handy!)



2. You can then select 'Move project to production'



3. Ensure you delete all test data when you move to production mode



4. Once in production mode if you need to make any changes you must first enter 'draft mode', this will then automatically review your changes to make sure it won't break your active project



11. Importing contact lists -> Triage SMS

1. Using the template file 'test_AI_contact_upload_template' (in the raw_data folder) add the contacts provided (or test contact details) into the spreadsheet.
   Make sure you do not save the template file with any data in it as this will be pushed to Git with the current GitIgnore settings (see .gitignore file). Ensure any data is saved in a

version of the template file with a different name. Ie ‘Save as’ with an appropriate name that removes ‘_template’.** Eg. ‘test_AI_contact_upload_DATE’ or ‘AI_contact_upload_DATE’

2. Open file ‘**01_Creating contact uploads for REDCap.R**’ in your R project, edit lines:
    a. 16 to reflect the file name of your new import .csv
    b. 111-112 to replace the ‘default’ email to one relevant to your unit (I’d recommend a functional but general email address)
3. Run the code and it will produce a .csv in your output folder named ‘DATE__import_to_redcap_for_triage.csv’
4. Go to the ‘Data Import Tool’ and select the new file generated. Ensure you do not overwrite record IDs (numbering) as this is managed in the R script.



Commented [JS1]: TMI maybe but clarify whether the user adds record id to this doc

5. Once data is uploaded you have the opportunity to review it before you import it:



6. Now we can generate unique survey links for these individuals. Next navigate to 'Survey Distribution Tools' and ensure you have the correct survey selected. Then 'Export list'



7. Save the file in our raw_data folder and take note of the file name, it should be in the following format: 'HPAIExposureManagement_Participants_DATE_TIME.csv'. To avoid confusion, add '_triage_link' to the end of the file name.
8. Open '**02_Triaging survey links for SMS.R**' and update:
    a. The file name (from previous step) on line 45
    b. *You may need to update this script (lines 60-66) to reflect the format required by your own SMS services. This example is using Genesis.*

9. This script will output a .csv formatted for the Genesis SMS system.
   DO NOT OPEN THIS .csv BEFORE UPLOADING TO GENESIS.
   It breaks the phone formatting and will throw you a very frustrating error loop.
10. Follow your unit's protocol for sending the automated SMS, ensuring each individual is provided their own unique link from the ‘survey_link’ variable.
11. If new case lists are received repeat steps 11.1-11.10, noting IP sites may need to be updated in the code/REDCap templates if new sites are added.

12. Symptom Follow-up SMSs

Once the interview data is collected in REDCap (through PHO interview using REDCap as a data collection system), we are able to do daily exports for SMS symptom follow up. The code packet is designed to give you only the contact numbers and survey links of people who are meeting the criteria for SMS follow up on the day the code is run (high risk exposure within 10 days and have consented to SMS follow up).

1. Navigate to ‘Survey Distribution Tools’ and ensure you have the correct survey selected (this time the follow up survey). Then ‘Export list’



2. Save the file in our raw_data folder and take note of the file name, it should be in the following format: ‘HPAIExposureManagement_Participants_DATE_TIME.csv’. To avoid confusion, add ‘_fu_link’ to the end of the file name.
3. Open ‘**03_Symptom FU survey links for SMS.R**’ and edit the following:
   a. Line 102 to reflect your new file name (from previous step)
   b. Line 116, follow up SMSs are currently set to send for up to 10 days post exposure, this may change depending on the situation, so refer to the ‘Missing Ingredients’ document for discussion with the incident management team.
   c. *You may need to update this script (lines 118-122) to reflect the format required by your own SMS services. This example is using Genesis.*

4. Run the script and your SMS list will be provided in your output folder with the file name 'sms_list_sympt_fu_DATE.csv'. As above please note this script is formatted for the Genesis SMS system.

   DO NOT OPEN THIS .csv BEFORE UPLOADING TO GENESIS.

   It breaks the phone formatting and will throw you a very frustrating error.
5. Follow your unit's protocol for sending the automated SMS, ensuring each individual is provided their own unique link from the 'survey_link' variable.
6. Repeat this step daily for daily SMSs

13. Preparing data for bulk uploads/reporting

The '**04_Cleaning for reporting and PHESS.R**' script completes the cleaning required to get the data reporting ready. Cleaning code may need to be adapted if you are using a different system to the PHESS Victorian surveillance system. This script is referenced in the following scripts so does not need to be run in isolation.

This script also calculates risk levels and produces a Quality Assurance check, comparing interviewer assessed risk level of the case with calculated risk level. This QA list will be deposited in the outputs folder and is designed to be passed onto operational leads as needed.

14. Exporting data for bulk uploads

The '**05_Bulk upload.R**' script reformats live REDCap interview data into the format required for bulk-uploads in PHESS. The output file will follow this naming convention 'phess_bulk_upload_DATE.csv' in your output folder.

Update line 24 with PHESS ID of outbreak.

Many of the specific HPAI questions do not exist in PHESS's current state. This 'bulk upload' functionality aims to add minimum data fields (determined in consultation with DH Principal Epidemiologists) to PHESS quickly without additional operational burden so PHESS can remain 'the source of truth'.

15. Live refresh Situation Reports

The '**06_Basic Reporting Metrics.Qmd**' script is a simple example of a Quarto document which is able to provide live reports on the REDCap data. This could be useful for SitReps and/or reporting. Ensure you are mindful of meta-data privacy if using GitHub for version control of your active version of this doc.

Version Control

V1.0	Initial work instructions