

# Worksheet5 in R

Mamerto F. Gonzales Jr.

2022-11-23


#Worksheet-5 in R

Worksheet for R Programming Instructions: • Use RStudio or the RStudio Cloud accomplish this worksheet.  
• Save the R script as RWorksheet\_lastname#5.R. • Create your own GitHub repository and push the R script as well as this pdf worksheet to your own repo. Do not forget to comment your Git repo Accomplish this worksheet by answering the questions being asked and writing the code manually.

1. The table shows the enrollment of BS in Computer Science, SY 2010-2011. Course Year 2019 - 2020 1st 80 2nd 75 3rd 70 4th 60

- a. Plot the data using a bar graph. Write the codes and copy the result.


```
Course <- c(80,75,70,60)
CoursePlot <- barplot(Course)
```



- b. Using the same table, label the barchart with Title = "Enrollment of BS Computer Science" horizontal axis = "Curriculum Year" and vertical axis = "number of students"

```
CourseYear <- c("1st", "2nd", "3rd", "4th")
CoursePlot2 <- barplot(Course,
  main = "Enrollment of BS Computer Science",
  xlab = "Curriculum Year", names.arg = CourseYear)
```

## Enrollment of BS Computer Science



CoursePlot2


```
##      [,1]
## [1,]  0.7
## [2,]  1.9
## [3,]  3.1
## [4,]  4.3
```

2. The monthly income of De Jesus family was spent on the following: 60% on Food, 10% on electricity, 5% for savings, and 25% for other miscellaneous expenses.

a. Create a table for the above scenario.

```
Expenses <- c(60, 10, 5, 25)
```

```
ExpensePlot <- barplot (Expenses, names.arg = c("Food", "Electricity", "Savings", "Miscellaneous"))
```




Write the codes and its result.

```
ExpensePlot
```


```
##      [,1]
## [1,]  0.7
## [2,]  1.9
## [3,]  3.1
## [4,]  4.3
```

b. Plot the data using a pie chart. Add labels, colors and legend. Write the codes and its result.

```
pie(Expenses)
```




```
ExpensePie <- pie(Expenses,
  col = rainbow(length(Expenses)),
  labels = c(60,10,5,25))
```



```
ExpenseLabels <- round(Expenses/sum(Expenses) * 100, 1)
ExpenseLabels <- paste(ExpenseLabels, "%", sep = "")
pie(Expenses, main = "Expenses", col=rainbow (length(Expenses)), labels = ExpenseLabels, cex=0.8)
legend(1, c("Food", "Electricity", "Savings", "Miscellaneous"),
      cex = 0.8, fill = rainbow((length(Expenses))))
```

## Expenses



3. Open the mtcars dataset.


```
mtcars
```

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
## Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
## Mazda RX4 Wag	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
## Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
## Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
## Hornet Sportabout	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
## Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
## Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
## Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
## Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2
## Merc 280	19.2	6	167.6	123	3.92	3.440	18.30	1	0	4	4
## Merc 280C	17.8	6	167.6	123	3.92	3.440	18.90	1	0	4	4
## Merc 450SE	16.4	8	275.8	180	3.07	4.070	17.40	0	0	3	3

## Merc 450SL	17.3	8	275.8	180	3.07	3.730	17.60	0	0	3	3
## Merc 450SLC	15.2	8	275.8	180	3.07	3.780	18.00	0	0	3	3
## Cadillac Fleetwood	10.4	8	472.0	205	2.93	5.250	17.98	0	0	3	4
## Lincoln Continental	10.4	8	460.0	215	3.00	5.424	17.82	0	0	3	4
## Chrysler Imperial	14.7	8	440.0	230	3.23	5.345	17.42	0	0	3	4
## Fiat 128	32.4	4	78.7	66	4.08	2.200	19.47	1	1	4	1
## Honda Civic	30.4	4	75.7	52	4.93	1.615	18.52	1	1	4	2
## Toyota Corolla	33.9	4	71.1	65	4.22	1.835	19.90	1	1	4	1
## Toyota Corona	21.5	4	120.1	97	3.70	2.465	20.01	1	0	3	1
## Dodge Challenger	15.5	8	318.0	150	2.76	3.520	16.87	0	0	3	2
## AMC Javelin	15.2	8	304.0	150	3.15	3.435	17.30	0	0	3	2
## Camaro Z28	13.3	8	350.0	245	3.73	3.840	15.41	0	0	3	4
## Pontiac Firebird	19.2	8	400.0	175	3.08	3.845	17.05	0	0	3	2
## Fiat X1-9	27.3	4	79.0	66	4.08	1.935	18.90	1	1	4	1
## Porsche 914-2	26.0	4	120.3	91	4.43	2.140	16.70	0	1	5	2
## Lotus Europa	30.4	4	95.1	113	3.77	1.513	16.90	1	1	5	2
## Ford Pantera L	15.8	8	351.0	264	4.22	3.170	14.50	0	1	5	4
## Ferrari Dino	19.7	6	145.0	175	3.62	2.770	15.50	0	1	5	6
## Maserati Bora	15.0	8	301.0	335	3.54	3.570	14.60	0	1	5	8
## Volvo 142E	21.4	4	121.0	109	4.11	2.780	18.60	1	1	4	2


- a. Create a simple histogram specifically for mpg (miles per gallon) variable. Use \$ to select the mpg only. Write the codes and its result.

```
Carrrrrs <- hist(mtcars$mpg, xlab="Miles Per Gallon",
                 main = "Histogram of mpg")
```



- b. Colored histogram with different number of bins. `hist(mtcars$mpg, breaks=12, col="red")` Note: `breaks=` controls the number of bins


```
Carrrrrs <- hist(mtcars$mpg, breaks=12, col="blue", xlab="Miles Per Gallon",
  main = "Histogram of mpg")
```



- c. Add a Normal Curve `x <- mtcars$mpg` `h <- hist(x, breaks = 10, col = "red", xlab = "MilesPerGallon", main = "HistogramwithNormalCurve")` `xfit <- seq(min(x), max(x), length = 40)` `yfit <- dnorm(xfit, mean = mean(x), sd = sd(x))` `yfit <- yfit * diff(h$mids[1:2]) * length(x)` `lines(xfit, yfit, col="blue", lwd=2)`  
Copy the result.

```
x <- mtcars$mpg
h <-hist(x, breaks=10, col="red", xlab="Miles Per Gallon",
  main="Histogram with Normal Curve")
xfit<-seq(min(x),max(x),length=40)
yfit<-dnorm(xfit,mean=mean(x),sd=sd(x))
yfit <- yfit*diff(h$mids[1:2])*length(x)
lines(xfit, yfit, col="blue", lwd=2)
```

## Histogram with Normal Curve



4. Open the iris dataset. Create a subset for each species.

a. Write the codes and its result.

```
iris
```

##	Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
## 1	5.1	3.5	1.4	0.2	setosa
## 2	4.9	3.0	1.4	0.2	setosa
## 3	4.7	3.2	1.3	0.2	setosa
## 4	4.6	3.1	1.5	0.2	setosa
## 5	5.0	3.6	1.4	0.2	setosa
## 6	5.4	3.9	1.7	0.4	setosa
## 7	4.6	3.4	1.4	0.3	setosa
## 8	5.0	3.4	1.5	0.2	setosa
## 9	4.4	2.9	1.4	0.2	setosa
## 10	4.9	3.1	1.5	0.1	setosa
## 11	5.4	3.7	1.5	0.2	setosa
## 12	4.8	3.4	1.6	0.2	setosa
## 13	4.8	3.0	1.4	0.1	setosa
## 14	4.3	3.0	1.1	0.1	setosa
## 15	5.8	4.0	1.2	0.2	setosa
## 16	5.7	4.4	1.5	0.4	setosa
## 17	5.4	3.9	1.3	0.4	setosa
## 18	5.1	3.5	1.4	0.3	setosa
## 19	5.7	3.8	1.7	0.3	setosa
## 20	5.1	3.8	1.5	0.3	setosa
## 21	5.4	3.4	1.7	0.2	setosa
## 22	5.1	3.7	1.5	0.4	setosa
## 23	4.6	3.6	1.0	0.2	setosa
## 24	5.1	3.3	1.7	0.5	setosa

## 25	4.8	3.4	1.9	0.2	setosa
## 26	5.0	3.0	1.6	0.2	setosa
## 27	5.0	3.4	1.6	0.4	setosa
## 28	5.2	3.5	1.5	0.2	setosa
## 29	5.2	3.4	1.4	0.2	setosa
## 30	4.7	3.2	1.6	0.2	setosa
## 31	4.8	3.1	1.6	0.2	setosa
## 32	5.4	3.4	1.5	0.4	setosa
## 33	5.2	4.1	1.5	0.1	setosa
## 34	5.5	4.2	1.4	0.2	setosa
## 35	4.9	3.1	1.5	0.2	setosa
## 36	5.0	3.2	1.2	0.2	setosa
## 37	5.5	3.5	1.3	0.2	setosa
## 38	4.9	3.6	1.4	0.1	setosa
## 39	4.4	3.0	1.3	0.2	setosa
## 40	5.1	3.4	1.5	0.2	setosa
## 41	5.0	3.5	1.3	0.3	setosa
## 42	4.5	2.3	1.3	0.3	setosa
## 43	4.4	3.2	1.3	0.2	setosa
## 44	5.0	3.5	1.6	0.6	setosa
## 45	5.1	3.8	1.9	0.4	setosa
## 46	4.8	3.0	1.4	0.3	setosa
## 47	5.1	3.8	1.6	0.2	setosa
## 48	4.6	3.2	1.4	0.2	setosa
## 49	5.3	3.7	1.5	0.2	setosa
## 50	5.0	3.3	1.4	0.2	setosa
## 51	7.0	3.2	4.7	1.4	versicolor
## 52	6.4	3.2	4.5	1.5	versicolor
## 53	6.9	3.1	4.9	1.5	versicolor
## 54	5.5	2.3	4.0	1.3	versicolor
## 55	6.5	2.8	4.6	1.5	versicolor
## 56	5.7	2.8	4.5	1.3	versicolor
## 57	6.3	3.3	4.7	1.6	versicolor
## 58	4.9	2.4	3.3	1.0	versicolor
## 59	6.6	2.9	4.6	1.3	versicolor
## 60	5.2	2.7	3.9	1.4	versicolor
## 61	5.0	2.0	3.5	1.0	versicolor
## 62	5.9	3.0	4.2	1.5	versicolor
## 63	6.0	2.2	4.0	1.0	versicolor
## 64	6.1	2.9	4.7	1.4	versicolor
## 65	5.6	2.9	3.6	1.3	versicolor
## 66	6.7	3.1	4.4	1.4	versicolor
## 67	5.6	3.0	4.5	1.5	versicolor
## 68	5.8	2.7	4.1	1.0	versicolor
## 69	6.2	2.2	4.5	1.5	versicolor
## 70	5.6	2.5	3.9	1.1	versicolor
## 71	5.9	3.2	4.8	1.8	versicolor
## 72	6.1	2.8	4.0	1.3	versicolor
## 73	6.3	2.5	4.9	1.5	versicolor
## 74	6.1	2.8	4.7	1.2	versicolor
## 75	6.4	2.9	4.3	1.3	versicolor
## 76	6.6	3.0	4.4	1.4	versicolor
## 77	6.8	2.8	4.8	1.4	versicolor
## 78	6.7	3.0	5.0	1.7	versicolor



## 79	6.0	2.9	4.5	1.5 versicolor
## 80	5.7	2.6	3.5	1.0 versicolor
## 81	5.5	2.4	3.8	1.1 versicolor
## 82	5.5	2.4	3.7	1.0 versicolor
## 83	5.8	2.7	3.9	1.2 versicolor
## 84	6.0	2.7	5.1	1.6 versicolor
## 85	5.4	3.0	4.5	1.5 versicolor
## 86	6.0	3.4	4.5	1.6 versicolor
## 87	6.7	3.1	4.7	1.5 versicolor
## 88	6.3	2.3	4.4	1.3 versicolor
## 89	5.6	3.0	4.1	1.3 versicolor
## 90	5.5	2.5	4.0	1.3 versicolor
## 91	5.5	2.6	4.4	1.2 versicolor
## 92	6.1	3.0	4.6	1.4 versicolor
## 93	5.8	2.6	4.0	1.2 versicolor
## 94	5.0	2.3	3.3	1.0 versicolor
## 95	5.6	2.7	4.2	1.3 versicolor
## 96	5.7	3.0	4.2	1.2 versicolor
## 97	5.7	2.9	4.2	1.3 versicolor
## 98	6.2	2.9	4.3	1.3 versicolor
## 99	5.1	2.5	3.0	1.1 versicolor
## 100	5.7	2.8	4.1	1.3 versicolor
## 101	6.3	3.3	6.0	2.5 virginica
## 102	5.8	2.7	5.1	1.9 virginica
## 103	7.1	3.0	5.9	2.1 virginica
## 104	6.3	2.9	5.6	1.8 virginica
## 105	6.5	3.0	5.8	2.2 virginica
## 106	7.6	3.0	6.6	2.1 virginica
## 107	4.9	2.5	4.5	1.7 virginica
## 108	7.3	2.9	6.3	1.8 virginica
## 109	6.7	2.5	5.8	1.8 virginica
## 110	7.2	3.6	6.1	2.5 virginica
## 111	6.5	3.2	5.1	2.0 virginica
## 112	6.4	2.7	5.3	1.9 virginica
## 113	6.8	3.0	5.5	2.1 virginica
## 114	5.7	2.5	5.0	2.0 virginica
## 115	5.8	2.8	5.1	2.4 virginica
## 116	6.4	3.2	5.3	2.3 virginica
## 117	6.5	3.0	5.5	1.8 virginica
## 118	7.7	3.8	6.7	2.2 virginica
## 119	7.7	2.6	6.9	2.3 virginica
## 120	6.0	2.2	5.0	1.5 virginica
## 121	6.9	3.2	5.7	2.3 virginica
## 122	5.6	2.8	4.9	2.0 virginica
## 123	7.7	2.8	6.7	2.0 virginica
## 124	6.3	2.7	4.9	1.8 virginica
## 125	6.7	3.3	5.7	2.1 virginica
## 126	7.2	3.2	6.0	1.8 virginica
## 127	6.2	2.8	4.8	1.8 virginica
## 128	6.1	3.0	4.9	1.8 virginica
## 129	6.4	2.8	5.6	2.1 virginica
## 130	7.2	3.0	5.8	1.6 virginica
## 131	7.4	2.8	6.1	1.9 virginica
## 132	7.9	3.8	6.4	2.0 virginica

```
## 133      6.4      2.8      5.6      2.2 virginica
## 134      6.3      2.8      5.1      1.5 virginica
## 135      6.1      2.6      5.6      1.4 virginica
## 136      7.7      3.0      6.1      2.3 virginica
## 137      6.3      3.4      5.6      2.4 virginica
## 138      6.4      3.1      5.5      1.8 virginica
## 139      6.0      3.0      4.8      1.8 virginica
## 140      6.9      3.1      5.4      2.1 virginica
## 141      6.7      3.1      5.6      2.4 virginica
## 142      6.9      3.1      5.1      2.3 virginica
## 143      5.8      2.7      5.1      1.9 virginica
## 144      6.8      3.2      5.9      2.3 virginica
## 145      6.7      3.3      5.7      2.5 virginica
## 146      6.7      3.0      5.2      2.3 virginica
## 147      6.3      2.5      5.0      1.9 virginica
## 148      6.5      3.0      5.2      2.0 virginica
## 149      6.2      3.4      5.4      2.3 virginica
## 150      5.9      3.0      5.1      1.8 virginica
```

```
set <- subset(iris, Species == "setosa")
ver <- subset(iris, Species == "versicolor")
vir <- subset(iris, Species == "virginica")
```

- b. Get the mean for every characteristics of each species using colMeans(). Write the codes and its result.  
Example: setosa <- colMeans(setosa[sapply(setosaDF,is.numeric)])

```
set <- subset(iris, Species == "setosa")
setosa <- colMeans(set[sapply(set,is.numeric)])
setosa
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width
##      5.006      3.428      1.462      0.246
```

```
ver <- subset(iris, Species == "versicolor")
versicolor <- colMeans(ver[sapply(ver,is.numeric)])
versicolor
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width
##      5.936      2.770      4.260      1.326
```

```
vir <- subset(iris, Species == "virginica")
virginica <- colMeans(vir[sapply(vir,is.numeric)])
virginica
```

```
## Sepal.Length Sepal.Width Petal.Length Petal.Width
##      6.588      2.974      5.552      2.026
```

- c. Combine all species by using rbind() The table should be look like this:

```
Sepal.Length Sepal.Width Petal.Length Petal.Width setosa versicolor virginia
```

```
IrisBound <- rbind(setosa,
                    versicolor,
                    virginica)
IrisBound
```

```
##      Sepal.Length Sepal.Width Petal.Length Petal.Width
## setosa      5.006      3.428      1.462      0.246
## versicolor  5.936      2.770      4.260      1.326
```

```
## virginica      6.588      2.974      5.552      2.026
```

d. From the data in 4-c: Create the `barplot()`. Write the codes and its result. The barplot should be like this. Figure 1: Iris Data using Barplot

```
barplot(IrisBound, beside = TRUE,  
        main = "Iris Mean",  
        xlab = "Characteristics",  
        ylab = "Mean Scores",  
        col = c("red", "green", "blue"))
```

