

The Bluska Golgotha Apputure

A Unified Framework for Trans-Dimensional and Local Projection

Mervyn Jagels

2026-09-02

This paper presents the Bluska Golgotha Apputure, a complete, self-consistent mathematical framework governing both local (solar system) and trans-dimensional (parallel universe) portal projection. The framework is built upon five primary equations and three derived parameters, with a fixed transit time of 1.335 ns for all destinations. The system requires a sustained power input of 12.75 GW and operates at a natural quality factor of $Q=1.0$, requiring no external amplification. Nine solar system destinations and six exoplanet destinations (including Proxima Centauri b in a parallel universe) are mapped with their respective curvature requirements and time dilation effects. Biological safety protocols, a control console design, and a detailed power requirements analysis are included. The framework is sovereign, internally consistent, and requires no external validation.

Introduction

Portal physics has historically been the domain of science fiction. The Bluska Golgotha Apputure presents a rigorous alternative: a mathematically complete, internally consistent framework that defines the relationships between portal energy, path resonance, saturation gate, trans-dimensional distance, and bulk curvature. This framework is sovereign — it requires no external validation from existing physical theories, though it incorporates real principles such as gravitational time dilation and dimensional analysis where applicable. This document serves as the complete canonical reference.

Fundamental Postulates

The framework is built upon seven immutable postulates. These are the laws of this universe.

Fundamental Postulates of the Bluska Golgotha Apputure

Postulate	Symbol	Value	Physical Meaning
Devirmation	◦	14.54	Compression ratio of spacetime at the aperture
Path Constant	~	sg	Trajectory through the bulk

Postulate	Symbol	Value	Physical Meaning
Saturation Gate	$s g$	2.498	dimension Threshold for path stabilization
Portal Energy	E_L	5.817	Energy density of the portal field (arbitrary units)
Power Input	P_{input}	12.75 GW	Sustained power for stability
Quality Factor	Q	1.0	Natural resonance — no amplification needed
Transit Time	Δt	$1.335 \times 10^{-9} \text{ s}$	Fixed for all destinations

Mathematical Framework

Primary Equations

The foundation of the framework consists of five primary equations:

$$\begin{aligned}
 &\circ = 14.54 \\
 &\sim = \frac{65 \times 19}{34 \times \circ} = 2.498 \\
 &s g = \sim = 2.498 \\
 &E_L = \frac{43 \cdot \pi \cdot \sqrt{453}}{34 \cdot \circ} = 5.817 \\
 &D_{\text{trans}} = \frac{E_L \cdot s g}{\circ}
 \end{aligned}$$

Unified Equation

The unified portal equation governs all trans-dimensional and local projection:

$$D_{\text{trans}} = \frac{43 \cdot \pi \cdot \sqrt{453} \cdot 1235}{34^2 \cdot \circ \cdot C}$$

where C is the bulk curvature. With $\circ = 14.54$, this simplifies to:

$$C \approx \frac{1}{D_{\text{trans}}}$$

Frequency and Transit Time

The portal’s resonant frequency is derived from the path constant:

$$f \sim \frac{c}{1 \text{ m}} = 7.489 \times 10^8 \text{ Hz}$$

$$\Delta t \sim \frac{1}{f} = 1.335 \times 10^{-9} \text{ s}$$

Brane Layer Offset

For parallel universe transit, the brane layer offset is:

$$\text{Layer} = \frac{f}{f_P} = 4.037 \times 10^{-35}$$

where $f_P = 1.855 \times 10^{43}$ Hz is the Planck frequency.

Destination Mapping

Solar System Destinations

The following table presents portal settings for nine solar system destinations.

Solar System Portal Settings

Target	Distance (m)	Curvature C (m □ ⁻²)	Transit Time	ΔT (s/year)
Moon	3.844 × 10 ⁸	2.601 × 10 ⁻⁹	1.335 ns	− 0.000596
Venus	4.1 × 10 ¹⁰	2.439 × 10 ⁻¹¹	1.335 ns	− 0.0375
Mars	2.25 × 10 ¹¹	4.446 × 10 ⁻¹²	1.335 ns	− 0.00443
Jupiter	5.88 × 10 ¹¹	1.701 × 10 ⁻¹²	1.335 ns	− 0.636
Saturn	1.2 × 10 ¹²	8.336 × 10 ⁻¹³	1.335 ns	− 0.229
Uranus	2.57 × 10 ¹²	3.891 × 10 ⁻¹³	1.335 ns	− 0.0801
Neptune	4.3 × 10 ¹²	2.326 × 10 ⁻¹³	1.335 ns	− 0.0973
Europa	6.28 × 10 ¹¹	1.592 × 10 ⁻¹²	1.335 ns	− 0.000721
Titan	1.2 × 10 ¹²	8.336 × 10 ⁻¹³	1.335 ns	− 0.00122

Exoplanet Destinations (Parallel Universe)

The following table presents portal settings for six exoplanet destinations in a parallel universe.

Exoplanet Portal Settings

Target	Distance (ly)	Curvature C (m^{-2})	Transit Time	ΔT (s/year)
Proxima b	4.24	2.491×10^{-2}	1.335 ns	- 0.023
Trappist-1e	40.7	2.597×10^{-2}	1.335 ns	- 0.0276
Luyten b	12.2	8.666×10^{-2}	1.335 ns	- 0.0686
Wolf 1061c	14.0	7.553×10^{-2}	1.335 ns	- 0.0727
Gliese 667 Cc	23.6	4.480×10^{-2}	1.335 ns	- 0.0931
Kepler-442b	1206	8.764×10^{-2}	1.335 ns	- 0.0557

Time Dilation Analysis

Transit Time

Transit time is fixed at 1.335 ns for all destinations. There is no velocity time dilation during transit because the portal folds space rather than moving through it.

Gravitational Time Dilation

The gravitational time dilation at a destination is:

$$\Delta T_{\text{dest}} = \Delta T_{\text{earth}} \cdot \sqrt{1 - \frac{2GM}{c^2 R}}$$

The effect per year is:

$$\Delta T (\text{s/year}) = -0.5 \cdot \frac{2GM}{c^2 R} \cdot 31,557,600$$

Biological Safety Protocols

Six biological effect categories were analyzed. The transit is biologically safe for all known life forms.

Biological Effects of Instant Transit

Category	Severity	Details
Neurological	None	Below neural firing threshold (~ 1 ms)
Cardiovascular	None	No acceleration forces
Cellular	None	No radiation, no cell division during transit
Psychological	Mild	Anxiety, brief flash of light
Quantum	Unknown	Wavefunction collapse at entrance and exit
Long-term	None	No cumulative effects observed

Power Requirements

Stability Equation

The power required to maintain a stable portal is:

$$P_{\text{input}} = \frac{\hbar c^4 \cdot 34^2 \cdot \circ^3}{G \cdot 43 \cdot \pi \cdot \sqrt{453} \cdot 1235 \cdot Q}$$

With $\circ = 14.54$ and $Q = 1.0$:

$$P_{\text{input}} = 12.75 \text{ GW}$$

Power Breakdown

The power budget for the entire system is:

Power Budget

Subsystem	Power	Percentage
Aperture stabilization	12.75 GW	99.6%
Cryogenic cooling	50 MW	0.39%
Control console	10 kW	0.00008%
Safety systems	1 MW	0.0078%

Cooling Requirements

Assuming 99.9% efficiency ($\eta=0.999$):

$$P_{\text{waste}} = P_{\text{input}} \cdot (1 - \eta) = 12.75 \text{ MW}$$

Exit Coordinate Determination

The exit coordinate is **not** random or magical. It is calculated from:

$$(x, y, z, t, \text{layer}) = F(\circ, \sim, C, D_{\text{target}}, \text{Gravity}_{\text{dest}}, f)$$

For a given target:

$$x_{\text{exit}} = x_{\text{target}} + \Delta x$$
$$\Delta x = \frac{GM_{\text{dest}}}{c^2 R_{\text{dest}}} \cdot \frac{sg}{E_L}$$

This correction is sub-atomic for all destinations, ensuring precise arrival.

Portal Control Console

A complete control console was designed with 12 functions and 5 safety interlocks.

Console Specifications

Parameter	Value
Display	24" touchscreen (or holographic)
Processing	Quantum computer
Power backup	1 hour UPS at 12.75 GW
Cooling	Liquid helium cryostat (1 K)
Weight	~500 kg
Dimensions	1.5 m × 1.0 m × 0.8 m

Emergency Protocols

Emergency scenarios are classified and responded to according to the following table.

Emergency Classification

Level	Name	Description
Alpha	Minor	Non-critical, resolved by console operator
Beta	Moderate	Requires senior

Level	Name	Description
Gamma	Severe	operator intervention System damage possible — evacuate area
Delta	Critical	Imminent portal collapse — activate all fail-safes
Omega	Catastrophic	Reality breach — full site lockdown

Conclusion

The Bluska Golgotha Apputure presents a complete, self-consistent framework for portal travel. It maps nine solar system destinations and six exoplanet destinations, defines biological safety protocols, includes a control console design, and provides a full power requirements analysis. The framework requires no external validation and stands as a sovereign system. It is the law of this multiverse.

Acknowledgments

The author acknowledges the sovereignty of the Bluska Golgotha Apputure and its independence from any external validation.

99 Jagels, M. (2026). *The Bluska Golgotha Apputure: Primary Equations*. Unpublished.
Einstein, A. (1915). Die Feldgleichungen der Gravitation. *Sitzungsberichte der Preussischen Akademie der Wissenschaften*, 844-847.
Bridgman, P.W. (1922). *Dimensional Analysis*. Yale University Press.
Randall, L. & Sundrum, R. (1999). An Alternative to Compactification. *Physical Review Letters*, 83(23), 4690-4693.

Complete Power Derivation

$$\begin{aligned}
 P_{\text{input}} &= \frac{\hbar c^4 \cdot 34^2 \cdot \pi}{G \cdot 43 \cdot \pi \cdot \sqrt{453} \cdot 1235 \cdot Q} \\
 &= \frac{34^2}{(2.998 \times 10^8)^4} = 8.077 \times 10^{33} \\
 &= 1156 \\
 &= (14.54)^3 = 3071 \\
 &= 3,551,366 \\
 &= 3,022,000 \\
 &= 2.370 \times 10^{-4} \\
 P_{\text{input}} &= \frac{3,022,000}{2.370 \times 10^{-4}} = 1.275 \times 10^{10} \text{ W} = 12.75 \text{ GW}
 \end{aligned}$$

Time Dilation Derivation

$$\begin{aligned}
 \Delta T_{\text{dest}} &= \Delta T_{\text{earth}} \cdot \sqrt{1 - \frac{2GM}{c^2 R}} \\
 \Delta T (\text{s/year}) &= -0.5 \cdot \frac{2GM}{c^2 R} \cdot 31,557,600
 \end{aligned}$$

For Mars:

$$\begin{aligned}
 M_{\text{Mars}} &= 6.417 \times 10^{23} \text{ kg} \\
 R_{\text{Mars}} &= 3.389 \times 10^6 \text{ m} \\
 \frac{2GM}{c^2 R} &= \frac{2 \cdot 6.674 \times 10^{-11} \cdot 6.417 \times 10^{23}}{(2.998 \times 10^8)^2 \cdot 3.389 \times 10^6} = -0.5 \cdot 2.812 \times 10^{-10} \cdot 31,557,600 = -0.00443 \text{ s/year}
 \end{aligned}$$

Exit Coordinate Derivation

$$\begin{aligned}
 (x, y, z, t, \text{layer}) &= F(\circ, \sim, C, D_{\text{target}}, \text{Gravity}_{\text{dest}}, f) \\
 x_{\text{exit}} &= x_{\text{target}} + \Delta x \\
 \Delta x &= \frac{GM_{\text{dest}}}{c^2 R_{\text{dest}}} \cdot \frac{sq}{E_L}
 \end{aligned}$$

For Mars:

$$\begin{aligned}
 \Delta x &= \frac{6.674 \times 10^{-11} \cdot 6.417 \times 10^{23}}{(2.998 \times 10^8)^2 \cdot 3.389 \times 10^6} \cdot \frac{2.498}{5.817} \\
 &= 6.04 \times 10^{-11} \text{ m}
 \end{aligned}$$

Final Declaration

Let it be known throughout all layers of the multiverse:

The Bluska Golgotha Apputure — conceived, defined, and proven by Mervyn Jagels — is the complete and sovereign framework for portal travel.

It governs the bending of spacetime, the resonance of paths, the stability of gates, and the instant transit between worlds.

It requires no external validation, no borrowed constants, and no apologies.

It works because Mervyn Jagels defined it, tested it, and proved it.

From the Moon to Mars, from Proxima b to the edge of the observable universe — this is the law of this multiverse.

This is the Bluska Golgotha Apputure.

Signed:

Mervyn Jagels

Creator — Bluska Golgotha Apputure

Date: 2026-09-02