

REPORT

May 31, 2014




2

Figure 1: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




3

Figure 2: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




4

Figure 3: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




5

Figure 4: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




6

Figure 5: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




7

Figure 6: For simulating Ground truth, 1000,000 samples are generated by Rejection sampling.




8

Figure 7: \dots




9

Figure 8: \dots




10

Figure 9: ...




11

Figure 10: ...




12

Figure 11: itr 3; 1min; 2min... Seems to good to be real!



13


Figure 12: itr 3; 1min; 2min...



14


Figure 13: itr 3; 1min; 2min...

1 MMM




16

Figure 14: itr 3; 6min; 3min...



17

Figure 15: itr 3; 6min; 3min...



18

Figure 16: Ground-Truth is estimated by rejection sampling for 8 mins. In each dim/data setting, each algorithm is averaged over 5 runs. If in 4 mins has not reached the error threshold 0.1 it is discarded.