

Your grade: 95%

Your latest: 95% • Your highest: 95% • To pass you need at least 80%. We keep your highest score.

[Next item →](#)

1. What are the three types of errors you will encounter while debugging?

1 / 1 point

- ☒ Syntax errors, logic errors, and exceptions
- ☐ Syntax errors, exceptions, and comment errors
- ☐ Exceptions, logic errors, iterative errors
- ☐ Logic errors, comment errors, and iterative errors

Correct

2. The purpose of the following code is to print the characters in a device ID. Run this code, analyze its output, and then debug it. (If you want to undo your changes to the code, you can click the Reset button.)

1 / 1 point

```
1 device_id = "p35rv47"
2 for char in device_id:
3     print(char)
```

Run

Reset

What is the error related to?

- ☒ A missing quotation mark (")
- ☐ A misspelled variable
- ☐ A missing double equals sign (==)
- ☐ A missing colon (:

Correct

3. The purpose of this code is to greet a user by their first name when they log in. Run this code, analyze its output, and debug it. (If you want to undo your changes to the code, you can click the Reset button.)

1 / 1 point

```
1 def welcome_user(name):
2     print("Welcome", name)
3     first_name = "Charley"
4     welcome_user(first_name)
```

Run

Reset

How can you fix this error?

- ☐ Use "name" instead of "first_name" when calling `welcome_user()`
- ☐ Call `welcome_user()` before the function definition
- ☐ Indent the line that assigns a value of "Charley" to the `first_name` variable

- ☒ Remove the quotation marks surrounding the argument "first_name" when calling `welcome_user()`

Correct

4. You ask your code to divide something by 0, but an error occurs. What type of error is this?

1 / 1 point

- ☐ Index out of bounds
- ☒ Exception
- ☐ Syntax error
- ☐ Logic error

Correct

5. When debugging code, what are effective ways to determine which sections of code are working properly? Select all that apply.

1 / 1 point

- ☒ Use a debugger

Correct

☒ Add print statements

☒ Correct

☐ Delete blank lines from the code

☐ Add comments in the code

6. Which of these functions or arguments should you include in a **with** statement if you want Python to open a file called **access.txt** so that it can be read? Select three answers.

0.5 / 1 point

☒ **read()**

☒ This should not be selected
 Review [the video on accessing a file in Python](#).

☐ **"r"**
☒ **open()**
☒ Correct

☒ **"access.txt"**
☒ Correct

7. The **logins** variable is a string containing 20 device IDs. The device IDs are separated by spaces. In order to pass it into a function that checks the login count of each device, the string should be divided into a list of separate IDs. How do you convert this string into a list and store it in a **device_ids** variable?

1 / 1 point

☐ **device_ids = split(device_ids, logins)**
☒ **device_ids = logins.split()**
☐ **logins.split() as device_ids**
☐ **device_ids = device_ids.split(logins)**
☒ Correct

8. What is the process of converting data into a more readable format?

1 / 1 point

☐ Slicing

☒ Parsing

☐ Splitting

☐ Debugging

☒ Correct

9. What does the following code do?

1 / 1 point

```
new_format = old_format.read()
```

☒ Reads the **old_format** variable, which contains a file, and stores it as a string in **new_format**
☐ Prints the contents of **old_format**
☐ Inserts the string stored in the **new_format** variable into the file stored in the **old_format** variable

☐ Detects certain text patterns in **old_format**
☒ Correct

10. You want to check for unusual login activity. Specifically, you want to read a log file that contains information on each login attempt, including whether it failed or was successful. You should then parse the data into a **logins** list, and then you should separate all failed log entries into a separate **failed_logins** list. If you want to automate this through Python, what would be part of your code? Select three answers.

1 / 1 point

☒ An **if** statement to check if a login attempt failed

☒ Correct

☐ A counter variable to keep track of the number of failed logins

☒ A **for** loop to iterate through all items in the **logins** list

 Correct

10. You want to check for unusual login activity. Specifically, you want to read a log file that contains information on each login attempt, including whether it failed or was successful. You should then parse the data into a **logins** list, and then you should separate all failed log entries into a separate **failed_logins** list. If you want to automate this through Python, what would be part of your code? Select three answers.

1 / 1 point

☒ An **if** statement to check if a login attempt failed Correct☐ A counter variable to keep track of the number of failed logins☒ A **for** loop to iterate through all items in the **logins** list Correct☒ A **split()** function to split the login information into a list Correct