# Activity 5 – Set up and run a realistic configuration

#### 1. Download the croco tools and datasets

- get the CROCO\_TOOLS package from:

https://gitlab.inria.fr/croco-ocean/croco tools/-/releases/v1.3.1

- We are going to use the Matlab version. Copy the files croco\_tools-v1.3.1/start.m and croco\_tools-v1.3.1/ crocotools\_param.m in your working folder (e.g. ~/ModNum/case\_regional)
- edit the start.m and modify the path to the croco\_tools routines if needed (tools\_path needs to point to the croco\_tools-v1.3.1 folder)
- Edit the crocotools\_param.m to and modify the path to the data files (variable DATADIR). It should point to:

if you are logged in a LOPS computer:

/net/krypton/data0/project/vortex/gula/ModNum/Data/

if you are in a IUEM computing rooms:

/forums/public/pub/Data/

Otherwise you need to download datasets (COADS + WOA + Topo) from

https://www.croco-ocean.org/download/datasets/

#### 2. Create files for the Benguela test-case

See <a href="https://croco-ocean.gitlabpages.inria.fr/croco\_doc/">https://croco-ocean.gitlabpages.inria.fr/croco\_doc/</a> for a detailed tutorial

*In brief you need to :* 

- start matlab:

On IUEM computers: *matlab* 

On LOPS computers: module load matlab/2014a; matlab -nodesktop

and run start.m to load all path (just type "start" in the matlab window/terminal)

- run the following scripts (just type their name in matlab)
  - make\_grid to create your grid file [CROCO\_FILES/croco\_grd.nc]
  - make\_forcing to generate surface\_forcing: wind stress, surface heat flux, surface freshwater flux [CROCO\_FILES/croco\_frc.nc]
  - make\_clim to generate initial conditions T, S, currents, SSH
    [CROCO\_FILES/croco\_ini.nc and CROCO\_FILES/croco\_clm.nc]
  - make\_bry to generate oceanic boundary conditions: T, S, currents, SSH [CROCO\_FILES/croco\_bry.nc]

# 3. Compile and run the BENGUELA\_LR case

Redownload and untar the code croco if you don't have it. See ( <a href="https://github.com/quentinjamet/Tuto/blob/main/ModNum/Activity1.md">https://github.com/quentinjamet/Tuto/blob/main/ModNum/Activity1.md</a> )

- Copy the following files in your working folder (e.g. ~/ModNum/case\_regional)

croco/OCEAN/jobcomp croco/OCEAN/croco.in croco/OCEAN/param.h croco/OCEAN/cppdefs.h

#### On LOPS/IUEM computers:

- Load the fortran/netcdf modules:

# module purge module load intel/12.1 netcdf/c-4.4.1.1-intel12 netcdf/fortran-4.4.4-intel12

- eventually change the SOURCE location in the jobcomp to point to the croco routines:

SOURCE=../croco/OCEAN

Add OPEN\_MP parallelization (see Activity1.pdf)

Then Compile and run:

./jobcomp croco croco.in

## 4. Create files for your own configuration

- edit the crocotools\_param.m to choose all parameters for your configuration (name, grid location and size, time and duration, path to forcing files, etc.)

# 5. Compile and run your simulation

- Edit the param.h to define the size of your grid (and parameters for your parallelization) according to the ones you have chosen in crocotools\_param.m
- Edit the cppdefs.h to choose your numerical options
- Edit the croco.in to choose the run time parameters. Choose the parameters to have at least 2 years of simulation with monthly averages (every 30 days).

## 6. Check your simulation

- Check the circulation:
  - you can use a python gui in python, see https://croco-

 $ocean.gitlab pages.inria.fr/croco\_doc/tutos/tutos.14.visu.python.html\\ -$ 

- you can use the <code>croco\_gui.m</code> in with matlab, see https://croco-ocean.gitlabpages.inria.fr/croco\_doc/tutos/tutos.14.visu.matlab.html
- or various examples in python (see example\_croco\_xarray.ipynb, or example\_croco.ipynb on http://jgula.fr/ModNum)
- Try to find a paper documenting the circulation in this region and check if it is (at least qualitatively) well reproduced in the simulation.
- Average the simulation over the last year only (you will consider only the last year of your simulation to minimize the effects of the spin-up.)
- Plot the mean currents (surface and barotropic) and vertical sections of stratification for your simulation and for observations (you can use WOA2009 data or directly use the croco\_clm.nc file which contains monthly climatology from WOA2009 data interpolated on the model grid).