

- BASF SE, 2021. Gebrauchsanleitung Cantus. <https://www.agrar.basf.de/Dokumente/Produkte/Cantus-Gold/ga-cantus-gold.pdf>. (Accessed 12 February 2023).
- Berenbaum, M.R., Johnson, R.M., 2015. Xenobiotic detoxification pathways in honey bees. *Curr. Opin. Insect Sci.* 10, 51–58. <https://doi.org/10.1016/j.cois.2015.03.005>.
- Bokšová, A., Kazda, J., Stejskalová, M., Šubrt, T., Uttl, L., Mráz, P., Bartoška, J., 2021. Findings of herbicide and fungicide residues in bee bread. *Plant Soil Environ.* 67, 343–352. <https://doi.org/10.17221/135/2021-PSE>.
- Brattsten, L.B., Berger, D.A., Dungan, L.B., 1994. *In vitro* inhibition of midgut microsomal p450s from *Spodoptera eridania* caterpillars by demethylation inhibitor fungicides and plant growth regulators. *Pestic. Biochem. Physiol.* 49, 234–243. <https://doi.org/10.1006/pest.1994.1025>.
- Camp, A.A., Batres, M.A., Williams, W.C., Koethe, R.W., Stoner, K.A., Lehmann, D.M., 2020. Effects of the neonicotinoid acetamiprid in pollen on *Bombus impatiens* microcolony development. *Environ. Toxicol. Chem.* 39, 2560–2569. <https://doi.org/10.1002/etc.4886>.
- Casida, J.E., 2018. Neonicotinoids and other insect nicotinic receptor competitive modulators: progress and prospects. *Annu. Rev. Entomol.* 63, 125–144. <https://doi.org/10.1146/annurev-ento-020117-043042>.
- Cedergreen, N., 2014. Quantifying synergy: a systematic review of mixture toxicity studies within environmental toxicology. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0096580>.
- Chauzat, M.P., Faucon, J.P., 2007. Pesticide residues in beeswax samples collected from honey bee colonies (*Apis mellifera* L.) in France. *Pest Manag. Sci.* 1100–1106. <https://doi.org/10.1002/ps.1451>.
- Cox, C., Surgan, M., 2006. Unidentified inert ingredients in pesticides: implications for human and environmental health. *Environ. Health Perspect.* 114, 1803–1806. <https://doi.org/10.1289/ehp.9374>.
- Daniele, G., Giroud, B., Jabot, C., Vulliet, E., 2018. Exposure assessment of honeybees through study of hive matrices: analysis of selected pesticide residues in honeybees, bee bread, and beeswax from French beehives by LC-MS/MS. *Environ. Sci. Pollut. Res.* 25, 6145–6153. <https://doi.org/10.1007/s11356-017-9227-7>.
- DeGrandi-Hoffman, G., Chen, Y., Watkins Dejong, E., Chambers, M.L., Hidalgo, G., 2015. Effects of oral exposure to fungicides on honey bee nutrition and virus levels. *J. Econ. Entomol.* 108, 2518–2528. <https://doi.org/10.1093/jeet/tov251>.
- DesJardins, N.S., Fisher, A., Ozturk, C., Fewell, J.H., DeGrandi-Hoffman, G., Harrison, J. F., Smith, B.H., 2021. A common fungicide, Pristine, impairs olfactory associative learning performance in honey bees (*Apis mellifera*). *Environ. Pollut.* 288. <https://doi.org/10.1016/j.envpol.2021.117720>.
- Drossart, M., Gérard, M., 2020. Beyond the decline of wild bees: optimizing conservation measures and bringing together the actors. *Insects* 11. <https://doi.org/10.3390/insects11090649>.
- Dupuis, J., Louis, T., Gauthier, M., Raymond, V., 2012. Insights from honeybee (*Apis mellifera*) and fly (*Drosophila melanogaster*) nicotinic acetylcholine receptors: from genes to behavioral functions. *Neurosci. Biobehav. Rev.* 36, 1553–1564. <https://doi.org/10.1016/j.neubiorev.2012.04.003>.
- El Hassani, A.K., Dacher, M., Gary, V., Lambin, M., Gauthier, M., Armengaud, C., 2008. Effects of sublethal doses of acetamiprid and thiamethoxam on the behavior of the honeybee (*Apis mellifera*). *Arch. Environ. Contam. Toxicol.* 54, 653–661. <https://doi.org/10.1007/s00244-007-9071-8>.
- El-Nahhal, Y., 2020. Pesticide residues in honey and their potential reproductive toxicity. *Sci. Total Environ.* 741, 139953. <https://doi.org/10.1016/j.scitotenv.2020.139953>.
- European Commission, 2022. EU Pesticides Database - Active substances, safeners and synergists. <https://ec.europa.eu/food/plant/pesticides/eu-pesticides-database/start/screen/active-substances>. (Accessed 13 December 2022).
- Fantke, P., Juraske, R., 2013. Variability of pesticide dissipation half-lives in plants. *Environ. Sci. Technol.* 47, 3548–3562. <https://doi.org/10.1021/es303525x>.
- Fisher, A., DeGrandi-Hoffman, G., Smith, B.H., Johnson, M., Kaftanoglu, O., Cogley, T., Fewell, J.H., Harrison, J.F., 2021. Colony field test reveals dramatically higher toxicity of a widely-used mitotic-toxic fungicide on honey bees (*Apis mellifera*). *Environ. Pollut.* 269, 115964. <https://doi.org/10.1016/j.envpol.2020.115964>.
- FMC Agricultural Solutions, 2021. Mospilan SG in Raps - Insektizid. <https://www.fmcagro.de/de/produkte/a-z/mospilan-sg-im-raps.htm>. (Accessed 12 February 2023).
- Folt, C.L., Chen, C.Y., Moore, M.V., Burnaford, J., 1999. Synergism and antagonism among multiple stressors. *Limnol. Oceanogr.* 44, 864–877. <https://doi.org/10.4319/lo.1999.44.3.part.2.0864>.
- Fungicide Resistance Action Committee, 2021. FRAC Code List 2022: Fungal control agents sorted by cross resistance pattern and mode of action (including coding for FRAC Group product labels). https://www.frac.info/docs/default-source/publications/frac-code-list/frac-code-list-2022-final.pdf?sfvrsn=b6024e9a_2. (Accessed 10 February 2023).
- Gong, Y., Diao, Q., 2017. Current knowledge of detoxification mechanisms of xenobiotic in honey bees. *Ecotoxicology* 26, 1–12. <https://doi.org/10.1007/s10646-016-1742-7>.
- Hadar, R., Menzel, R., 2010. Memory formation in reversal learning of the honeybee. *Front. Behav. Neurosci.* 4. <https://doi.org/10.3389/fnbeh.2010.00186>.
- Han, W., Yang, Y., Gao, J., Zhao, D., Ren, C., Wang, S., Zhao, S., Zhong, Y., 2019. Chronic toxicity and biochemical response of *Apis cerana cerana* (Hymenoptera: Apidae) exposed to acetamiprid and propiconazole alone or combined. *Ecotoxicology* 28, 399–411. <https://doi.org/10.1007/s10646-019-02030-4>.
- Hesselbach, H., Scheiner, R., 2018. Effects of the novel pesticide flupyradifurone (Sivanto) on honeybee taste and cognition. *Sci. Rep.* 8. <https://doi.org/10.1038/s41598-018-23200-0>.
- Hesselbach, H., Scheiner, R., 2019. The novel pesticide flupyradifurone (Sivanto) affects honeybee motor abilities. *Ecotoxicology* 28, 354–366. <https://doi.org/10.1007/s10646-019-02028-y>.
- Iverson, A., Hale, C., Richardson, L., Miller, O., McArt, S., 2019. Synergistic effects of three sterol biosynthesis inhibiting fungicides on the toxicity of a pyrethroid and neonicotinoid insecticide to bumble bees. *Apidologie* 50, 733–744. <https://doi.org/10.1007/s13592-019-00681-0>.
- Iwasa, T., Motoyama, N., Ambrose, J.T., Roe, R.M., 2004. Mechanism for the differential toxicity of neonicotinoid insecticides in the honey bee, *Apis mellifera*. *Crop Prot.* 23, 371–378. <https://doi.org/10.1016/j.cropro.2003.08.018>.
- Jiang, X., Wang, Z., He, Q., Liu, Q., Li, X., Yu, L., Cao, H., 2018. The effect of neonicotinoid insecticide and fungicide on sugar responsiveness and orientation behavior of honey bee (*Apis mellifera*) in semi-field conditions. *Insects* 9. <https://doi.org/10.3390/insects9040130>.
- Jin, N., Klein, S., Leimig, F., Bischoff, G., Menzel, R., 2015. The neonicotinoid clothianidin interferes with navigation of the solitary bee *Osmia cornuta* in a laboratory test. *J. Exp. Biol.* 218, 2821–2825. <https://doi.org/10.1242/jeb.123612>.
- Johnson, R.M., Wen, Z., Schuler, M.A., Berenbaum, M.R., 2006. Mediation of pyrethroid insecticide toxicity to honey bees (Hymenoptera: Apidae) by cytochrome P450 monooxygenases. *J. Econ. Entomol.* 99, 1046–1050. <https://doi.org/10.1093/jeet/99.4.1046>.
- Kinnberg, K., Holbech, H., Petersen, G.L., Bjerregaard, P., 2007. Effects of the fungicide prochloraz on the sexual development of zebrafish (*Danio rerio*). *Comp. Biochem. Physiol. Part C Toxicol. Pharmacol.* 145, 165–170. <https://doi.org/10.1016/j.cbpc.2006.11.002>.
- Klein, A.M., Vaissière, B.E., Cane, J.H., Steffan-Dewenter, I., Cunningham, S.A., Kremen, C., Tscharntke, T., 2007. Importance of pollinators in changing landscapes for world crops. *Proc. R. Soc. B Biol. Sci.* 274, 303–313. <https://doi.org/10.1098/rspb.2006.3721>.
- Köhler, H.R., Triebkorn, R., 2013. Wildlife ecotoxicology of pesticides: can we track effects to the population level and beyond. *Science* 341, 759–765. <https://doi.org/10.1126/science.1237591>.
- Komischke, B., Giurfa, M., Lachnit, H., Malun, D., 2002. Successive olfactory reversal learning in honeybees. *Learn. Mem.* 9, 122–129. <https://doi.org/10.1101/lm.44602>.
- Kubo, S., Hirano, T., Miyata, Y., Ohno, S., Onaru, K., Ikenaka, Y., Nakayama, S.M.M., Ishizuka, M., Mantani, Y., Yokoyama, T., Hoshi, N., 2022. Sex-specific behavioral effects of acute exposure to the neonicotinoid clothianidin in mice. *Toxicol. Appl. Pharmacol.* 456, 116283. <https://doi.org/10.1016/j.taap.2022.116283>.
- La Ville de Montréal, 2015. La Ville de Montréal annonce l'adoption prochaine du Règlement modifiant le règlement sur l'utilisation des pesticides. http://ville.montreal.qc.ca/portal/page?_pageid=5798,42657625&_dad=portal&_schema=PORTAL&id=26124&ret=http://ville.montreal.qc.ca/pls/portal/url/page/prt_vdm.fr/rep_annonces_ville/rep_communiqués/communiqués. (Accessed 14 February 2023).
- Ladurner, E., Bosch, J., Kemp, W.P., Maini, S., 2005. Assessing delayed and acute toxicity of five formulated fungicides to *Osmia lignaria* Say and *Apis mellifera*. *Apidologie* 36, 449–460. <https://doi.org/10.1051/apido:2005032>.
- Luken, D.J., von der Ohe, W., 2018. A research about different residues in pollen and honey samples. *Hazards Pestic. Bees* 198–202. <https://doi.org/10.5073/jka.2018.462.064>.
- Manning, P., Ramanaidu, K., Cutler, G.C., 2017. Honey bee survival is affected by interactions between field-relevant rates of fungicides and insecticides used in apple and blueberry production. *Facets* 2, 910–918. <https://doi.org/10.1139/facets-2017-0025>.
- Medrzycki, P., Giffard, H., Aupinel, P., Belzunces, L.P., Chauzat, M.-P., Claßen, C., Colin, M.E., Dupont, T., Girolami, V., Johnson, R., Le Conte, Y., Lückmann, J., Marzaro, M., Pistorius, J., Porrini, C., Schur, A., Sgolastra, F., Delso, N.S., van der Steen, J.J.M., Wallner, K., Alaux, C., Biron, D.G., Blot, N., Bogo, G., Brunet, J.-L., Delbac, F., Diogon, M., El Alaoui, H., Provost, B., Tosi, S., Vidau, C., 2013. Standard methods for toxicology research in *Apis mellifera*. *J. Apic. Res.* 52, 1–60. <https://doi.org/10.3896/IBRA.1.52.4.14>.
- Meng, Z., Liu, L., Jia, M., Li, R., Yan, S., Tian, S., Sun, W., Zhou, Z., Zhu, W., 2019. Impacts of penconazole and its enantiomers exposure on gut microbiota and metabolic profiles in mice. *J. Agric. Food Chem.* 67, 8308–8311. <https://doi.org/10.1021/acs.jafc.9b02856>.
- Mengoni Goñalons, C., Farina, W.M., 2018. Impaired associative learning after chronic exposure to pesticides in young adult honey bees. *J. Exp. Biol.* 221. <https://doi.org/10.1242/jeb.176644>.
- Menzel, R., 1993. Associative learning in honey bees. *Apidologie* 24, 157–168. <https://doi.org/10.1051/apido:19930301>.
- Mokkapat, J.S., Bednarska, A.J., Laskowski, R., 2021a. Physiological and biochemical response of the solitary bee *Osmia bicornis* exposed to three insecticide-based agrochemicals. *Ecotoxicol. Environ. Saf.* 230, 113095. <https://doi.org/10.1016/j.ecoenv.2021.113095>.
- Mokkapat, J.S., Bednarska, A.J., Laskowski, R., 2021b. The development of the solitary bee *Osmia bicornis* is affected by some insecticide agrochemicals at environmentally relevant concentrations. *Sci. Total Environ.* 775, 145588. <https://doi.org/10.1016/j.scitotenv.2021.145588>.
- Mondal, S., Ghosh, R.C., Mate, M.S., Karmakar, D.B., 2009. Effects of acetamiprid on immune system in female wistar rats. *Proc. Zool. Soc.* 62, 109–117. <https://doi.org/10.1007/s12595-009-0012-6>.
- Mussen, E.C., Lopez, J.E., Peng, C.Y., 2004. Effects of selected fungicides on growth and development of larval honey bees, *Apis mellifera* L. (Hymenoptera: Apidae). *Environ. Entomol.* 33, 1151–1154. <https://doi.org/10.1603/0046-225X-33.5.1151>.
- New York State, 2023. Pesticides: Reclassification of Certain Neonicotinoid Pesticide Products to Restricted Use Pesticides. <https://www.dec.ny.gov/chemical/298.html>. (Accessed 14 February 2023).
- Papafthimiou, C., Theophilidis, G., 2001. The cardiotoxic action of the pyrethroid insecticide deltamethrin, the azole fungicide prochloraz, and their synergy on the

- semi-isolated heart of the bee *Apis mellifera macedonica*. Pestic. Biochem. Physiol. 69, 77–91. <https://doi.org/10.1006/pest.2000.2519>.
- Piggott, J.J., Townsend, C.R., Matthaei, C.D., 2015. Reconceptualizing synergism and antagonism among multiple stressors. Ecol. Evol. 5, 1538–1547. <https://doi.org/10.1002/ece3.1465>.
- Pilling, E.D., Jepson, P.C., 1993. Synergism between EBI fungicides and a pyrethroid insecticide in the honeybee (*Apis mellifera*). Pestic. Sci. 39, 293–297. <https://doi.org/10.1002/ps.2780390407>.
- Potts, S.G., Biesmeijer, J.C., Kremen, C., Neumann, P., Schweiger, O., Kunin, W.E., 2010. Global pollinator declines: trends, impacts and drivers. Trends Ecol. Evol. 25, 345–353. <https://doi.org/10.1016/j.tree.2010.01.007>.
- Raimets, R., Karise, R., Mänd, M., Kaart, T., Ponting, S., Song, J., Cresswell, J.E., 2018. Synergistic interactions between a variety of insecticides and an ergosterol biosynthesis inhibitor fungicide in dietary exposures of bumble bees (*Bombus terrestris* L.). Pest Manag. Sci. 74, 541–546. <https://doi.org/10.1002/ps.4756>.
- Ronis, M.J.J., Ingelman-Sundberg, M., Badger, T.M., 1994. Induction, suppression and inhibition of multiple hepatic cytochrome P450 isozymes in the male rat and bobwhite quail (*Colinus virginianus*) by ergosterol biosynthesis inhibiting fungicides (EBIFs). Biochem. Pharmacol. 10, 1953–1965. [https://doi.org/10.1016/0006-2952\(94\)90594-0](https://doi.org/10.1016/0006-2952(94)90594-0).
- Rortais, A., Arnold, G., Dorne, J.L., More, S.J., Sperandio, G., Streissl, F., Szentes, C., Verdonck, F., 2017. Risk assessment of pesticides and other stressors in bees: Principles, data gaps and perspectives from the European Food Safety Authority. Sci. Total Environ. 524–537. <https://doi.org/10.1016/j.scitotenv.2016.09.127>.
- Rortais, A., Arnold, G., Halm, M.-P., Touffet-Briens, F., 2005. Modes of honeybees exposure to systemic insecticides: estimated amounts of contaminated pollen and nectar consumed by different categories of bees. Apidologie 36, 71–83. <https://doi.org/10.1051/apido:2004071>.
- Rosenkranz, P., Ohe, W. von der, Schäfer, M., Genersch, E., Büchler, R., Berg, S., Otten, C., 2019. Deutsches Bienenmonitoring - DeBiMo.
- Rosenkranz, P., Ohe, W. von der, Schäfer, M., Genersch, E., Büchler, R., Berg, S., Otten, C., 2020. Deutsches Bienenmonitoring - DeBiMo.
- Sánchez-Bayo, F., Wyckhuys, K.A., 2019. Worldwide decline of the entomofauna: a review of its drivers. Biol. Conserv. 232, 8–27. <https://doi.org/10.1016/j.biocon.2019.01.020>.
- Scheiner, R., Abramson, C.I., Brodschneider, R., Crailsheim, K., Farina, W.M., Fuchs, S., Grünwald, B., Hahshold, S., Karrer, M., Koeniger, G., Koeniger, N., Menzel, R., Mujagic, S., Radspieler, G., Schmickl, T., Schneider, C., Siegel, A.J., Szopek, M., Thienus, R., 2013. Standard methods for behavioural studies of *Apis mellifera*. J. Apic. Res. 52 <https://doi.org/10.3896/IBRA.1.52.4.04>.
- Scheiner, R., Kuritz-Kaiser, A., Menzel, R., Erber, J., 2005. Sensory responsiveness and the effects of equal subjective rewards on tactile learning and memory of honeybees. Learn. Mem. 12, 626–635. <https://doi.org/10.1101/lm.98105>.
- Scheiner, R., Page, R.E., Erber, J., 2001. Responsiveness to sucrose affects tactile and olfactory learning in preforaging honey bees of two genetic strains. Behav. Brain Res. 120, 67–73. [https://doi.org/10.1016/S0166-4328\(00\)00359-4](https://doi.org/10.1016/S0166-4328(00)00359-4).
- Schmuck, R., Stadler, T., Schmidt, H.W., 2003. Field relevance of a synergistic effect observed in the laboratory between an EBI fungicide and a chloronicotinyl insecticide in the honeybee (*Apis mellifera* L., Hymenoptera). Pest Manag. Sci. 59, 279–286. <https://doi.org/10.1002/ps.626>.
- Schuhmann, A., Schmid, A.P., Manzer, S., Schulte, J., Scheiner, R., 2022a. Interaction of Insecticides and Fungicides in Bees. Front. Insect Sci. 1, 808335 <https://doi.org/10.3389/finsc.2021.808335>.
- Seeley, T.D., 1995. The Wisdom of the Hive, Harvard University Press, ISBN 9780674953765.
- Sgolastra, F., Arnan, X., Cabbri, R., Isani, G., Medrzycki, P., Teper, D., Bosch, J., 2018. Combined exposure to sublethal concentrations of an insecticide and a fungicide affect feeding, ovary development and longevity in a solitary bee. Proc. R. Soc. B Biol. Sci. 285, 20180887. <https://doi.org/10.1098/rspb.2018.0887>.
- Sgolastra, F., Medrzycki, P., Bortolotti, L., Renzi, M.T., Tosi, S., Bogo, G., Teper, D., Porrini, C., Molowny-Horas, R., Bosch, J., 2017. Synergistic mortality between a neonicotinoid insecticide and an ergosterol-biosynthesis-inhibiting fungicide in three bee species. Pest Manag. Sci. 73, 1236–1243. <https://doi.org/10.1002/ps.4449>.
- Shi, J., Liao, C., Wang, Z., Zeng, Z., Wu, X., 2019. Effects of sublethal acetamiprid doses on the lifespan and memory-related characteristics of honey bee (*Apis mellifera*) workers. Apidologie 50, 553–563. <https://doi.org/10.1007/s13592-019-00669-w>.
- Shi, J., Yang, H., Yu, L., Liao, C., Liu, Y., Jin, M., Yan, W., Wu, X.B., 2020. Sublethal acetamiprid doses negatively affect the lifespans and foraging behaviors of honey bee (*Apis mellifera* L.) workers. Sci. Total Environ. 738. <https://doi.org/10.1016/j.scitotenv.2020.139924>.
- Simon-Delso, N., San Martin, G., Bruneau, E., Hautier, L., 2018. Time-to-death approach to reveal chronic and cumulative toxicity of a fungicide for honeybees not revealed with the standard ten-day test. Sci. Rep. 8, 7241. <https://doi.org/10.1038/s41598-018-24746-9>.
- Stanley, D.A., Gunning, D., Stout, J.C., 2013. Pollinators and pollination of oilseed rape crops (*Brassica napus* L.) in Ireland: ecological and economic incentives for pollinator conservation. J. Insect Conserv. 17, 1181–1189. <https://doi.org/10.1007/s10841-013-9599-z>.
- Steffan-Dewenter, I., Münzenberg, U., Bürger, C., Thies, C., Tschardtke, T., 2002. Scale-dependent effects of landscape context on three pollinator guilds. Ecology 83, 1421–1432. [https://doi.org/10.1890/0012-9658\(2002\)083\[1421:SDEOLC\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2002)083[1421:SDEOLC]2.0.CO;2).
- Straub, F., Orih, I.J., Kimmich, J., Ayase, M., 2021. Negative effects of the neonicotinoid clothianidin on foraging behavior and antennal sensitivity in two common pollinator species, *Osmia bicornis* and *Bombus terrestris*. Front. Ecol. Evol. 9, 697355 <https://doi.org/10.3389/fevo.2021.697355>.
- Strobl, V., Albrecht, M., Villamar-Bouza, L., Tosi, S., Neumann, P., Straub, L., 2021. The neonicotinoid thiamethoxam impairs male fertility in solitary bees, *Osmia cornuta*. Environ. Pollut. 284, 117106 <https://doi.org/10.1016/j.envpol.2021.117106>.
- Syromyatnikov, M.Y., Kokina, A.V., Lopatin, A.V., Starkov, A.A., Popov, V.N., 2017. Evaluation of the toxicity of fungicides to flight muscle mitochondria of bumblebee (*Bombus terrestris* L.). Pestic. Biochem. Physiol. 135, 41–46. <https://doi.org/10.1016/j.pestbp.2016.06.007>.
- Thany, S.H., Bourdin, C.M., Graton, J., Laurent, A.D., Mathé-Allainmat, M., Lebreton, J., Le Questel, J.-Y., 2015. Similar Comparative Low and High Doses of Deltamethrin and Acetamiprid Differently Impair the Retrieval of the Proboscis Extension Reflex in the Forager Honey Bee (*Apis mellifera*). Insects 6, 805–814. <https://doi.org/10.3390/insects6040805>.
- Thompson, H.M., 1999. Extrapolating from honeybees to bumblebees in pesticide risk assessment. Ecotoxicology 8, 147–166. <https://doi.org/10.1023/A:1026444029579>.
- Thompson, H.M., Fryday, S.L., Harkin, S., Milner, S., 2014. Potential impacts of synergism in honeybees (*Apis mellifera*) of exposure to neonicotinoids and sprayed fungicides in crops. Apidologie 45, 545–553. <https://doi.org/10.1007/s13592-014-0273-6>.
- Tong, Z., Duan, J., Wu, Y., Liu, Q., He, Q., Shi, Y., Yu, L., Cao, H., 2018. A survey of multiple pesticide residues in pollen and bee bread collected in China. Sci. Total Environ. 640–641, 1578–1586. <https://doi.org/10.1016/j.scitotenv.2018.04.424>.
- Urcan, A.C., Marghitas, L.A., Dezmierean, D.S., Bobis, O., Bonta, V., Muresan, C.I., Margaoan, R., 2017. Chemical composition and biological activities of bee bread – review. Bull. Univ. Agric. Sci. Vet. Med. Cluj. Napoca. Anim. Sci. Biotechnol. 74, 6–14. <https://doi.org/10.15835/buasvmcn-asb:12646>.
- Vandame, R., Belzunces, L.P., 1998. Joint actions of deltamethrin and azole fungicides on honey bee thermoregulation. Neurosci. Lett. 251, 57–60. [https://doi.org/10.1016/S0304-3940\(98\)00494-7](https://doi.org/10.1016/S0304-3940(98)00494-7).
- von Frisch, K., 1965. Tanzsprache und Orientierung der Bienen, Springer Berlin, Heidelberg, ISBN 978-3-642-94917-3.
- Wilkinson, C.F., Hetnarski, K., Hicks, L.J., 1974. Substituted imidazoles as inhibitors of microsomal oxidation and insecticide synergists. Pestic. Biochem. Physiol. 4, 299–312. [https://doi.org/10.1016/0048-3575\(74\)90113-8](https://doi.org/10.1016/0048-3575(74)90113-8).
- Williams, I.H., 1994. The dependence of crop production within the European Union on pollination by honey bees. Agric. Zool. Rev. 6, 229–257.
- Willow, J., Silva, A., Veromann, E., Smagghe, G., 2019. Acute effect of low-dose thiacloprid exposure synergised by tebuconazole in a parasitoid wasp. PLoS One 14, e0212456. <https://doi.org/10.1371/journal.pone.0212456>.
- Wood, T.J., Michez, D., Paxton, R.J., Drossart, M., Neumann, P., Gérard, M., Vanderplanck, M., Barraud, A., Martinet, B., Leclercq, N., Vereecken, N.J., 2020. Managed honey bees as a radar for wild bee decline? Apidologie 51, 1100–1116. <https://doi.org/10.1007/s13592-020-00788-9>.
- Zhang, Q., Zhu, D., Ding, J., Zheng, F., Zhou, S., Lu, T., Zhu, Y.G., Qian, H., 2019. The fungicide azoxystrobin perturbs the gut microbiota community and enriches antibiotic resistance genes in *Enchytraeus crypticus*. Environ. Int. 131. <https://doi.org/10.1016/j.envint.2019.104965>.
- Zhu, Y.C., Yao, J., Adamczyk, J., Luttrell, R., 2017. Synergistic toxicity and physiological impact of imidacloprid alone and binary mixtures with seven representative pesticides on honey bee (*Apis mellifera*). PLoS One 12. <https://doi.org/10.1371/journal.pone.0176837>.
- Zhu, W., Schmehl, D.R., Mullin, C.A., Frazier, J.L., 2014. Four common pesticides, their mixtures and a formulation solvent in the hive environment have high oral toxicity to honey bee larvae. PLoS One 9. <https://doi.org/10.1371/journal.pone.0077547>.
- Zubrod, J.P., Bundschuh, M., Arts, G., Brühl, C.A., Imfeld, G., Knäbel, A., Payraudeau, S., Rasmussen, J.J., Rohr, J., Schärmüller, A., Smalling, K., Stehle, S., Schulz, R., Schäfer, R.B., 2019. Fungicides: an overlooked pesticide class. Environ. Sci. Technol. 53, 3347–3365. <https://doi.org/10.1021/acs.est.8b04392>.