Institut für Parallele und Verteilte Systeme

Universität Stuttgart
Universitätsstraße 38
D–70569 Stuttgart

Masterarbeit

Connecting MetaConfigurator to the Semantic Web: RDF Authoring, Ontology Integration, and Knowledge Graph Support.

Mahdi Jafarkhani

Studiengang:	Computer Science
Prüfer/in:	Jun. Prof. Dr. rer.nat. Benjamin Uekermann
Betreuer/in:	Felix Neubauer, M.Sc.
Beginn am:	October 15, 2025
Beendet am:	April 15, 2026

Abstract

MetaConfigurator is an open-source schema editor and dynamic form generator for JSON and YAML documents, enabling users to define structured schemas and generate corresponding user interfaces for consistent data entry and validation. While the platform provides strong support for schema-driven configuration and data modeling, it currently offers only limited integration with Semantic Web technologies and Linked Data principles.

The Semantic Web is based on the use of IRIs, RDF triples, ontologies, and knowledge graphs to ensure interoperable and machine-readable data exchange. Integrating these concepts into MetaConfigurator would allow structured documents to be enriched with explicit semantics, improving interoperability across systems and domains. To address this gap, this thesis explores the integration of JSON-LD to embed semantic context directly into JSON documents, enabling their interpretation as RDF. Furthermore, the RDF Mapping Language (RML) is employed to define declarative mappings that transform JSON data into RDF triples.

Based on these technologies, an RDF Authoring Panel is designed and implemented within MetaConfigurator, providing ontology integration and visualization of RDF graph structures. This extension directly connects schema definition and instance authoring with Linked Data concepts, transforming MetaConfigurator into a semantically-aware authoring environment. The result is a framework that bridges traditional JSON schema modeling with Semantic Web standards, enabling the creation of interoperable, knowledge graph-ready data.

Contents

Abbreviations 13

1 Introduction 15
1.1 Context and Topic (SM1) . . . 16
1.2 State of the Art (SM1) . . . 16
1.3 Research Question (SM2) . . . 17
1.4 Method or Approach (SM3, SM4) . . . 17
1.5 Findings (SM5, SM6) . . . 18
1.6 Background (SM1) . . . 18
1.7 Problem Exposition (optional) . . . 19
1.8 Context/Business Understanding (SM1) . . . 19
1.9 Data Understanding (SM1) . . . 19
1.10 Detailed Research Questions (SM2) . . . 20
1.11 Detailed Method (SM3) . . . 20
1.12 First Real Chapter addressing first Research Problem . . . 20
1.13 First Sub-Problem . . . 20
1.14 Second Sub-Problem . . . 21
1.15 Second Real Chapter . . . 22
1.16 Evaluation . . . 22
1.17 Objective (SM2) . . . 22
1.18 Setup (SM3) . . . 22
1.19 Execution (SM4) . . . 23
1.20 Results (SM5) . . . 23
1.21 Discussion (SM6) . . . 23

2 LaTeX Hints 25
2.1 Handling of paragraphs . . . 25
2.2 Notes separated from the text . . . 26
2.3 Handling TODOs . . . 26
2.4 Hyphenation . . . 28
2.5 Typesetting Units . . . 28
2.6 Surrounding Text by Quotes . . . 29
2.7 Cleveref examples . . . 29

2.8 Figures 31
2.9 Sub Figures 32
2.10 Tables 33
2.11 Source Code 34
2.12 Itemization 37
2.13 Abbreviations 38
2.14 Other Features 39
2.15 Varioref examples 40
2.16 Citations 40
2.17 Miscellaneous Examles 41
2.17.1 Algorithmen 43
2.17.2 Definitionen 43
2.17.3 Aufzählungen 43
2.17.4 fquote 45

3 Conclusion and Outlook 47

Bibliography 49

Appendix 50

A My first appendix 51

List of Figures

1.1 A scientific figure that has to be explained in the text 21
1.2 Another scientific figure that has to be explained in the text 23

2.1 Example figure for cref demo 30
2.2 Simple Figure 31
2.3 Example figure with two sub figures. 32
2.4 Abbildung 41
2.5 Gedrehte Abbildung 42

List of Tables

2.1 Example table for cref demo 30
2.2 Simple Table 33
2.3 Table with diagonal line 34

Listings

2.1 Example XML Listing 34
2.2 Example XML listing – placed as floating figure 35
2.3 Example JSON listing – placed as floating figure 36
2.4 Example Java listing 36

Abbreviations

This document is incomplete. The external file associated with the glossary 'abbreviations' (which should be called `main-english.gls-abr`) hasn't been created.

Check the contents of the file `main-english.glo-abr`. If it's empty, that means you haven't indexed any of your entries in this glossary (using commands like `\gls` or `\glsadd`) so this list can't be generated. If the file isn't empty, the document build process hasn't been completed.

Try one of the following:

- Add `automake` to your package option list when you load `glossaries-extra.sty`. For example:

  ```
  \usepackage[automake]{glossaries-extra}
  ```

- Run the external (Lua) application:

  ```
  makeglossaries-lite.lua "main-english"
  ```

- Run the external (Perl) application:

  ```
  makeglossaries "main-english"
  ```

Then rerun LaTeX on this document.

This message will be removed once the problem has been fixed.

1 Introduction

Purpose and scope of your entire report. The purpose of your entire report is to make a *scientific argument using the scientific method*. A scientific argument always has the following steps that all must come in this order.

SM1 *Explicate the assumptions and state of the art* on which you are going to conduct your research to investigate your research problem/test the hypothesis.

SM2 Clearly and precisely *formulate a research problem or hypothesis*.

SM3 *Describe the (research) method* that you followed to investigate the problem / to test the hypothesis in a way that *allows someone else to reproduce your steps*. The method must includes steps and criteria for evaluating whether you answered your question successfully or not.

SM4 *Provide execution details* on how you followed the method in the given, specific situation.

SM5 *Report your results* by describing and summarizing your measurements. You must not interpret your results.

SM6 *Now interpret your results* by contextualizing the measurements and drawing conclusion that lead to answering your research problem or defining further follow-up research problems.

This template will mark various parts of the structure with SM1-SM6 to recall to you which step of a scientific argument is used and where.

Purpose and scope of Chapter 1. The introduction chapter is a summary of your work and your scientific argument that shall be understandable to anyone in your scientific field, e.g., anyone in Data Science. A reader must be able to comprehend the problem, method, relevant execution details, results, and their interpretation by reading the introduction and the introduction alone. Section 1.1 introduces the general topic of your research. Section 1.2 discusses the state of the art and identifies a research. Section 1.3 then states the research problem to investigate. Section 1.11 explains the research method that was followed, possibly with execution details. Section 1.5 then presents the results and their interpretation. Only if a reader thinks they are not convinced or they need more details to reproduce your study, they shall have to read further. The individual chapters and sections provide the details for each of the steps in your scientific argument.

You usually write the introduction chapter *after* you wrote all other chapters, but you should keep on making notes for each of the sections as you write the later chapters. .

Purpose and scope of the introduction paragraph to a chapter. The paragraph you are reading above is a typical introductory paragraph to a chapter. It is a high-level summary of the chapters' topic (SM1 and SM2). It gives the reader some guidance by breaking down the chapter topic into subtopics that are clearly named (SM3) in the right order with forward references to the corresponding sections (SM4). It may close with announcing the result you obtain (SM6) but this is usually not done in the opening paragraph of the introduction.

1.1 Context and Topic (SM1)

Purpose and scope. You begin with providing the general scientific audience an introduction into the specific topic of your work. The aim of this section is to first introduce the *general subject of study* ("Giraffes are well-known animals and everyone's favorite"), the *specific topic of societal or scientific interest* to investigate ("Giraffes have blue tongues") and the *objective of society/science towards* this topic ("it is unknown at the moment how the blue color tone evolved"). It must be understandable by the general scientific public. Every *term* with a specific meaning must be highlighted and introduced in precise language/concepts that only builds on a general scientific background.

At the end of this section, you have explained and established a general goal that society/science universally agrees to be worth achieving ("knowing how everyone's favorite animal evolved the colour of their tongue").

1.2 State of the Art (SM1)

Purpose and scope. You provide a more in-depth introduction into the research topic by contrasting the current state of the art in society/science in relation to the research topic you introduced in Section 1.1. This introduction has to

- present established facts, methods, and results that provide a deeper understanding of the research topic ("prior work on giraffe genomes, relevance of giraffes for societal well-being, giraffes being a model-animal for various other studies, etc.")
- discuss in which ways prior and recent ideas still fall short of reaching the general goal you explained in Section 1.1 ("prior work only sequenced the genome of one giraffe and did not consider genes of ancient ancestors")

You have to provide citations/literature references for each of the statements and claims you are making. This section is usually a summary of the related work discussion in Section 1.6.

At the end of this section, you have established a *knowledge gap* between the state of the art and the general objective you developed in Section 1.1. *Stating a (knowledge) gap between a status quo and a desired situation is the* first step *of a writing scientific argument.*

1.3 Research Question (SM2)

Purpose and scope. In this section you state in which way you will address the knowledge gap you identified at the end of Section 1.2. You usually cannot address and resolve the entire knowledge gap in your work. The purpose of this section is to clearly detail the specific part of the knowledge that you will address. You thereby make all the assumptions explicit that underlie your work ("in this report we focus on genomes of female giraffes who lived in the years 1950-2000 in South Africa").

Your general research question states

- The starting point/assumptions you are making from which your research starts ("for the given 13 genomes of female giraffes..."), and
- the final objective/solution you want to reach ("...identify the genes involved in color expression of giraffe tongues...")
- and the evaluation criteria that will determine whether you are successful ("...that are present in at least 75% of the studied giraffes")

You will usually break your general research question down into sub-research questions. You may do this here. The sub-research questions have to form a chain that take you in smaller steps from the starting point/assumptions of your general research question to your final objective and evaluation.

1.4 Method or Approach (SM3, SM4)

Purpose and scope. In this section you outline the method that you applied to answer the research questions, or the new technical approach that you developed to answer it. It is a summary of the steps that someone else has to take in order to reproduce your steps. Mention here the data sets you had to obtain/gather/analyze, interviews with stakeholders you had to make to further develop the research questions, technical artifacts (programs, algorithms, models) you could apply or that you had to develop (and how they work).

The section is most readable if you give each of the steps in your method its own paragraph. In each paragraph you first briefly explain the concept of the step in your method (SM3, “we explored the data through visual analytics”) and then provide details in execution (SM4, “we used tool X, we developed dashboard Y”) include a forward reference to the respective chapter that provides more details.

1.5 Findings (SM5, SM6)

Purpose and scope. You close the introduction by clearly stating the evaluation setup you designed to evaluate the success of your study regarding the research objective, which comes in two steps. It is most likely a summary of your evaluation in Section 1.16.

Results (SM5)

You state the evaluation method that is in line with your research question from Section 1.3 and summarize the measurements you obtained but you do not interpret them, i.e., you only report the numbers but you do not include judging statements.

Interpretation (SM6)

You summarize your interpretation of the results and draw conclusions. State whether and to which degree the research question from Section 1.3 has been answered successfully or not.

Finally state briefly how much closer society and science have come in answering the general objective you outlined in Section 1.1.

1.6 Background (SM1)

Purpose and scope. The background chapter has multiple roles.

- *Preliminaries.* It has to provide all (and exactly the) information that is necessary to understand the methodological and technical parts of your work in the specific area of study. Assume as starting point another student in your degree who did not study the specific subject you are studying but has the task to understand your work. Which concepts, terms, definitions, etc. does the student have to know? Which formulas, symbols, etc. are standard

in this topic? Only introduce definitions if you actually need them in any of the subsequent chapters.

- *Related Work.* It has to provide a comprehensive discussion of all prior work in the area on this subject. Your discussion has to summarize these prior works and has to explain in which way the research question you are solving (Section 1.3) has not bee solved yet because prior work had more limiting assumptions, addressed a different angle, their results are not complete etc. Depending on the subject you are studying, the related work part can be larger and warrant an entire chapter on its own, or be fully concluded within Section 1.2.

  You can close the related work discussion by clarifying the positioning and formulation of your research question (SM2) in relation to all the prior work, making more explicit whether you address an existing research question under different premises or whether you work on a modified or completely new research question.

1.7 Problem Exposition (optional)

Purpose and scope. Introduce the problem context in more detail if Section 1.1 does not provide all necessary information about the problem to follow the rest of the report. This can include further details on the data you studied, context assumptions and requirements, etc.

If you have to expose the problem in more detail here, then this chapter should also provide a more detailed explanation of research question and the method you are applying, i.e., you can now provide more concrete sub-problems compared to Section 1.3 more details for the method Section 1.4 because you now have explained the problem much better. A typical structure can be.

1.8 Context/Business Understanding (SM1)

provide details

1.9 Data Understanding (SM1)

provide details

1.10 Detailed Research Questions (SM2)

provide details based on Section 1.8 and 1.9

1.11 Detailed Method (SM3)

provide details based on Section 1.8 and 1.9

1.12 First Real Chapter addressing first Research Problem

Purpose and scope. After you stated research context (SM1), research problem (SM2), and research method (SM3) in Chapter 1 and possibly Section 1.7, the remainder of your entire report addresses execution (SM4), results (SM5), and interpretation (SM6). You usually do this by addressing various sub-problems again through scientific arguments following the 6 steps SM1-SM6.

Have a short chapter introduction that recalls and explains the first research problem of your thesis. The problem has to show up in the introduction in Section 1.3 or in Section 1.10 already. This provides the background (SM1) for this chapter while the first research problem of the thesis becomes the research question/hypothesis (SM2) for this chapter.

Next, explain in the chapter intro how you solve the research problem in this chapter by breaking it down in further sub-problems. By this, you outline the method (SM3) through which you are going to solve the problem of this chapter. This is necessary to give the reader guidance of what's to come in this chapter and how it fits into the thesis as a whole. Explain that you will address the first sub-problem in Section 1.13 and the second sub-problem in Section 1.14, etc. The sections then provide the details for execution and results.

1.13 First Sub-Problem

The first paragraph describes the first sub-problem and develops the requirements a solution has to satisfy (SM2 for this section). The requirements have to be based on the knowledge and reasoning developing in the preceding chapters and sections. Try to use an example to illustrate the problem and the desired properties of the solution. Check that every term/concept you use here has already been defined already in a previous section. If you cannot describe your problem without defining new terms, you may have to add another section before this one that develops the terms and concepts you need to explain the problem.

Figure 1.1: A scientific figure that has to be explained in the text

The second paragraph describes the method/approach how you address the problem (SM3 for this section). Describe the method in a level of detail that allows another student to reproduce your steps. Make use of appendices if certain details take too much space.

The third, fourth, and following paragraph provides details on applying the method or developing a new approach, i.e., execution (SM4) and may explain results (SM5), i.e. details on the steps needed to reproduce the results.

Results (SM5) can come in many forms, e.g., conceptual diagrams, algorithms, tables, charts, a list of articles from a literature research etc. You must reference them ("Figure 1.1 shows. ..") and describe the results in text. If you use diagrams, tables, or charts, you cannot expect the reader to know what to you expect them to see in a diagram, table or chart. Describe to them how to read these, explain the meaning of particular elements, point out special observations. But you may only describe the results you must not interpret them. Make use of appendices if certain details take too much space.

After describing the results, you may interpret them (SM6). Here you can infer what a particular observation means (for you), how it can be applied, or what others can do with it. You must not write interpretations before completely describing your results. This is a common mistake done by most beginner writers. You want to quickly get to the point, which is the final finding or interpretation. But you forget that your reader does not understand yet what you are interpreting - they do not know yet what you do know. An interpretation can only be followed after all results have been described. The interpretation must be based on the written description only. Then you can be sure that your readers can follow your interpretation and reach the same conclusions as you have.

Ideally, your interpretation leads to the next sub-problem in Section 1.14.

1.14 Second Sub-Problem

You now build on the solution to the first sub-problem of Section 1.13 (SM1) and recall second sub-problem (SM2, you detailed in the introduction of this chapter) and follow the same pattern as before (SM3-SM6).

Note that not all sections may not include all parts SM1-SM6 in all detail. Some sections do not require to repeatedly state the background (SM1) or the research problem (SM2) if they were already clearly defined in a previous section. Sometimes, a section is only dedicated to describing

the method (SM3) and execution (SM4) and does not contain any results or interpretations. Sometimes results (SM5) and interpretations (SM6) only come in the evaluation chapter.

What is important for you when you are writing a scientific argument is not to slavishly have SM1-SM6 in each section explicitly, but that you are always fully aware of the following:

- Which step of a scientific argument am I currently writing (SM1, SM2, ..., SM6)?
- Does the step that I am writing come in the right order, i.e., if you are writing about execution (SM4, e.g., details of building a model), is there a preceding paragraph or section that describes the method (SM3) and is that one preceded by a clear statement of the (sub-)problem addressed (SM2)?
- Are you really *not* writing interpretation SM6 before SM5, SM4, or SM3?
- Is it clear to the reader which part of the scientific argument you are currently making?

1.15 Second Real Chapter

Have a short chapter introduction that recalls what you already achieved in Section 1.12 and explain the second research problem of your thesis. The problem has to show up in the introduction in Section 1.3 or in Section 1.10 already. etc.

1.16 Evaluation

Purpose and scope. The evaluation chapter should be the most formal and rigorously structured chapter of your thesis as the validity of your evaluation argument depends on it.

1.17 Objective (SM2)

Clearly state what you want to evaluate and what you want to measure.

1.18 Setup (SM3)

State which data, participants, tools, etc. you chose and why. Clearly state how you measure outcomes and how you compare them to baselines, reference groups, etc.

Figure 1.2: Another scientific figure that has to be explained in the text

1.19 Execution (SM4)

Provide all details on the execution that are necessary to allows another person to reproduce your results at a later point.

1.20 Results (SM5)

You only report the measurements. You must present and reference them ("Figure 1.2 shows. ..") and describe the results in text. If you use diagrams, tables, or charts, you cannot expect the reader to know what to you expect them to see in a diagram, table or chart. Describe to them how to read these, explain the meaning of particular elements, point out special observations. But you may only describe the results you must not interpret them. Make use of appendices if certain details take too much space.

1.21 Discussion (SM6)

An interpretation can only be followed after all results have been described. The interpretation must be based on the written description in Section 1.20 only. Then you can be sure that your readers can follow your interpretation and reach the same conclusions as you have.

2 LaTeX Hints

This chapter contains hints on writing LaTeX. It focuses on minimal examples, which can be directly adapted to the content

2.1 Handling of paragraphs

One sentence per line. This rule is important for the usage of version control systems. A new line is generated with a blank line. As you would do in Word: New paragraphs are generated by pressing enter. In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines. In case you want a new paragraph, just press enter twice! This leads to an empty line. In word, there is the functionality to press shift and enter. This leads to a hard line break. The text starts at the beginning of a new line. In LaTeX, you can do that by using two backslashes (\\).
This is rarely used.

Please do *not* use two backslashes for new paragraphs. For instance, this sentence belongs to the same paragraph, whereas the last one started a new one. A long motivation for that is provided at `http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3`.

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
One sentence per line.
This rule is important for the usage of version control systems.
A new line is generated with a blank line.
As you would do in Word:
New paragraphs are generated by pressing enter.
In LaTeX, this does not lead to a new paragraph as LaTeX joins subsequent lines.
In case you want a new paragraph, just press enter twice!
This leads to an empty line.
In word, there is the functionality to press shift and enter.
This leads to a hard line break.
The text starts at the beginning of a new line.
In LaTeX, you can do that by using two backslashes (\textbackslash\textbackslash).
\\
This is rarely used.

Please do \textit{not} use two backslashes for new paragraphs.
For instance, this sentence belongs to the same paragraph, whereas the last one started a
    new one.
A long motivation for that is provided at
    \url{http://loopspace.mathforge.org/HowDidIDoThat/TeX/VCS/#section.3}.
```

2.2 Notes separated from the text

The package mindflow enables writing down notes and annotations in a way so that they are separated from the main text.

This is a small note.

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
\begin{mindflow}
This is a small note.
\end{mindflow}
```

2.3 Handling TODOs

Markierter Text.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\textmarker{Markierter Text.}
```

Bei `\textmarker` wird nur die Textfarbe geändert, da dies auch bei einigen Worten gut funktioniert.

Markierter Text.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\textcomment{Markierter Text.}{Kommentar dazu.}
```

In Gelb hervorgehoben. Provided indirectly by pdfcomment.sty (soulpos).

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\hl{In Gelb hervorgehoben.}
Provided indirectly by pdfcomment.sty (soulpos).
```

Manuelle Markierung für Text, der seit der letzten Version geändert wurde.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\modified{Manuelle Markierung für Text, der seit der letzten Version geändert wurde.}
```

Das ist ein Text. Geänderter Text.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
Das ist ein Text.
\change{FL1: Text angepasst}{Geänderter Text}.
```

Hier nur ein Kommentar.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
Hier nur ein Kommentar\sidecomment{Kommentar}.
```

TODO!

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\todo{Hier muss noch kräftig Text produziert werden}
```

2.4 Hyphenation

LaTeX automatically hyphenates words. When using microtype, there should be fewer hyphenations than in other settings. It might be necessary to tweak the hyphenations nevertheless. Here are some hints:

In case you write “application-specific”, then the word will only be hyphenated at the dash. You can also write `applica\allowbreak{}tion-specific` (result: application-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word. For instance, `application"=specific` gets application”=specific. This is enabled by an additional configuration of the babel package.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
In case you write \enquote{application-specific}, then the word will only be hyphenated at
    the dash.
You can also write \verb|applica\allowbreak{}tion-specific| (result:
    applica\allowbreak{}tion-specific), but this is much more effort.

You can now write words containing hyphens which are hyphenated at other places in the word.
For instance, \verb|application"=specific| gets application"=specific.
This is enabled by an additional configuration of the babel package.
```

2.5 Typesetting Units

Numbers can be written plain text (such as 100), by using the siunitx package as follows: $100\,\frac{\mathrm{km}}{\mathrm{h}}$, or by using plain LaTeX (and math mode): $100\frac{km}{h}$.

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
Numbers can be written plain text (such as 100), by using the
    \href{https://ctan.org/pkg/siunitx}{siunitx} package as follows:
\SI{100}{\km\per\hour},
or by using plain \LaTeX{} (and math mode):
$100 \frac{\mathit{km}}{h}$.
```

5 % of 10 kg

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
\SI{5}{\percent} of \SI{10}{kg}
```

Numbers are automatically grouped: 123 456.

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
Numbers are automatically grouped: \num{123456}.
```

2.6 Surrounding Text by Quotes

Please use the “enquote command” to quote something. Quoting with “quote” or “quote” also works.

Corresponding LaTeX code of main-english.tex

```
œŒűŰőŐ
Please use the \enquote{enquote command} to quote something.
Quoting with "`quote"' or ``quote'' also works.
```

2.7 Cleveref examples

Cleveref demonstration: Cref at beginning of sentence, cref in all other cases.

Figure 2.1 shows a simple fact, although Figure 2.1 could also show something else.

Table 2.1 shows a simple fact, although Table 2.1 could also show something else.



Figure 2.1: Example figure for cref demo

Heading1	Heading2
One	Two
Thee	Four

Table 2.1: Example table for cref demo



Figure 2.2: Simple Figure. Based on Scharrer [Sch17].

Section 2.7 shows a simple fact, although Section 2.7 could also show something else.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\Cref{fig:ex:cref} shows a simple fact, although \cref{fig:ex:cref} could also show
    something else.

\Cref{tab:ex:cref} shows a simple fact, although \cref{tab:ex:cref} could also show
    something else.

\Cref{sec:ex:cref} shows a simple fact, although \cref{sec:ex:cref} could also show
    something else.
```

2.8 Figures

Figure 2.2 shows something interesting.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\Cref{fig:label} shows something interesting.

\begin{figure}
  \centering
  \includegraphics[width=.8\linewidth]{example-image-golden}
  \caption[Simple Figure]{
    Simple Figure.
    Based on \citet{mwe}.
  }
  \label{fig:label}
\end{figure}
```

2.9 Sub Figures

An example of two sub figures is shown in Figure 2.3.



(a) Case I (b) Case II

Figure 2.3: Example figure with two sub figures.

Table 2.2: Simple Table

Heading1	Heading2
One	Two
Thee	Four

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{figure}[!b]
  \centering
  \subfloat[Case I]{\includegraphics[width=.4\linewidth]{example-image-a}%
    \label{fig:first_case}}
  \hfil
  \subfloat[Case II]{\includegraphics[width=.4\linewidth]{example-image-b}%
    \label{fig:second_case}}
  \caption{Example figure with two sub figures.}
  \label{fig:two_sub_figures}
\end{figure}
```

2.10 Tables

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{table}
  \caption{Simple Table}
  \label{tab:simple}
  \centering
  \begin{tabular}{ll}
    \toprule
    Heading1 & Heading2 \\
    \midrule
    One      & Two      \\
    Thee     & Four     \\
    \bottomrule
  \end{tabular}
\end{table}
```

Table 2.3: Table with diagonal line

Diag Column Head II / Diag Column Head I	Second	Third
	foo	bar

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
% Source: https://tex.stackexchange.com/a/468994/9075
\begin{table}
  \caption{Table with diagonal line}
  \label{tab:diag}
  \begin{center}
    \begin{tabular}{|l|c|c|}
      \hline
      \diagbox[width=10em]{Diag \\Column Head I}{Diag Column\\Head II} & Second & Third \\
      \hline
       & foo & bar              \\
      \hline
    \end{tabular}
  \end{center}
\end{table}
```

2.11 Source Code

Listing 2.1 shows source code written in XML. Line 2 contains a comment.

```
1 <listing name="example">
2   <!-- comment -->
3   <content>not interesting</content>
4 </listing>
```

Listing 2.1: Example XML Listing

```
<listing name="example">
  Floating
</listing>
```

Listing 2.2: Example XML listing – placed as floating figure

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\Cref{lst:XML} shows source code written in XML.
\Cref{line:comment} contains a comment.

\begin{lstlisting}[
  language=XML,
  caption={Example XML Listing},
  label={lst:XML}]
<listing name="example">
  <!-- comment --> (* \label{line:comment} *)
  <content>not interesting</content>
</listing>
\end{lstlisting}
```

One can also add `float` as parameter to have the listing floating. Listing 2.2 shows the floating listing.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{lstlisting}[
  % one can adjust spacing here if required
  % aboveskip=2.5\baselineskip,
  % belowskip=-.8\baselineskip,
  float,
  language=XML,
  caption={Example XML listing -- placed as floating figure},
  label={lst:flXML}]
<listing name="example">
  Floating
</listing>
\end{lstlisting}
```

One can also typeset JSON as shown in Listing 2.3.

```
{
  key: "value"
}
```

Listing 2.3: Example JSON listing – placed as floating figure

```
public class Hello {
    public static void main (String[] args) {
        System.out.println("Hello World!");
    }
}
```

Listing 2.4: Example Java listing

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{lstlisting}[
  float,
  language=json,
  caption={Example JSON listing -- placed as floating figure},
  label={lst:json}]
{
  key: "value"
}
\end{lstlisting}
```

Java is also possible as shown in Listing 2.4.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{lstlisting}[
  caption={Example Java listing},
  label=lst:java,
  language=Java,
  float]
public class Hello {
    public static void main (String[] args) {
        System.out.println("Hello World!");
    }
}
\end{lstlisting}
```

2.12 Itemization

One can list items as follows:

- Item One
- Item Two

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{itemize}
  \item Item One
  \item Item Two
\end{itemize}
```

With the package paralist, one can create itemizations with lesser spacing:

- Item One
- Item Two

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{compactitem}
  \item Item One
  \item Item Two
\end{compactitem}
```

One can enumerate items as follows:

1. Item One
2. Item Two

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{enumerate}
  \item Item One
  \item Item Two
\end{enumerate}
```

With the package paralist, one can create enumerations with lesser spacing:

1. Item One
2. Item Two

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{compactenum}
  \item Item One
  \item Item Two
\end{compactenum}
```

With paralist, one can even have all items typeset after each other and have them clean in the TeX document:

1. All these items... 2. ...appear in one line 3. This is enabled by the paralist package.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\begin{inparaenum}
  \item All these items...
  \item ...appear in one line
  \item This is enabled by the paralist package.
\end{inparaenum}
```

2.13 Abbreviations

With `\gls{...}` you can enter abbreviations, the first time you call it, the long form is used. When reusing `\gls{..}` the short form is automatically displayed. The abbreviation is also automatically inserted in the abbreviation list. With `\glspl{...}` the plural form is used. If you want the short form to appear directly at the first use, you can use `\glsunset{..}` to mark an abbreviation as already used. The opposite is achieved with `\glsreset{..}`.

Abbreviations are defined in `\content\ausarbeitung.tex` by means of `\newacronym{...}{...}{...}`.

More information at: `https://ctan.org/pkg/bib2gls`.

At the first pass the Fehlerrate (FR) was 5. At the second pass was FR 3. The plural form can be seen here: error rates (ERs). To demonstrate what the list of abbreviations looks like for longer description texts, RDBMS (RDBMS) must be mentioned here.

Deutschsprachige Anwendervereinigung TeX e.V. (DANTE e.V.) is a local TeX user group. The German-speaking local TeX user group is DANTE e.V.. A General Practitioner (G.P.) is a medical doctor. I went to my surgery to see the G.P..

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
At the first pass the \gls{fr} was 5.
At the second pass was \gls{fr} 3.
The plural form can be seen here: \glspl{er}.
To demonstrate what the list of abbreviations looks like for longer description texts,
    \glspl{rdbms} must be mentioned here.

\gls{dante} is a local \TeX\ user group.
The German-speaking local \TeX\ user group is \gls{dante}.
A \gls{gp} is a medical doctor.
I went to my surgery to see the \gls{gp}.
```

TODO!

2.14 Other Features

The words “workflow” and “dwarflike” can be copied from the PDF and pasted to a text file.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
The words \enquote{workflow} and \enquote{dwarflike} can be copied from the PDF and pasted
    to a text file.
```

The symbol for powerset is now correct: $\powerset$ and not a Weierstrass p ($\wp$).

$\powerset(1,2,3)$

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
The symbol for powerset is now correct: $\powerset$ and not a Weierstrass p ($\wp$).

$\powerset({1,2,3})$
```

Brackets work as designed: <test> One can also input backticks in verbatim text: `test`.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
Brackets work as designed:
<test>
One can also input backticks in verbatim text: \verb|`test`|.
```

2.15 Varioref examples

Varioref demonstration: Vref at beginning of sentence, vref in all other cases.

Figure 2.1 on page 30 shows a simple fact, although Figure 2.1 on page 30 could also show something else.

Table 2.1 on page 30 shows a simple fact, although Table 2.1 on page 30 could also show something else.

Section 2.7 on page 29 shows a simple fact, although Section 2.7 on page 29 could also show something else.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
\Vref{fig:ex:cref} shows a simple fact, although \vref{fig:ex:cref} could also show
    something else.

\Vref{tab:ex:cref} shows a simple fact, although \vref{tab:ex:cref} could also show
    something else.

\Vref{sec:ex:cref} shows a simple fact, although \vref{sec:ex:cref} could also show
    something else.
```

2.16 Citations

When referencing something from the bibliography file, it will automatically appear in the references section. If a reference is not cited, it is not appearing there.

Standard case: Citing indirectly citing something [Sch17]. In case one wants to name the author: Scharrer [Sch17] shows a minimal LaTeX example.

... missing figure ...

Figure 2.4: Abbildung

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
Standard case: Citing indirectly citing something~\cite{mwe}.
In case one wants to name the author: \textcite{mwe} shows a minimal \LaTeX{} example.
```

Note that `\textcite{mwe}` prints both the author and the reference to the bibliography entry.

Remember that you have to call `biber main-english` to generate the bibliography data for `lualatex`. You will need to run `lualatex` twice to ensure that the page numbers are updated correctly.

In the bibliography, use `\textsuperscript` for "st", "nd", …: E.g., "The 2nd conference on examples". When you use JabRef, you can use the clean up command to achieve that. See `https://help.jabref.org/en/CleanupEntries` for an overview of the cleanup functionality.

2.17 Miscellaneous Examles

Referencetest: Section 2.17, Figure 2.4 und Algorithm 2.1.

Checkmark: ✓. Crossmark: ✗.

Corresponding LaTeX code of `main-english.tex`

```
œŒűŰőŐ
Checkmark: \dingcheck.
Crossmark: \dingcross.
```

... missing figure ...

Figure 2.5: Gedrehte Abbildung

2.17.1 Algorithmen

Algorithmus 2.1 *algo*

1: $a \leftarrow 0$
2: State 2

Algorithmus 2.2 Algorithmus 2

1: $a \leftarrow 0$
2: State 2

Algorithm 2.1 hat bereits einen Algorithmus gezeigt. Test der Zeilenreferenzierung: Zeile 2 (Algorithm 2.1) und Zeile 2 (Algorithm 2.2).

2.17.2 Definitionen

Definition 2.1 (Title)
Definition Text

Definition 2.1 zeigt …

2.17.3 Aufzählungen

a) a

b) b

c) c

d) d

Equivalent to paralist's inparaenum: a) a b) b c) c d) d

first Erstens

second Zweitens

third Drittens

`first` Erstens

`second` Zweitens

`third` Drittens

`first` Erstens

`second` Zweitens

`third` Drittens

first label with a long description text breaking over one line. Enabled by enumitem package
Erstens

second Zweitens

third Drittens

first label with a long description text breaking over one line. Defined in template.tex

Erstens

second

Zweitens

third

Drittens

- Erstens
- Zweitens
- Drittens

Optionaler Parameter ändert den Marker, der vorangestellt ist. Siehe `http://www.weinelt.de/latex/item.html`.

A Erstens

B Zweitens

C Drittens

Falsche Benutzung des optionalen Parameters wie folgt:

first Erstens

second Zweitens

third Drittens

Dabei ist zu beachten, dass es sich bei Einbindung von `enumitem` anders verhält als bei `paralist`.

2.17.4 fquote

> *Bis nächsten Freitag ist das Programm fertig.*
>
> — *T. Informatiker*

> *Bis nächsten Freitag ist das Programm fertig.*
>
> —*T. Informatiker*

3 Conclusion and Outlook

Your conclusions are not just a factual summary of your work, but they position, interpret, and defend your findings against the state of the art that you discussed in Section 1.2. You specifically outline which concrete findings or methodological contributions advance our knowledge towards the general objective you introduced in Section 1.1. Objectively discuss which parts you solved and in which parts you failed.

You should explicitly discuss limitations and shortcomings of your work and detail what kind of future studies are needed to overcome these limitations. Be specific in the sense that your arguments for future work should be based on concrete findings and insights you obtained in your report.

Bibliography

[Sch17] M. Scharrer. *The* `mwe` *Package*. 2017. URL: `http://texdoc.net/mwe` (cit. on pp. 31, 40).

All links were last followed on October 5, 2020.

A My first appendix

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Erklärung

Ich versichere, diese Arbeit selbstständig verfasst zu haben. Ich habe keine anderen als die angegebenen Quellen benutzt und alle wörtlich oder sinngemäß aus anderen Werken übernommene Aussagen als solche gekennzeichnet. Weder diese Arbeit noch wesentliche Teile daraus waren bisher Gegenstand eines anderen Prüfungsverfahrens. Ich habe diese Arbeit bisher weder teilweise noch vollständig veröffentlicht. Das elektronische Exemplar stimmt mit allen eingereichten Exemplaren überein.

Ort, Datum, Unterschrift