



test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, True, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, True, False, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, True, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
, training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, True, False, False, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, True, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, True, False, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
, training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, True, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_0, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_0, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_0, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_0, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_0, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_1, variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_1, variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_1, variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_1, variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_1, variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_2, variable name: rotation sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
training\_model\_3, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 3,  
variable name: position sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_3, variable name: size sibling order: 4,  
variable name: position sibling order: 4




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 0,  
variable name: position sibling order: 0




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 1,  
variable name: position sibling order: 1




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 2,  
variable name: position sibling order: 2




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 3




test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 3,  
variable name: position sibling order: 3



test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 4



test for gmm full training, marginalisation,

GMM full training: [False, False, False, False, True]  
,training\_model\_4, variable name: size sibling order: 4,  
variable name: position sibling order: 4

