



test for number of training samples

number of training samples: 200 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_0, variable name: position sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: size sibling order: 4




test for number of training samples

number of training samples: 200 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: size sibling order: 4




test for number of training samples

number of training samples: 300 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: position sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: size sibling order: 4




test for number of training samples

number of training samples: 400 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 500 ,training_model_4, variable
name: size sibling order: 4




test for number of training samples

number of training samples: 500 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_1, variable name: position sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_1, variable
name: rotation sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: size sibling order: 4




test for number of training samples

number of training samples: 600 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 700 ,training_model_4, variable
name: size sibling order: 4




test for number of training samples

number of training samples: 700 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_3, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: position sibling order: 3




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: size sibling order: 4




test for number of training samples

number of training samples: 800 ,training_model_4, variable name: position sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_0, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_0, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_0, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_0, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_0, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_1, variable
name: position sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_1, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_1, variable
name: position sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_1, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_1, variable
name: position sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_1, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_1, variable
name: position sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_1, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_1, variable
name: position sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_1, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: rotation sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: position sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: rotation sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: position sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: rotation sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: position sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: rotation sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: position sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: rotation sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_2, variable name: position sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: size sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: position sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: size sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: position sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: size sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: position sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: size sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: position sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: size sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_3, variable name: position sibling order: 4




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: size sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: position sibling order: 0




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: size sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: position sibling order: 1




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: size sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: position sibling order: 2




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: size sibling order: 3




test for number of training samples

number of training samples: 900 ,training_model_4, variable name: position sibling order: 3



test for number of training samples

number of training samples: 900 ,training_model_4, variable name: size sibling order: 4



test for number of training samples

number of training samples: 900 ,training_model_4, variable name: position sibling order: 4

