

```
<?xml version = "1.0"?>

<!-- Fig. 15.4: letter.xml -->
<!-- Business letter marked up as XML -->
<!DOCTYPE letter SYSTEM "letter.dtd">

<letter>
  <contact type = "sender">
    <name>Jane Doe</name>
    <address1>Box 12345</address1>
    <address2>15 Any Ave.</address2>
    <city>Othertown</city>
    <state>Otherstate</state>
    <zip>67890</zip>
    <phone>555-4321</phone>
    <flag gender = "F" />
  </contact>

  <contact type = "receiver">
    <name>John Doe</name>
    <address1>123 Main St.</address1>
    <address2></address2>
    <city>Anytown</city>
    <state>Anystate</state>
    <zip>12345</zip>
    <phone>555-1234</phone>
    <flag gender = "M" />
  </contact>

  <salutation>Dear Sir:</salutation>

  <paragraph>It is our privilege to inform you about our new database
    managed with XML. This new system allows you to reduce the
    load on your inventory list server by having the client machine
    perform the work of sorting and filtering the data.
  </paragraph>

  <paragraph>Please visit our website for availability and pricing.
  </paragraph>

  <closing>Sincerely,</closing>
  <signature>Ms. Jane Doe</signature>
</letter>
```