

Package ‘mixOmics’

September 3, 2013

Type Package

Title Omics Data Integration Project

Version 4.1-5

Date 2012-12-11

Depends R (≥ 2.10), rgl

Imports igraph, lattice, pheatmap

Author Sebastien Dejean, Ignacio Gonzalez, Kim-Anh Le Cao with
contributions from Pierre Monget, Jeff Coquery, FangZou Yao, Benoit Liquet

Maintainer ORPHANED

Description The package provide statistical integrative techniques and variants to analyse highly dimensional data sets: regularized CCA and sparse PLS to unravel relationships between two heterogeneous data sets of size $(n \times p)$ and $(n \times q)$ where the p and q variables are measured on the same samples or individuals n . These data may come from high throughput technologies, such as omics data (e.g. transcriptomics, metabolomics or proteomics data) that require an integrative or joint analysis. However, mixOmics can also be applied to any other large data sets where $p + q \gg n$. rCCA is a regularized version of CCA to deal with the large number of variables. sPLS allows variable selection in a one step procedure and two frameworks are proposed: regression and canonical analysis. Numerous graphical outputs are provided to help interpreting the results. Recent methodological developments include: sparse PLS-Discriminant Analysis, Independent Principal Component Analysis and multilevel analysis using variance decomposition of the data.

License GPL (≥ 2)

Repository CRAN

Date/Publication 2013-09-03 12:09:03

NeedsCompilation no

X-CRAN-Original-Maintainer Kim-Anh Le Cao <k.lecao@uq.edu.au>

X-CRAN-Comment Orphaned on 2013-09-03 as it had not been converted to igraph in over a year

R topics documented:

breast.tumors	3
cim	4
data.simu	7
estim.regul	8
image	10
imgCor	11
internal-functions	13
ipca	13
jet.colors	15
linnerud	16
liver.toxicity	17
mat.rank	18
multidrug	19
multilevel	20
nearZeroVar	24
network	26
nipals	29
nutrimouse	31
pca	32
pcatune	34
pheatmap.multilevel	36
plot.rcc	39
plot.valid	41
plot3dIndiv	42
plot3dVar	45
plotIndiv	49
plotVar	51
pls	54
plsda	56
predict	58
print	60
prostate	62
rcc	62
s.match	64
scatterutil	66
select.var	67
sipca	68
spca	70
spls	72
splsda	74

<i>breast.tumors</i>	3
srbct	76
summary	77
tune.multilevel	79
vac18	81
valid	82
vip	85
yeast	86
Index	88

<code>breast.tumors</code>	<i>Human Breast Tumors Data</i>
----------------------------	---------------------------------

Description

This data set contains the expression of 1753 genes in 47 surgical specimens of human breast tumours from 17 different individuals before and after chemotherapy treatment.

Usage

`data(breast.tumors)`

Format

- A list containing the following components:
- `gene.exp` data matrix with 47 rows and 1753 columns. Each row represents an experimental sample, and each column a single gene.
 - `sample` a list containing two character vector components: `name` the name of the samples, and `treatment` the treatment status.
 - `genes` a list containing two character vector components: `name` the name of the genes, and `description` the description of each gene.

Details

This data consists of 47 breast cancer samples and 1753 cDNA clones pre-selected by Pérez-Enciso *et al.* (2003) to draw their Fig. 1. The authors selected 47 samples for which there was information at least before or before and after chemotherapy treatment. There were 20 tumours that were microarrayed both before and after treatment.

Source

The Human Breast Tumors dataset is a companion resource for the paper of Perou *et al.* (2000), and was downloaded from the Stanford Genomics Breast Cancer Consortium Portal http://genome-www.stanford.edu/breast_cancer/molecularportraits/download.shtml

References

- Pérez-Enciso, M. and Tenenhaus, M. (2003). Prediction of clinical outcome with microarray data: a partial least squares discriminant analysis (PLS-DA) approach. *Human Genetics* **112**, 581-592.
- Perou, C. M., Sorlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslen, L. A., Fluge, O., Pergamenschikov, A., Williams, C., Zhu, S. X., Lonning, P. E., Borresen-Dale, A. L., Brown, P. O. and Botstein, D. (2000). Molecular portraits of human breast tumours. *Nature* **406**, 747-752.

cim

Clustered Image Maps (CIMs) ("heat maps")

Description

This function generates color-coded Clustered Image Maps (CIMs) ("heat maps") to represent "high-dimensional" data sets.

Usage

```
## Default S3 method:
cim(mat, breaks, col = jet.colors,
    distfun = dist, hclustfun = hclust,
    dendrogram = c("both", "row", "column", "none"),
    labRow = NULL, labCol = NULL,
    ColSideColors = NULL, RowSideColors = NULL,
    symkey = TRUE, keysize = 1, zoom = FALSE,
    main = NULL, xlab = NULL, ylab = NULL,
    cexRow = min(1, 0.2 + 1/log10(nr)),
    cexCol = min(1, 0.2 + 1/log10(nc)),
    margins = c(5, 5), lhei = NULL, lwid = NULL, ...)

## S3 method for class 'rcc'
cim(object, comp = 1, X.names = NULL, Y.names = NULL, ...)

## S3 method for class 'spls'
cim(object, comp = 1, X.names = NULL, Y.names = NULL,
    keep.var = TRUE, ...)

## S3 method for class 'pls'
cim(object, comp = 1, X.names = NULL, Y.names = NULL, ...)
```

Arguments

mat	numeric matrix of values to be plotted.
object	object of class inheriting from "rcc", "pls" or "spls".

comp	atomic or vector of positive integers. The components to adequately account for the data association. Defaults to <code>comp = 1</code> .
X.names, Y.names	character vector containing the names of <i>X</i> - and <i>Y</i> -variables.
keep.var	boolean. If TRUE only the variables with loadings not zero are plotted (as selected by <code>spls</code>). Defaults to TRUE.
distfun	function used to compute the distance (dissimilarity) between both rows and columns. Defaults to <code>dist</code> .
breaks	(optional) either a numeric vector indicating the splitting points for binning <code>mat</code> into colors, or a integer number of break points to be used, in which case the break points will be spaced equally between <code>min(mat)</code> and <code>max(mat)</code> .
col	a character string specifying the colors function to use: <code>terrain.colors</code> , <code>topo.colors</code> , <code>rainbow</code> or similar functions. Defaults to <code>jet.colors</code> .
hclustfun	function used to compute the hierarchical clustering for both rows and columns. Defaults to <code>hclust</code> . Should take as argument a result of <code>distfun</code> and return an object to which <code>as.dendrogram</code> can be applied.
dendrogram	character string indicating whether to draw "none", "row", "column" or "both" dendrograms. Defaults to "both".
labRow	character vectors with row labels to use. Defaults to <code>rownames(mat)</code> .
labCol	character vectors with column labels to use. Defaults to <code>colnames(mat)</code> .
ColSideColors	(optional) character vector of length <code>ncol(mat)</code> containing the color names for a horizontal side bar that may be used to annotate the columns of <code>mat</code> .
RowSideColors	(optional) character vector of length <code>nrow(mat)</code> containing the color names for a vertical side bar that may be used to annotate the rows of <code>mat</code> .
symkey	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
keysize	positive numeric value indicating the size of the color key.
zoom	logical. Whether to use zoom for interactively zooming-out. See Details.
main, xlab, ylab	main, <i>x</i> - and <i>y</i> -axis titles; defaults to none.
cexRow, cexCol	positive numbers, used as <code>cex.axis</code> in for the row or column axis labeling. The defaults currently only use number of rows or columns, respectively.
margins	numeric vector of length two containing the margins (see <code>par(mar)</code>) for column and row names respectively.
lhei, lwid	arguments passed to <code>layout</code> to divide the device up into two rows and two columns, with the row-heights <code>lhei</code> and the column-widths <code>lwid</code> .
...	arguments passed to <code>cim.default</code> .

Details

One matrix Clustered Image Map (default method) is a 2-dimensional visualization of a real-valued matrix (basically `image(t(mat))`) with a dendrogram added to the left side and to the top. The rows and columns are reordered according to some hierarchical clustering method to identify interesting

patterns. By default the used clustering method for rows and columns is the *complete linkage* method and the used distance measure is the distance *euclidean*.

In *rcc* method, the matrix *mat* is created where element (j, k) is the scalar product value between every pairs of vectors in dimension $\text{length}(\text{comp})$ representing the variables X_j and Y_k on the axis defined by Z_i with i in *comp*, where Z_i is the equiangular vector between the i -th X and Y canonical variate.

In *spls*, if *object\$mode* is *regression*, the element (j, k) of the similarity matrix *mat* is given by the scalar product value between every pairs of vectors in dimension $\text{length}(\text{comp})$ representing the variables X_j and Y_k on the axis defined by U_i with i in *comp*, where U_i is the i -th X variate. If *object\$mode* is *canonical* then X_j and Y_k are represented on the axis defined by U_i and V_i respectively.

For visualization of "high-dimensional" data sets, a nice zooming tool was created. *zoom=TRUE* open a new device, one for CIM, one for zoom-out region and define an interactive 'zoom' process: click two points at imagen map region by pressing the first mouse button. It then draws a rectangle around the selected region and zoom-out this at new device. The process can be repeated to zoom-out other regions of interest.

The zoom process is terminated by clicking the second button and selecting 'Stop' from the menu, or from the 'Stop' menu on the graphics window.

Value

A list containing the following components:

<i>simMat</i>	the similarity matrix used by <i>cim</i> .
<i>rowInd</i>	row index permutation vectors as returned by order.dendrogram .
<i>colInd</i>	column index permutation vectors as returned by order.dendrogram .
<i>ddr</i> , <i>ddc</i>	object of class "dendrogram" which describes the row and column trees produced by <i>cim</i> .
<i>labRow</i> , <i>labCol</i>	character vectors with row and column labels used.

Author(s)

Ignacio González.

References

- Eisen, M. B., Spellman, P. T., Brown, P. O. and Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proceeding of the National Academy of Sciences of the USA* **95**, 14863-14868.
- Weinstein, J. N., Myers, T. G., O'Connor, P. M., Friend, S. H., Fornace Jr., A. J., Kohn, K. W., Fojo, T., Bates, S. E., Rubinstein, L. V., Anderson, N. L., Buolamwini, J. K., van Osdol, W. W., Monks, A. P., Scudiero, D. A., Sausville, E. A., Zaharevitz, D. W., Bunow, B., Viswanadhan, V. N., Johnson, G. S., Wittes, R. E. and Paull, K. D. (1997). An information-intensive approach to the molecular pharmacology of cancer. *Science* **275**, 343-349.

See Also

[image](#), [heatmap](#), [hclust](#), [plotVar](#), [plot3dVar](#), [network](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## default method
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

cim(cor(X, Y), dendrogram = "none")

## CIM representation for objects of class 'rcc'
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

dends <- cim(nutri.res, comp = 1:3, xlab = "genes",
             ylab = "lipids", margins = c(5, 6))

op <- par(mar = c(5, 4, 4, 4), cex = 0.8)
plot(dends$ddr, axes = FALSE, horiz = TRUE)
par(op)

## interactive 'zoom'
## Not run:
cim(nutri.res, comp = 1:3, zoom = TRUE)
## select the region and "see" the zoom-out region

## End(Not run)

## CIM representation for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

cim(toxicity.spls, comp = 1:3)
```

Description

Simulation study to illustrate the use of the multilevel analysis for one and two-factor analysis with sPLS-DA. This data set contains the expression measure of 1000 genes.

Usage

```
data(data.simu)
```

Format

A list containing the following components:

`X` data frame with 48 samples and 1000 genes.

`stimu` a factor indicating the conditions on each sample (stimulations)

`sample` a vector indicating the repeated measurements on each unique subject. See details.

Details

In this cross-over design, repeated measurements are performed 12 experiments units (or unique subjects) for each of the 4 stimulations.

The simulation study was based on a mixed effects model (see reference for details). Ten clusters of 100 genes were generated. Amongst those, 4 clusters of genes discriminate the 4 stimulations (denoted LIPO5, GAG+, GAG- and NS) as follows: \ -2 gene clusters discriminate (LIPO5, GAG+) versus (GAG-, NS) \ -2 gene clusters discriminate LIPO5 versus GAG+, while GAG+ and NS have the same effect \ - gene clusters discriminate GAG- versus NS, while LIPO5 and GAG+ have the same effect \ -the 4 remaining clusters represent noisy signal (no stimulation effect)

References

Liquet, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *Submitted*.

estim.regul

Estimate the parameters of regularization for Regularized CCA

Description

Computes leave-one-out or M-fold cross-validation scores on a two-dimensional grid to determine optimal values for the parameters of regularization in rcc.

Usage

```
estim.regul(X, Y, grid1 = seq(0.001, 1, length = 5),
            grid2 = seq(0.001, 1, length = 5),
            validation = c("loo", "Mfold"), folds,
            M = 10, plt = TRUE)
```


Arguments

<code>X</code>	numeric matrix or data frame ($n \times p$), the observations on the X variables. NAs are allowed.
<code>Y</code>	numeric matrix or data frame ($n \times q$), the observations on the Y variables. NAs are allowed.
<code>grid1, grid2</code>	vector numeric defining the values of <code>lambda1</code> and <code>lambda2</code> at which cross-validation score should be computed. Defaults to <code>grid1=grid2=seq(0.001, 1, length=5)</code> .
<code>validation</code>	character string. What kind of (internal) cross-validation method to use, (partially) matching one of "loo" (leave-one-out) or "Mfolds" (M-folds). See Details.
<code>folds</code>	list of vectors (as returned by split) containing the indices for the validation sample (see Details).
<code>M</code>	positive integer. Number of folds to use if <code>validation="Mfold"</code> . Defaults to <code>M=10</code> .
<code>plt</code>	logical argument indicating whether a image map should be plotted by calling the <code>imgCV</code> function.

Details

If `validation="Mfolds"`, M-fold cross-validation is performed by calling `Mfold`. When `folds` is given, the elements of `folds` should be integer vectors specifying the indices of the validation sample and the argument `M` is ignored. Otherwise, the folds are generated. The number of cross-validation folds is specified with the argument `M`.

If `validation="loo"`, leave-one-out cross-validation is performed by calling the `loo` function. In this case the arguments `folds` and `M` are ignored.

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `rcc` function.

Value

The returned value is a list with components:

<code>opt.lambda1,</code>	
<code>opt.lambda2</code>	value of the parameters of regularization on which the cross-validation method reached it optimal.
<code>opt.score</code>	the optimal cross-validation score reached on the grid.
<code>grid1, grid2</code>	original vectors <code>grid1</code> and <code>grid2</code> .
<code>mat</code>	matrix containing the cross-validation score computed on the grid.

Author(s)

Sébastien Déjean and Ignacio González.

See Also

[loo](#), [Mfold](#), [image.estim.regul](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

## this can take some seconds
## Not run:
estim.regul(X, Y, validation = "Mfold")

## End(Not run)
```

image

Plot the cross-validation score.

Description

This function provide a image map (checkerboard plot) of the cross-validation score obtained by the `estim.regul` function.

Usage

```
## S3 method for class 'estim.regul'
image(x, col = heat.colors, ...)
```

Arguments

x	object returned by <code>estim.regul</code> .
col	a character string specifying the colors function to use: terrain.colors , topo.colors , rainbow or similar functions. Defaults to heat.colors .
...	not used currently.

Details

`image.estim.regul` creates an image map of the matrix `object$mat` containing the cross-validation score obtained by the `estim.regul` function. Also a color scales strip is plotted.

Author(s)

Sébastien Déjean and Ignacio González.

See Also

[estim.regul](#), [image](#).

Examples

```
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

## this can take some seconds
cv.score <- estim.regul(X, Y, validation = "Mfold", plt = FALSE)
image(cv.score)
```

imgCor

Image Maps of Correlation Matrices between two Data Sets

Description

Display two-dimensional visualizations (image maps) of the correlation matrices within and between two data sets.

Usage

```
imgCor(X, Y, type = c("combine", "separate"), col = jet.colors,
       X.names = TRUE, Y.names = TRUE,
       XsideColor = "blue", YsideColor = "red",
       symkey = TRUE, keysize = 1, interactive.dev = TRUE,
       cexRow = NULL, cexCol = NULL,
       margins = c(5, 5), lhei = NULL, lwid = NULL)
```

Arguments

X	numeric matrix or data frame ($n \times p$), the observations on the X variables. NAs are allowed.
Y	numeric matrix or data frame ($n \times q$), the observations on the Y variables. NAs are allowed.
type	character string, (partially) matching one of "combine" or "separated", determining the kind of plots to be produced. See Details.
col	vector of colors such as that generated by heat.colors , topo.colors , rainbow or similar functions. Defaults to <code>jet.colors(26)</code> .
X.names	logical, should the name of each data on the axis X be shown ? Possible character vector giving the names of the X-variables.
Y.names	logical, should the name of each data on the axis Y be shown ? Possible character vector giving the names of the Y-variables.
XsideColor	character string. The color name for a horizontal side bar that may be used to annotate the columns of X.
YsideColor	character string. The color name for a vertical side bar that may be used to annotate the rows of Y.

symkey	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
keysize	positive numeric value indicating the size of the color key.
interactive.dev	boolean. The current graphics device that will be opened is interactive?
cexRow, cexCol	positive numbers, used as <code>cex.axis</code> in for the row or column axis labeling. The defaults currently only use number of rows or columns, respectively.
margins	numeric vector of length two containing the margins (see par(mar)) for column and row names respectively.
lhei, lwid	arguments passed to layout to divide the device up into two rows and two columns, with the row-heights <code>lhei</code> and the column-widths <code>lwid</code> .

Details

If `type="combine"`, the correlation matrix is computed of the combined matrices `cbind(X, Y)` and then plotted. If `type="separate"`, three correlation matrices are computed, `cor(X)`, `cor(Y)` and `cor(X,Y)` and plotted separately on a device. In both cases, a color correlation scales strip is plotted.

The correlation matrices are pre-processed before calling the `image` function in order to get, as in the numerical representation, the diagonal from upper-left corner to bottom-right one.

Missing values are handled by casewise deletion in the `imgCor` function.

If `X.names = FALSE`, the name of each X-variable is hidden. Default value is TRUE.

If `Y.names = FALSE`, the name of each Y-variable is hidden. Default value is TRUE.

Author(s)

Sébastien Déjean, Ignacio González and Pierre Monget.

See Also

[cor](#), [image](#), [jet.colors](#).

Examples

```
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene

## 'combine' type plot (default)
imgCor(X, Y)

## 'separate' type plot
## Not run:
imgCor(X, Y, type = "separate")

## 'separate' type plot without the name of datas
imgCor(X, Y, X.names = FALSE, Y.names = FALSE, type = "separate")

## End(Not run)
```

internal-functions	<i>Internal Functions</i>
--------------------	---------------------------

Description

Internal functions not to be used by the user.

ipca	<i>Independent Principal Component Analysis</i>
------	---

Description

Performs independent principal component analysis on the given data matrix, a combination of Principal Component Analysis and Independent Component Analysis.

Usage

```
ipca(X, ncomp = 3, mode = c("deflation","parallel"),
     fun = c("logcosh", "exp"),
     scale = FALSE, max.iter = 200,
     tol = 1e-04, w.init=NULL)
```

Arguments

X	a numeric matrix (or data frame) which provides the data for the principal component analysis.
ncomp	integer, number of independent component to choose. Set by default to 3.
mode	character string. What type of algorithm to use when estimating the unmixing matrix, choose one of "deflation", "parallel". Default set to deflation.
fun	the function used in approximation to neg-entropy in the FastICA algorithm. Default set to logcosh, see details of FastICA.
scale	a logical value indicating whether the variables (columns) of the data matrix X should be standardized beforehand. By default, X is centered.
max.iter	integer, maximum number of iterations to perform.
tol	a positive scalar giving the tolerance at which the un-mixing matrix is considered to have converged, see fastICA package.
w.init	initial un-mixing matrix (unlike FastICA, this matrix is fixed here).

Details

In PCA, the loading vectors indicate the importance of the variables in the principal components. In large biological data sets, the loading vectors should only assign large weights to important variables (genes, metabolites ...). That means the distribution of any loading vector should be super-Gaussian: most of the weights are very close to zero while only a few have large (absolute) values.

However, due to the existence of noise, the distribution of any loading vector is distorted and tends toward a Gaussian distribution according to the Central Limit Theorem. By maximizing the non-Gaussianity of the loading vectors using FastICA, we obtain more noiseless loading vectors. We then project the original data matrix on these noiseless loading vectors, to obtain independent principal components, which should be also more noiseless and be able to better cluster the samples according to the biological treatment (note, IPCA is an unsupervised approach).

Algorithm 1. The original data matrix is centered.

2. PCA is used to reduce dimension and generate the loading vectors.
3. ICA (FastICA) is implemented on the loading vectors to generate independent loading vectors.
4. The centered data matrix is projected on the independent loading vectors to obtain the independent principal components.

Value

ipca returns a list with class "ipca" containing the following components:

ncomp	the number of independent principal components used.
unmixing	the unmixing matrix of size (ncomp x ncomp)
mixing	the mixing matrix of size (ncomp x ncomp)
X	the centered data matrix
x	the independent principal components
loadings	the independent loading vectors
kurtosis	the kurtosis measure of the independent loading vectors

Author(s)

Fangzhou Yao and Jeff Coquery.

References

- Yao, F., Coquery, J. and L\^e Cao, K.-A.(2011) Principal component analysis with independent loadings: a combination of PCA and ICA. (in preparation)
- A. Hyvarinen and E. Oja (2000) Independent Component Analysis: Algorithms and Applications, *Neural Networks*, **13**(4-5):411-430
- J L Marchini, C Heaton and B D Ripley (2010). fastICA: FastICA Algorithms to perform ICA and Projection Pursuit. R package version 1.1-13.

See Also

[sipca](#), [pca](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details..

Examples

```
data(liver.toxicity)

# implement IPCA on a microarray dataset
ipca.res <- ipca(liver.toxicity$gene, ncomp = 3, mode="deflation")
ipca.res

# samples representation
plotIndiv(ipca.res, ind.names = liver.toxicity$treatment[, 4], cex = 0.5,
          col = as.numeric(as.factor(liver.toxicity$treatment[, 4])))
plot3dIndiv(ipca.res, cex = 0.01,
            col = as.numeric(as.factor(liver.toxicity$treatment[, 4])))

# variables representation
plotVar(ipca.res, var.label = TRUE, cex = 0.5)
plot3dVar(ipca.res, rad.in = 0.5, cex = 0.5,
          col = as.numeric(as.factor(liver.toxicity$treatment[, 4])))
```

jet.colors

Jet Colors Palette

Description

Create a vector of n "contiguous" colors.

Usage

```
jet.colors(n)
```

Arguments

n an integer, the number of colors (≥ 1) to be in the palette.

Details

The function `jet.colors(n)` create color scheme, beginning with dark blue, ranging through shades of blue, cyan, green, yellow and red, and ending with dark red. This colors palette is suitable for displaying ordered (symmetric) data, with n giving the number of colors desired.

Value

A character vector, `cv`, of color names. This can be used either to create a user-defined color palette for subsequent graphics by `palette(cv)`, a `col=` specification in graphics functions or in `par`.

See Also

[colorRamp](#), [palette](#), [colors](#) for the vector of built-in "named" colors; [hsv](#), [gray](#), [rainbow](#), [terrain.colors](#), ... to construct colors; and [heat.colors](#), [topo.colors](#) for images.

Examples

```
## Jet Color Scales Strips
def.par <- par(no.readonly = TRUE)
par(mfrow = c(3, 1))
z <- seq(-1, 1, length = 125)
for (n in c(11, 33, 125)) {
  image(matrix(z, ncol = 1), col = jet.colors(n),
        xaxt = "n", yaxt = "n", main = paste("n = ", n))
  box()
  par(usr = c(-1, 1, -1, 1))
  axis(1, at = c(-1, 0, 1))
}
par(def.par)
```

linnerud

Linnerud Dataset

Description

Three physiological and three exercise variables are measured on twenty middle-aged men in a fitness club.

Usage

```
data(linnerud)
```

Format

A list containing the following components:

`exercise` data frame with 20 observations on 3 exercise variables.

`physiological` data frame with 20 observations on 3 physiological variables.

Source

Tenenhaus, M. (1998), Table 1, page 15.

References

Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.

liver.toxicityLiver Toxicity Data

Description

This data set contains the expression measure of 3116 genes and 10 clinical measurements for 64 subjects (rats) that were exposed to non-toxic, moderately toxic or severely toxic doses of acetaminophen in a controlled experiment.

Usage

```
data(liver.toxicity)
```

Format

A list containing the following components:

gene data frame with 64 rows and 3116 columns. The expression measure of 3116 genes for the 64 subjects (rats).

clinic data frame with 64 rows and 10 columns, containing 10 clinical variables for the same 64 subjects.

treatment data frame with 64 rows and 4 columns, containing the treatment information on the 64 subjects, such as doses of acetaminophen and times of necropsies.

gene.ID data frame with 3116 rows and 2 columns, containing geneBank IDs and gene titles of the annotated genes

Details

The data come from a liver toxicity study (Bushel *et al.*, 2007) in which 64 male rats of the inbred strain Fisher 344 were exposed to non-toxic (50 or 150 mg/kg), moderately toxic (1500 mg/kg) or severely toxic (2000 mg/kg) doses of acetaminophen (paracetamol) in a controlled experiment. Necropsies were performed at 6, 18, 24 and 48 hours after exposure and the mRNA from the liver was extracted. Ten clinical chemistry measurements of variables containing markers for liver injury are available for each subject and the serum enzymes levels are measured numerically. The data were further normalized and pre-processed by Bushel *et al.* (2007).

Source

The two liver toxicity data sets are a companion resource for the paper of Bushel *et al.* (2007), and was downloaded from:

<http://www.biomedcentral.com/1752-0509/1/15/additional/>

References

- Bushel, P., Wolfinger, R. D. and Gibson, G. (2007). Simultaneous clustering of gene expression data with clinical chemistry and pathological evaluations reveals phenotypic prototypes. *BMC Systems Biology* **1**, Number 15.
- Lê Cao, K.-A., Rossouw, D., Robert-Granié, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.

mat.rank	<i>Matrix Rank</i>
----------	--------------------

Description

This function estimate the rank of a matrix.

Usage

```
mat.rank(mat, tol)
```

Arguments

mat	a numeric matrix or data frame that can contain missing values.
tol	positive real, the tolerance for singular values, only those with values larger than tol are considered non-zero.

Details

mat.rank estimate the rank of a matrix by computing its singular values $d[i]$ (using nipals). The rank of the matrix can be defined as the number of singular values $d[i] > 0$.

If tol is missing, it is given by $\text{tol} = \max(\text{dim}(\text{mat})) * \max(d) * \text{Machine\$double.eps}$.

Value

The returned value is a list with components:

rank	a integer value, the matrix rank.
tol	the tolerance used for singular values.

Author(s)

Sébastien Déjean and Ignacio González.

See Also

[nipals](#)

Examples

```
## Hilbert matrix
hilbert <- function(n) { i <- 1:n; 1 / outer(i - 1, i, "+") }
mat <- hilbert(16)
mat.rank(mat)

## Hilbert matrix with missing data
idx.na <- matrix(sample(c(0, 1, 1, 1, 1), 36, replace = TRUE), ncol = 6)
m.na <- m <- hilbert(9)[, 1:6]
m.na[idx.na == 0] <- NA
mat.rank(m)
mat.rank(m.na)
```

multidrug

Multidrug Resistance Data

Description

This data set contains the expression of 48 known human ABC transporters with patterns of drug activity in 60 diverse cancer cell lines (the NCI-60) used by the National Cancer Institute to screen for anticancer activity.

Usage

```
data(multidrug)
```

Format

A list containing the following components:

ABC.trans data matrix with 60 rows and 48 columns. The expression of the 48 human ABC transporters.

compound data matrix with 60 rows and 1429 columns. The activity of 1429 drugs for the 60 cell lines.

comp.name character vector. The names or the NSC No. of the 1429 compounds.

cell.line a list containing two character vector components: Sample the names of the 60 cell line which were analysed, and Class the phenotypes of the 60 cell lines.

Details

The data come from a pharmacogenomic study (Szakács *et al.*, 2004) in which two kinds of measurements acquired on the NCI-60 cancer cell lines are considered:

- the expression of the 48 human ABC transporters measured by real-time quantitative RT-PCR for each cell line;
- the activity of 1429 drugs expressed as GI_{50} which corresponds to the concentration at which the drug induces 50% inhibition of cellular growth for the cell line tested.

The NCI-60 panel includes cell lines derived from cancers of colorectal (7 cell lines), renal(8), ovarian(6), breast(8), prostate(2), lung(9) and central nervous system origin(6), as well as leukemias(6) and melanomas(8). It was set up by the Developmental Therapeutics Program of the National Cancer Institute (NCI, one of the U.S. National Institutes of Health) to screen the toxicity of chemical compound repositories. The expressions of the 48 human ABC transporters is available as a supplement to the paper of Szakács *et al.* (2004).

The drug dataset consists of 118 compounds whose mechanisms of action are putatively classifiable (Weinstein *et al.*, 1992) and a larger set of 1400 compounds that have been tested multiple times and whose screening data met quality control criteria described elsewhere (Scherf *et al.*, 2000). The two were combined to form a joint dataset that included 1429 compounds.

Source

The NCI dataset was downloaded from The Genomics and Bioinformatics Group Supplemental Table S1 to the paper of Szakács *et al.* (2004), http://discover.nci.nih.gov/abc/2004_cancer_cell_abstract.jsp#supplement

The two drug data sets are a companion resource for the paper of Scherf *et al.* (2000), and was downloaded from <http://discover.nci.nih.gov/datasetsNature2000.jsp>.

References

- Scherf, U., Ross, D. T., Waltham, M., Smith, L. H., Lee, J. K., Tanabe, L., Kohn, K. W., Reinhold, W. C., Myers, T. G., Andrews, D. T., Scudiero, D. A., Eisen, M. B., Sausville, E. A., Pommier, Y., Botstein, D., Brown, P. O. and Weinstein, J. N. (2000). A Gene Expression Database for the Molecular Pharmacology of Cancer. *Nature Genetics*, **24**, 236-244.
- Szakács, G., Annereau, J.-P., Lababidi, S., Shankavaram, U., Arciello, A., Bussey, K. J., Reinhold, W., Guo, Y., Kruh, G. D., Reimers, M., Weinstein, J. N. and Gottesman, M. M. (2004). Predicting drug sensitivity and resistance: Profiling ABC transporter genes in cancer cells. *Cancer Cell* **4**, 147-166.
- Weinstein, J.N., Kohn, K.W., Grever, M.R., Viswanadhan, V.N., Rubinstein, L.V., Monks, A.P., Scudiero, D.A., Welch, L., Koutsoukos, A.D., Chiousa, A.J. et al. 1992. Neural computing in cancer drug development: Predicting mechanism of action. *Science* **258**, 447-451.

multilevel

Multilevel analysis for repeated measurements (cross-over design)

Description

The analysis of repeated measurements is performed by combining a multilevel approach with multivariate methods: sPLS-DA (Discriminant Analysis) or sPLS (Integrative analysis). Both approaches embed variable selection.

Usage

```
multilevel(X, Y = NULL,
           cond = NULL,
           sample = NULL,
           ncomp = 1,
           keepX = rep(ncol(X), ncomp),
           keepY = NULL,
           method = NULL,
           tab.prob.gene=NULL,
           max.iter = 500,
           tol = 1e-06,...)
```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	if(method = 'spls') numeric vector or matrix of continuous responses (for multi-response models) NAs are allowed.
cond	a factor or a class vector for one-factor discrete outcome, a numeric matrix of 2 columns for two-factor discrete outcome. See Details
sample	a vector indicating the repeated measured on each individual.
ncomp	the number of components to include in the model (see Details).
keepX	numeric vector of length ncomp, the number of variables to keep in <i>X</i> -loadings. By default all variables are kept in the model.
keepY	if(method = 'spls'), numeric vector of length ncomp, the number of variables to keep in <i>Y</i> -loadings. By default all variables are kept in the model.
method	character string. Which multivariate method and type of analysis to choose, matching one of 'spllda' (Discriminant Analysis) or 'spls' (unsupervised integrative analysis). See Details.
tab.prob.gene	matrix of dimension ncol(X)x2 indicating the probes names (column 1) and corresponding gene names (column 2).
max.iter	integer, the maximum number of iterations.
tol	a positive real, the tolerance used in the iterative algorithm.
...	other internal arguments.

Details

multilevel function first decomposes the variance in the data sets *X* (and *Y*) and applies either sPLS-DA (method = 'spllda') or sPLS ((method = 'spls')) on the within-subject deviation.

One or two-factor analyses are available for (method = 'spllda').

A sPLS-DA or sPLS model is performed with 1, ..., ncomp components to the factor or class vector cond. The appropriate indicator matrix is created for sPLS-DA.

Multilevel sPLS-DA enables the selection of discriminant variables between the conditions in cond.

Multilevel sPLS enables the integration of data measured on two different platforms on the same individuals. This approach differs from multilevel sPLS-DA as the aim is to select subsets variables

from both data sets that are highly correlated (positively or negatively) across the samples. The approach is unsupervised: no prior knowledge about the samples groups is included.

Value

For sPLS-DA analysis, `multilevel` returns either an object of class `"splstda1fact"` for one-factor analysis and `"splstda2fact"`, a list that contains the following sPLS-DA outputs:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized indicator response vector or matrix.
<code>ind.mat</code>	the indicator matrix.
<code>ncomp</code>	the number of components included in the model.
<code>keepX</code>	number of X variables kept in the model on each component.
<code>mat.c</code>	matrix of coefficients to be used internally by <code>predict</code> .
<code>variates</code>	list containing the variates.
<code>loadings</code>	list containing the estimated loadings for the X and Y variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.

For sPLS analysis, `multilevel` returns either an object of class `"splsllevel"` for one-factor analysis, a list that contains the following sPLS-DA components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model.
<code>mode</code>	the algorithm used to fit the model.
<code>keepX</code>	number of X variables kept in the model on each component.
<code>keepY</code>	number of Y variables kept in the model on each component.
<code>mat.c</code>	matrix of coefficients to be used internally by <code>predict</code> .
<code>variates</code>	list containing the variates.
<code>loadings</code>	list containing the estimated loadings for the X and Y variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.

Author(s)

Benoit Liquet, Kim-Anh Lê Cao.

References

On multilevel analysis: Liqueur, B., L   Cao, K.-A., Hocini, H. and Thiebaut, R. (2012) A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., and Smilde, A. K. (2010). Multivariate paired data analysis: multilevel PLS-DA versus OPLS-DA. *Metabolomics*, **6**(1), 119-128.

On sPLS-DA: L   Cao, K.-A., Boitard, S. and Besse, P. (2011). Sparse PLS Discriminant Analysis: biologically relevant feature selection and graphical displays for multiclass problems. *BMC Bioinformatics* **12**:253.

On sPLS: L   Cao, K.-A., Martin, P.G.P., Robert-Granie, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.

L   Cao, K.-A., Rossouw, D., Robert-Granie, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.

See Also

[spls](#), [splstda](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#), [cim](#), [network](#).

Examples

```
## First example: one-factor analysis with sPLS-DA
data(vac18) # vac18 study
X <- vac18$genes
Y <- vac18$stimulation

res <- multilevel(X, cond = Y, ncomp = 3,
  tab.prob.gene = vac18$tab.prob.gene,
  sample = vac18$sample, method = "splstda",
  keepX = c(30, 137, 123))

# color for plot3dIndiv
col_stim <- c("darkblue", "purple", "green4", "red3")
cols <- Y
levels(cols) <- col_stim
cols <- as.character(cols)

plot3dIndiv(res, ind.names = Y, col = cols,
  cex = 0.3, axes.box = "both")

## Second example: two-factor analysis with sPLS-DA
data(data.simu) # simulated data

time = factor(rep(c(rep('t1', 6), rep('t2', 6)), 4))
stimu.time = data.frame(cbind(as.character(data.simu$stimu),
  as.character(time)))
repeat.simu2 = rep(c(1:6), 8)
```

```

res.2level <- multilevel(data.simu$X, cond = stimu.time,
                        sample = repeat.simu2, ncomp = 2,
                        keepX = c(200, 200), tab.prob.gene = NULL,
                        method = 'spllda')

# color for plotIndiv
col.stimu = as.numeric(data.simu$stimu)
# pch for plots
pch.time = rep(20, 48)
pch.time[time == 't2'] = 4

plotIndiv(res.2level, col = col.stimu, pch = pch.time, ind.names = FALSE)
legend('bottomright', col = unique(col.stimu),
      legend = levels(data.simu$stimu), pch = 20, cex = 0.8)
legend('topright', col = 'black', legend = levels(time),
      pch = unique(pch.time), cex = 0.8)

## Third example: one-factor integrative analysis with sPLS
## Not run:
data(liver.toxicity)
repeat.indiv = c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
                6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9,
                10, 11, 12, 12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14,
                13, 14, 15, 16, 15, 16, 15, 16, 15, 16)

result.rat <- multilevel(X = liver.toxicity$gene, Y=liver.toxicity$clinic,
                        cond = liver.toxicity$treatment$Dose.Group,
                        sample = repeat.indiv, ncomp = 2, keepX = c(50, 50),
                        keepY = c(5, 5), method = 'spls')

# variable plots
plotVar(result.rat, comp = 1:2, X.label = TRUE, Y.label = TRUE,
        cex = c(0.5, 0.9))

CIM <- cim(result.rat, comp = 1:2, xlab = "genes", ylab = "clinic var",
        margins = c(5, 6), zoom = FALSE)

network(result.rat, comp = 1:2, threshold = 0.8,
        Y.names = NULL, keep.var = TRUE,
        color.node = c("lightcyan", "mistyrose"),
        shape.node = c("circle", "rectangle"),
        color.edge = c("red", "green"),
        lty.edge = c("solid", "solid"), lwd.edge = c(1, 1),
        show.edge.labels = FALSE, interactive = FALSE)

## End(Not run)

```


Description

Borrowed from the **caret** package and, used as internal function. This function diagnoses predictors that have one unique value (i.e. are zero variance predictors) or predictors that have both of the following characteristics: they have very few unique values relative to the number of samples and the ratio of the frequency of the most common value to the frequency of the second most common value is large.

Usage

```
nearZeroVar(x, freqCut = 95/5, uniqueCut = 10)
```

Arguments

x	a numeric vector or matrix, or a data frame with all numeric data.
freqCut	the cutoff for the ratio of the most common value to the second most common value.
uniqueCut	the cutoff for the percentage of distinct values out of the number of total samples.

Details

For example, an example of near zero variance predictor is one that, for 1000 samples, has two distinct values and 999 of them are a single value.

To be flagged, first the frequency of the most prevalent value over the second most frequent value (called the “frequency ratio”) must be above `freqCut`. Secondly, the “percent of unique values,” the number of unique values divided by the total number of samples (times 100), must also be below `uniqueCut`.

In the above example, the frequency ratio is 999 and the unique value percentage is 0.0001.

Value

`nearZeroVar` returns a list that contains the following components:

Position	a vector of integers corresponding to the column positions of the problematic predictors.
Metrics	a data frame containing the zero- or near-zero predictors information with columns: <code>freqRatio</code> , the ratio of frequencies for the most common value over the second most common value and, <code>percentUnique</code> , the percentage of unique data points out of the total number of data points.

Author(s)

Max Kuhn, with speed improvements to `nearZeroVar` by Allan Engelhardt

network

*Relevance Network for (r)CCA and (s)PLS regression***Description**

Display relevance associations network for (regularized) canonical correlation analysis and (sparse) PLS regression.

Usage

```
## Default S3 method:
network(mat, threshold = 0.5, X.names = NULL, Y.names = NULL,
        color.node = c("white", "white"),
        shape.node = c("circle", "rectangle"),
        color.edge = c("blue", "red"),
        lty.edge = c("solid", "solid"),
        lwd.edge = c(1, 1), show.edge.labels = FALSE,
        show.color.key = TRUE, symkey = TRUE, keysize = 1,
        breaks, interactive = FALSE, alpha = 1, ...)

## S3 method for class 'rcc'
network(object, comp = 1, X.names = NULL, Y.names = NULL, ...)

## S3 method for class 'pls'
network(object, comp = 1, X.names = NULL, Y.names = NULL,
        keep.var = TRUE, ...)

## S3 method for class 'spls'
network(object, comp = 1, X.names = NULL, Y.names = NULL,
        keep.var = TRUE, ...)
```

Arguments

<code>mat</code>	numeric matrix of values to be represented.
<code>object</code>	object of class inheriting from "rcc", "pls" or "spls".
<code>comp</code>	atomic or vector of positive integers. The components to adequately account for the data association. Defaults to <code>comp = 1</code> .
<code>threshold</code>	numeric value between 0 and 1. The tuning threshold for the relevant associations network (see Details).
<code>X.names, Y.names</code>	character vector containing the names of <i>X</i> - and <i>Y</i> -variables.
<code>keep.var</code>	boolean. If TRUE only the variables with loadings not zero are plotted (as selected by <code>spls</code>). Defaults to TRUE.
<code>color.node</code>	vector of length two, the colors of the <i>X</i> and <i>Y</i> nodes (see Details).
<code>shape.node</code>	character vector of length two, the shape of the <i>X</i> and <i>Y</i> nodes (see Details).

<code>color.edge</code>	vector of colors or character string specifying the colors function to using to color the edges (see Details).
<code>lty.edge</code>	character vector of length two, the line type for the edges (see Details).
<code>lwd.edge</code>	vector of length two, the line width of the edges (see Details).
<code>show.edge.labels</code>	logical. If TRUE, plot association values as edge labels (defaults to FALSE).
<code>show.color.key</code>	boolean. If TRUE a color key should be plotted.
<code>symkey</code>	boolean indicating whether the color key should be made symmetric about 0. Defaults to TRUE.
<code>keysize</code>	numeric value indicating the size of the color key.
<code>breaks</code>	(optional) either a numeric vector indicating the splitting points for binning <code>mat</code> into colors, or a integer number of break points to be used, in which case the break points will be spaced equally between <code>min(mat)</code> and <code>max(mat)</code> .
<code>interactive</code>	logical. If TRUE, a scrollbar is created to change the threshold value interactively (defaults to FALSE). See Details.
<code>alpha</code>	numeric value. Tuning parameter to enhance the differences between edges corresponding to low and high correlations. Defaults to <code>alpha = 1</code> .
<code>...</code>	arguments passed to <code>network.default</code> .

Details

`network` allows to infer large-scale association networks between the X and Y datasets in `rcc` or `spls`. The output is a graph where each X - and Y -variable corresponds to a node and the edges included in the graph portray associations between them.

In `rcc`, to identify X - Y pairs showing relevant associations, `network` calculate a similarity measure between X and Y variables in a pair-wise manner: the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables X and Y on the axis defined by Z_i with i in `comp`, where Z_i is the equiangular vector between the i -th X and Y canonical variate.

In `spls`, if `object$mode` is `regression`, the similarity measure between X and Y variables is given by the scalar product value between every pairs of vectors in dimension `length(comp)` representing the variables X and Y on the axis defined by U_i with i in `comp`, where U_i is the i -th X variate. If `object$mode` is `canonical` then X and Y are represented on the axis defined by U_i and V_i respectively.

Variable pairs with a high similarity measure (in absolute value) are considered as relevant. By changing the threshold, one can tune the relevance of the associations to include or exclude relationships in the network.

`interactive=TRUE` open two device, one for association network, one for scrollbar, and define an interactive process: by clicking either at each end ('-' or '+') of the scrollbar or at middle portion of this. The position of the slider indicate which is the 'threshold' value associated to the display network.

The interactive process is terminated by clicking the second button and selecting 'Stop' from the menu, or from the 'Stop' menu on the graphics window.

The `color.node` is a vector of length two, of any of the three kind of R colors, i.e., either a color name (an element of `colors()`), a hexadecimal string of the form `"#rrggbb"`, or an integer i

meaning `palette()[i]`. `color.node[1]` and `color.node[2]` give the color for filled nodes of the X - and Y -variables respectively. Defaults to `c("white", "white")`.

`color.edge` give the color to edges with colors corresponding to the values in `mat`. Defaults to `c("blue", "red")` for low and high weight respectively.

`shape.node[1]` and `shape.node[2]` provide the shape of the nodes associate to X - and Y -variables respectively. Current acceptable values are "circle" and "rectangle". Defaults to `c("circle", "rectangle")`.

`lty.edge[1]` and `lty.edge[2]` give the line type to edges with positive and negative weight respectively. Can be one of "solid", "dashed", "dotted", "dotdash", "longdash" and "twodash". Defaults to `c("solid", "solid")`.

`lwd.edge[1]` and `lwd.edge[2]` provide the line width to edges with positive and negative weight respectively. This attribute is of type double with a default of `c(1, 1)`.

Value

`network` return a list containing the following components:

<code>simMat</code>	the similarity (adjacent) matrix used by <code>network</code> .
<code>gR</code>	a graph object (see the igraph R package).

Warning

If the number of variables is high, the generation of the network can take some seconds.

Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

References

Butte, A. J., Tamayo, P., Slonim, D., Golub, T. R. and Kohane, I. S. (2000). Discovering functional relationships between RNA expression and chemotherapeutic susceptibility using relevance networks. *Proceedings of the National Academy of Sciences of the USA* **97**, 12182-12186.

Moriyama, M., Hoshida, Y., Otsuka, M., Nishimura, S., Kato, N., Goto, T., Taniguchi, H., Shiratori, Y., Seki, N. and Omata, M. (2003). Relevance Network between Chemosensitivity and Transcriptome in Human Hepatoma Cells. *Molecular Cancer Therapeutics* **2**, 199-205.

See Also

[plotVar](#), [plot3dVar](#), [cim](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
require(igraph)

## network representation for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
```

```

nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

## Not run:      # may not work on the Linux version, use Windows instead
network(nutri.res, comp = 1:3, threshold = 0.6)

## End(Not run)

## Changing the attributes of the network
## Not run:
network(nutri.res, comp = 1:3, threshold = 0.45,
        color.node = c("mistyrose", "lightcyan"),,
        shape.node = c("circle", "rectangle"),
        color.edge = jet.colors(8),
        lty.edge = c("solid", "solid"), lwd.edge = c(2, 2),
        show.edge.labels = FALSE)

## End(Not run)

## interactive 'threshold'
## Not run:
network(nutri.res, comp = 1:3, threshold = 0.55, interactive = TRUE)
## select the 'threshold' and "see" the new network

## End(Not run)

## network representation for objects of class 'spl'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

## Not run:
network(toxicity.spls, comp = 1:3, threshold = 0.8,
        X.names = NULL, Y.names = NULL, keep.var = TRUE,
        color.node = c("mistyrose", "lightcyan"),
        shape.node = c("rectangle", "circle"),
        color.edge = c("red", "blue"),
        lty.edge = c("solid", "solid"), lwd.edge = c(1, 1),
        show.edge.labels = FALSE, interactive = FALSE)

## End(Not run)

```

Description

This function performs NIPALS algorithm, i.e. the singular-value decomposition (SVD) of a data table that can contain missing values.

Usage

```
nipals(X, ncomp = 1, reconst = FALSE, max.iter = 500, tol = 1e-09)
```

Arguments

<code>X</code>	real matrix or data frame whose SVD decomposition is to be computed. It can contain missing values.
<code>ncomp</code>	integer, the number of components to keep. If missing <code>ncomp=ncol(X)</code> .
<code>reconst</code>	logical that specify if nipals must perform the reconstitution of the data using the <code>ncomp</code> components.
<code>max.iter</code>	integer, the maximum number of iterations.
<code>tol</code>	a positive real, the tolerance used in the iterative algorithm.

Details

The NIPALS algorithm (Non-linear Iterative Partial Least Squares) has been developed by H. Wold at first for PCA and later-on for PLS. It is the most commonly used method for calculating the principal components of a data set. It gives more numerically accurate results when compared with the SVD of the covariance matrix, but is slower to calculate.

This algorithm allows to realize SVD with missing data, without having to delete the rows with missing data or to estimate the missing data.

Value

The returned value is a list with components:

<code>eig</code>	vector containing the pseudosingular values of <code>X</code> , of length <code>ncomp</code> .
<code>t</code>	matrix whose columns contain the left singular vectors of <code>X</code> .
<code>p</code>	matrix whose columns contain the right singular vectors of <code>X</code> .
<code>rec</code>	matrix obtained by the reconstitution of the data using the <code>ncomp</code> components.

Author(s)

Sébastien Déjean and Ignacio González.

References

- Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.
- Wold H. (1975). Path models with latent variables: The NIPALS approach. In: Blalock H. M. et al. (editors). *Quantitative Sociology: International perspectives on mathematical and statistical model building*. Academic Press, N.Y., 307-357.

See Also

[svd](#), [princomp](#), [prcomp](#), [eigen](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## Hilbert matrix
hilbert <- function(n) { i <- 1:n; 1 / outer(i - 1, i, "+") }
X.na <- X <- hilbert(9)[, 1:6]

## Hilbert matrix with missing data
idx.na <- matrix(sample(c(0, 1, 1, 1, 1), 36, replace = TRUE), ncol = 6)
X.na[idx.na == 0] <- NA
X.rec <- nipals(X.na, reconst = TRUE)$rec
round(X, 2)
round(X.rec, 2)
```

nutrimouse

Nutrimouse Dataset

Description

The nutrimouse dataset contains the expression measure of 120 genes potentially involved in nutritional problems and the concentrations of 21 hepatic fatty acids for forty mice.

Usage

```
data(nutrimouse)
```

Format

A list containing the following components:

gene data frame with 40 observations on 120 numerical variables.

lipid data frame with 40 observations on 21 numerical variables.

diet factor of 5 levels containing 40 labels for the diet factor.

genotype factor of 2 levels containing 40 labels for the diet factor.

Details

The data sets come from a nutrigenomic study in the mouse (Martin *et al.*, 2007) in which the effects of five regimens with contrasted fatty acid compositions on liver lipids and hepatic gene expression in mice were considered. Two sets of variables were acquired on forty mice:

- gene: expressions of 120 genes measured in liver cells, selected (among about 30,000) as potentially relevant in the context of the nutrition study. These expressions come from a nylon macroarray with radioactive labelling;

- lipid: concentrations (in percentages) of 21 hepatic fatty acids measured by gas chromatography.

Biological units (mice) were cross-classified according to two factors experimental design (4 replicates):

- Genotype: 2-levels factor, wild-type (WT) and PPAR α -/- (PPAR).
- Diet: 5-levels factor. Oils used for experimental diets preparation were corn and colza oils (50/50) for a reference diet (REF), hydrogenated coconut oil for a saturated fatty acid diet (COC), sunflower oil for an Omega6 fatty acid-rich diet (SUN), linseed oil for an Omega3-rich diet (LIN) and corn/colza/enriched fish oils for the FISH diet (43/43/14).

Source

The nutrimouse dataset was provided by Pascal Martin from the Toxicology and Pharmacology Laboratory, National Institute for Agronomic Research, French.

References

Martin, P. G. P., Guillou, H., Lasserre, F., Déjean, S., Lan, A., Pascussi, J.-M., San Cristobal, M., Legrand, P., Besse, P. and Pineau, T. (2007). Novel aspects of PPAR α -mediated regulation of lipid and xenobiotic metabolism revealed through a multigenomic study. *Hepatology* **54**, 767-777.

pca

Principal Components Analysis

Description

Performs a principal components analysis on the given data matrix that can contain missing values. If data are complete 'pca' uses Singular Value Decomposition, if there are some missing values, it uses the NIPALS algorithm.

Usage

```
pca(X, ncomp = 3, center = TRUE, scale. = FALSE,
     comp.tol = NULL, max.iter = 500, tol = 1e-09)
```

Arguments

X	a numeric matrix (or data frame) which provides the data for the principal components analysis. It can contain missing values.
ncomp	integer, if data is complete ncomp decides the number of components and associated eigenvalues to display from the pcasvd algorithm and if the data has missing values, ncomp gives the number of components to keep to perform the reconstitution of the data using the NIPALS algorithm. If NULL, function sets $ncomp = \min(nrow(X), ncol(X))$

<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternately, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to scale .
<code>scale.</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is <code>FALSE</code> for consistency with <code>prcomp</code> function, but in general scaling is advisable. Alternatively, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to scale .
<code>comp.tol</code>	a value indicating the magnitude below which components should be omitted.
<code>max.iter</code>	integer, the maximum number of iterations in the NIPALS algorithm.
<code>tol</code>	a positive real, the tolerance used in the NIPALS algorithm.

Details

The calculation is done either by a singular value decomposition of the (possibly centered and scaled) data matrix, if the data is complete or by using the NIPALS algorithm if there is data missing. Unlike [princomp](#), the print method for these objects prints the results in a nice format and the plot method produces a bar plot of the percentage of variance explained by the principal components (PCs).

Note that `scale. = TRUE` cannot be used if there are zero or constant (for `center = TRUE`) variables.

Components are omitted if their standard deviations are less than or equal to `comp.tol` times the standard deviation of the first component. With the default null setting, no components are omitted. Other settings for `comp.tol` could be `comp.tol = sqrt(.Machine$double.eps)`, which would omit essentially constant components, or `comp.tol = 0`.

Value

`pca` returns a list with class `"pca"` and `"prcomp"` containing the following components:

<code>ncomp</code>	the number of principal components used.
<code>sdev</code>	the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix or by using NIPALS.
<code>rotation</code>	the matrix of variable loadings (i.e., a matrix whose columns contain the eigenvectors).
<code>X</code>	if <code>retx</code> is true the value of the rotated data (the centred (and scaled if requested) data multiplied by the rotation matrix) is returned.
<code>center, scale</code>	the centering and scaling used, or <code>FALSE</code> .

Author(s)

Ignacio González.

See Also

[nipals](#), [prcomp](#), [biplot](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details..

Examples

```
data(multidrug)

## this data set contains missing values, therefore
## the 'prcomp' function cannot be applied
pca.res <- pca(multidrug$ABC.trans, ncomp = 4, scale = TRUE)
plot(pca.res)
print(pca.res)
biplot(pca.res, xlab = multidrug$cell.line$Class, cex = 0.7)

# samples representation
plotIndiv(pca.res, ind.names = multidrug$cell.line$Class, cex = 0.5,
          col = as.numeric(as.factor(multidrug$cell.line$Class)))
plot3dIndiv(pca.res, cex = 0.2,
            col = as.numeric(as.factor(multidrug$cell.line$Class)))

# variables representation
plotVar(pca.res, var.label = TRUE)
plot3dVar(pca.res, rad.in = 0.5, var.label = TRUE, cex = 0.5)
```

pcatune

Tune the number of principal components in PCA

Description

pcatune can be used to quickly visualise the proportion of explained variance for a large number of principal components in PCA.

Usage

```
pcatune(X, ncomp = NULL, center = TRUE, scale. = FALSE,
        max.iter = 500, tol = 1e-09)
```

Arguments

X	a numeric matrix (or data frame) which provides the data for the principal components analysis. It can contain missing values.
ncomp	integer, the number of components to initially analyse in pcatune to choose a final ncomp for pca. If NULL, function sets ncomp = min(nrow(X), ncol(X))
center	a logical value indicating whether the variables should be shifted to be zero centered. Alternately, a vector of length equal the number of columns of X can be supplied. The value is passed to scale .
scale.	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is FALSE for consistency with prcomp function, but in general scaling is advisable. Alternatively, a vector of length equal the number of columns of X can be supplied. The value is passed to scale .

<code>max.iter</code>	integer, the maximum number of iterations for the NIPALS algorithm.
<code>tol</code>	a positive real, the tolerance used for the NIPALS algorithm.

Details

The calculation is done either by a singular value decomposition of the (possibly centered and scaled) data matrix, if the data is complete or by using the NIPALS algorithm if there is data missing. Unlike `princomp`, the `print` method for these objects prints the results in a nice format and the `plot` method produces a bar plot of the percentage of variance explained by the principal components (PCs).

When using NIPALS (missing values), we make the assumption that the first ($\min(\text{ncol}(X), \text{nrow}(X))$) principal components will account for 100 % of the explained variance.

Note that `scale. = TRUE` cannot be used if there are zero or constant (for `center = TRUE`) variables.

Value

`pcatune` returns a list with class "pcatune" containing the following components:

<code>var</code>	the eigenvalues of the covariance/correlation matrix, though the calculation is actually done with the singular values of the data matrix).
<code>prop.var</code>	the proportion of explained variance accounted for by each principal component is calculated using the eigenvalues
<code>cum.var</code>	the cumulative proportion of explained variance accounted for by the sequential accumulation of principal components is calculated using the sum of the proportion of explained variance

Author(s)

Ignacio González and Leigh Coonan

See Also

[nipals](#), [biplot](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(liver.toxicity)
tune <- pcatune(liver.toxicity$gene, center = TRUE, scale. = TRUE)
```

pheatmap.multilevel *Clustered heatmap*

Description

A function to draw clustered heatmaps from the pheatmap package.

Usage

```
## S3 method for class 'splsdafact'
pheatmap.multilevel(result, cluster = NULL,
  color=colorRampPalette(rev(c("#D73027", "#FC8D59", "#FEE090", "#FFFFBF",
    "#E0F3F8", "#91BFDB", "#4575B4")))(100),
  col_sample=NULL, col_stimulation=NULL, label_annotation=NULL,
  breaks = NA, border_color = "grey60", cellwidth = NA, cellheight = NA,
  scale = "none", cluster_rows = TRUE, cluster_cols = TRUE,
  clustering_distance_rows = "euclidean", clustering_distance_cols = "euclidean",
  clustering_method = "complete", treeheight_row = ifelse(cluster_rows, 50, 0),
  treeheight_col = ifelse(cluster_cols, 50, 0),
  legend = TRUE, annotation = NA, annotation_colors = NA, annotation_legend = TRUE,
  show_rownames = TRUE, show_colnames = TRUE, fontsize = 10, fontsize_row = fontsize,
  fontsize_col = fontsize, filename = NA, width = NA, height = NA, order_sample=NULL,
  ...)
## S3 method for class 'splsda2fact'
pheatmap.multilevel(result, cluster = NULL,
  color=colorRampPalette(rev(c("#D73027", "#FC8D59", "#FEE090", "#FFFFBF",
    "#E0F3F8", "#91BFDB", "#4575B4")))(100),
  col_sample=NULL, col_stimulation=NULL, col_time=NULL,
  label_color_stimulation=NULL, label_color_time=NULL,
  label_annotation=NULL,
  breaks = NA, border_color = "grey60", cellwidth = NA, cellheight = NA,
  scale = "none", cluster_rows = TRUE, cluster_cols = TRUE,
  clustering_distance_rows = "euclidean", clustering_distance_cols = "euclidean",
  clustering_method = "complete", treeheight_row = ifelse(cluster_rows, 50, 0),
  treeheight_col = ifelse(cluster_cols, 50, 0),
  legend = TRUE, annotation = NA, annotation_colors = NA, annotation_legend = TRUE,
  show_rownames = TRUE, show_colnames = TRUE, fontsize = 10, fontsize_row = fontsize,
  fontsize_col = fontsize, filename = NA, width = NA, height = NA, order_sample=NULL,
  ...)
```

Arguments

result	a mode result from function multilevel
cluster	by default set to NULL
col_sample	vector of colors indicating the color of each individual

col_stimulation	vector of colors indicating the color of each condition
col_time	if two-factor analysis, vector of colors indicating the color of the factors of the second condition
label_color_stimulation	character vector indicating the label of the first factor, see details
label_color_time	character vector indicating the label of the second factor, see details
label_annotation	set to NULL by default.
order_sample	vector indicatin the reordering of the samples, set to NULL by default.
color	vector of colors used in heatmap.
breaks	a sequence of numbers that covers the range of values in mat and is one element longer than color vector. Used for mapping values to colors. Useful, if needed to map certain values to certain colors, to certain values. If value is NA then the breaks are calculated automatically.
border_color	color of cell borders on heatmap, use NA if no border should be drawn.
cellwidth	individual cell width in points. If left as NA, then the values depend on the size of plotting window.
cellheight	individual cell height in points. If left as NA, then the values depend on the size of plotting window.
scale	character indicating if the values should be centered and scaled in either the row direction or the column direction, or none. Corresponding values are "row", "column" and "none"
cluster_rows	boolean values determining if rows should be clustered,
cluster_cols	boolean values determining if columns should be clustered.
clustering_distance_rows	distance measure used in clustering rows. Possible values are "correlation" for Pearson correlation and all the distances supported by dist , such as "euclidean", etc. If the value is none of the above it is assumed that a distance matrix is provided.
clustering_distance_cols	distance measure used in clustering columns. Possible values the same as for clustering_distance_rows.
clustering_method	clustering method used. Accepts the same values as hclust .
treeheight_row	the height of a tree for rows, if these are clustered. Default value 50 points.
treeheight_col	the height of a tree for columns, if these are clustered. Default value 50 points.
legend	boolean value that determines if legend should be drawn or not.
annotation	data frame that specifies the annotations shown on top of the columns. Each row defines the features for a specific column. The columns in the data and rows in the annotation are matched using corresponding row and column names. Note that color schemes takes into account if variable is continuous or discrete.

annotation_colors	list for specifying annotation track colors manually. It is possible to define the colors for only some of the features. Check examples for details.
annotation_legend	boolean value showing if the legend for annotation tracks should be drawn.
show_rownames	boolean specifying if column names are be shown.
show_colnames	boolean specifying if column names are be shown.
fontsize	base fontsize for the plot
fontsize_row	fontsize for rownames (Default: fontsize)
fontsize_col	fontsize for colnames (Default: fontsize)
filename	file path where to save the picture. Filetype is decided by the extension in the path. Currently following formats are supported: png, pdf, tiff, bmp, jpeg. Even if the plot does not fit into the plotting window, the file size is calculated so that the plot would fit there, unless specified otherwise.
width	manual option for determining the output file width in
height	manual option for determining the output file height in inches.
...	graphical parameters for the text used in plot. Parameters passed to grid.text , see gpar .

Details

This function has been borrowed from the pheatmap function of the pheatmap package. See `help(pheatmap)` for more details about the arguments of the function.

In the multilevel function, the factors indicated in the vector or the data frame cond must match the arguments label_color_stimulation and label_color_time, see example below.

Author(s)

Raivo Kolde <rkolde@gmail.com> (pheatmap), Benoit Lique, Kim-Anh Lê Cao.

References

On multilevel analysis: Lique, B., Lê Cao, K.-A., Hocini, H. and Thiebaut, R. (2012) A novel approach for biomarker selection and the integration of repeated measures experiments from two platforms. *BMC Bioinformatics* **13**:325.

Westerhuis, J. A., van Velzen, E. J., Hoefsloot, H. C., and Smilde, A. K. (2010). Multivariate paired data analysis: multilevel PLSDA versus OPLSDA. *Metabolomics*, **6**(1), 119-128.

See Also

[multilevel](#), [pheatmap](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details..

Examples

```
## First example: one-factor analysis with sPLS-DA
data(data.simu) # simulated data
res.1level <- multilevel(data.simu$X, cond = data.simu$stimu, sample=data.simu$sample, ncomp=3,
  keepX=c(200,200,200),tab.prob.gene=NULL, method = 'spllda')

#color for heatmap
col.stimu = as.numeric(data.simu$stimu)
col.stimu <- c("darkblue","purple","green4","red3")
col.sample <- c("lightgreen", "red","lightblue","darkorange","purple",
"maroon","blue","chocolate","turquoise","tomato1","pink2","aquamarine")

pheatmap.multilevel(res.1level, col_sample=col.sample, col_stimulation=col.stimu,
  label_annotation=NULL,border=FALSE,clustering_method="ward",
  show_colnames = FALSE,show_rownames = TRUE,fontsize_row=2)

## Second example: two-factor analysis with sPLS-DA
data(data.simu) # simulated data

time = factor(rep(c(rep('t1', 6), rep('t2', 6)), 4))
stimu.time = data.frame(cbind(as.character(data.simu$stimu), as.character(time)))
repeat.simu2 = rep(c(1:6), 8)

res.2level = multilevel(data.simu$X, cond = stimu.time,sample=repeat.simu2,
  ncomp=2,keepX=c(200, 200),tab.prob.gene=NULL, method = 'spllda')

# color for plotIndiv
col.stimu = as.numeric(data.simu$stimu)
col.sample = c("lightgreen", "red","lightblue","darkorange","purple","maroon") # 6 samples
col.time= c("pink","lightblue1") # two time points
col.stimu = c('green', 'black', 'red', 'blue') # 4 stimulations
label.stimu = unique(data.simu$stimu)
label.time = unique(time)

pheatmap.multilevel(res.2level,
  col_sample=col.sample,
  col_stimulation=col.stimu,
  col_time=col.time,
  label_color_stimulation=label.stimu,
  label_color_time=label.time,
  label_annotation=NULL,border=FALSE,
  clustering_method="ward",
  show_colnames = FALSE,
  show_rownames = TRUE,
  fontsize_row=2)
```

Description

This function provides scree plot of the canonical correlations.

Usage

```
## S3 method for class 'rcc'  
plot(x, scree.type = c("pointplot", "barplot"), ...)
```

Arguments

x	object of class inheriting from "rcc".
scree.type	character string, (partially) matching one of "pointplot" or "barplot", determining the kind of scree plots to be produced.
...	arguments to be passed to other methods. For the "pointplot" type see points , for "barplot" type see barplot .

Author(s)

Sébastien Déjean and Ignacio González.

See Also

[points](#), [barplot](#), [par](#).

Examples

```
data(nutrimouse)  
X <- nutrimouse$lipid  
Y <- nutrimouse$gene  
nutri.res <- rcc(X, Y, lambda1 = 0.064, lambda2 = 0.008)  
  
## 'pointplot' type scree  
plot(nutri.res) #(default)  
  
plot(nutri.res, pch = 19, cex = 1.2,  
      col = c(rep("red", 3), rep("darkblue", 18)))  
  
## 'barplot' type scree  
plot(nutri.res, scree.type = "barplot")  
  
plot(nutri.res, scree.type = "barplot", density = 20, col = "black")
```


plot.valid

Validation Plot

Description

Function to plot validation statistics, such as MSE_P, RMSE_P, R^2 or Q^2 , as a function of the number of components.

Usage

```
## S3 method for class 'valid'
plot(x, criterion = c("MSEP", "RMSEP", "R2", "Q2"),
     pred.method = "all",
     xlab = "number of components", ylab = NULL,
     LimQ2 = 0.0975, LimQ2.col = "darkgrey",
     cTicks = NULL, layout = NULL, ...)
```

Arguments

x	an valid object.
criterion	character string. What type of validation criterion to plot for pls or spls. One of "MSEP", "RMSEP", "R2" or "Q2". See valid .
pred.method	prediction method applied in valid for plsda or splsda. See valid .
xlab, ylab	titles for <i>x</i> and <i>y</i> axes. Typically character strings, but can be expressions (e.g., <code>expression(R^2)</code>).
LimQ2	numeric value. Signification limit for the components in the model. Default is <code>LimQ2 = 0.0975</code> .
LimQ2.col	character string specifying the color for the LimQ2 line to be plotted. If "none" the line will not be plotted.
cTicks	integer vector. Axis tickmark locations for the used number of components. Default is <code>1:ncomp</code> (see valid).
layout	numeric vector of length two giving the number of rows and columns in a multi panel display. If not specified, <code>plot.valid</code> tries to be intelligent.
...	Further arguments sent to xyplot function.

Details

`plot.valid` creates one plot for each response variable in the model, laid out in a multi panel display. It uses [xyplot](#) for performing the actual plotting.

Author(s)

Ignacio González.

See Also

[pls](#), [spls](#), [plsda](#), [splstda](#), [valid](#).

Examples

```
require(lattice)

## validation for objects of class 'pls' or 'spls'
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

liver.pls <- pls(X, Y, ncomp = 3)
liver.val <- valid(liver.pls, validation = "Mfold")

plot(liver.val, criterion = "R2", type = "l", layout = c(2, 2))

## End(Not run)

## validation for objects of class 'plsda' or 'splstda'
data(srbct)
X <- srbct$gene
Y <- srbct$class

ncomp = 5
srbct.splstda <- splstda(X, Y, ncomp = ncomp, keepX = rep(10, ncomp))
error <- valid(srbct.splstda, validation = "Mfold", folds = 5, method = "all")

plot(error, type = "l")
```

plot3dIndiv

Plot of Individuals (Experimental Units) in three dimensions

Description

This function provides scatter plots of individuals (experimental units) in three dimensions for (r)CCA, (s)PLS regression and PCA.

Usage

```
## S3 method for class 'rcc'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            rep.space = "XY-variate",
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'pls'
```

```

plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            rep.space = "X-variate",
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'splstda'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            rep.space = "X-variate",
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'plsda'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            rep.space = "X-variate",
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'spl'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            rep.space = "X-variate",
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'pca'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

## S3 method for class 'spca'
plot3dIndiv(object, comp = 1:3, ind.names = FALSE,
            xlab = NULL, ylab = NULL, zlab = NULL,
            col = "blue", cex = 1, pch = "s", font = 1,
            axes.box = "box", ...)

```

Arguments

object	object of class inheriting from "rcc", "pls", "plsda", "spl", "plsda" or "pca".
comp	an integer vector of length 3, the components that will be used on the <i>x</i> -axis, the <i>y</i> -axis and <i>z</i> -axis respectively to project the individuals.
ind.names	either a character vector of names for the individuals to be plotted, or FALSE for no names. If TRUE, the row names of the first (or second) data matrix is used as names (see Details).

rep.space	character string, (partially) matching one of "X-variate", "Y-variate" or "XY-variate", determining the subspace to project the individuals. Defaults to "XY-variate" and "X-variate" for (r)CCA and (s)PLS respectively.
xlab, ylab, zlab	<i>x</i> -, <i>y</i> - and <i>z</i> -axis titles.
col	character (or item) color to be used, possibly vector (see Details).
cex	numeric character (or item) expansion, possibly vector (see Details).
pch	character indicating the type of item to plot, possibly vector (see Details).
font	character font to be used, possibly vector (see Details).
axes.box	character string specifying the axes box type. Should be a of c("box", "bbox", "both").
...	further title parameters are passed to title3d .

Details

`plot3dIndiv` method makes scatter plot for individuals representation in three dimensions. Each item corresponds to an individual.

If `ind.names=TRUE` and row names is NULL, then `ind.names=1:n`, where `n` is the number of individuals.

The arguments `col`, `cex`, `pch` and `font` can be atomic vectors or vectors of length `n`. If atomic, this argument value determines the graphical attribute for all the individuals. In the last case, multiple arguments values can be specified so that each item (individual) can be given its own graphic attributes. Default values exist for this arguments. Supported types for `pch` are: "s" for spheres, "t" for tetrahedrons, "c" for cubes, "o" for octahedrons, "i" for icosahedrons and "d" dodecahedrons.

The pointing device of your graphics user-interface can also be used to set the viewpoint interactively. With the pointing device the buttons are by default set as follows: - left adjust viewpoint position - middle adjust field of view angle - right or wheel adjust zoom factor

Author(s)

Ignacio González

See Also

[plotIndiv](#), [plot3dVar](#), [text3d](#), [title3d](#) and [rgl.postscript](#) to save the screen shot to a file in PostScript or other vector graphics format.

Examples

```
require(rgl)

## Not run:
## plot3d of individuals for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
```

```

col = nutrirmouse$diet
font = c(rep(1, 20), rep(3, 20))
plot3dIndiv(nutri.res, ind.names = nutrirmouse$diet,
            axes.box = "box", font = font, col = col)

pch = c(rep("s", 20), rep("t", 20))
plot3dIndiv(nutri.res, ind.names = FALSE, axes.box = "both",
            col = col, cex = 1.5, pch = pch)

## plot3d of individuals for objects of class 'pls' or 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

Time.Group = liver.toxicity$treatment[, "Time.Group"]
col <- rep(c("blue", "red", "darkgreen", "darkviolet"), rep(16, 4))
plot3dIndiv(toxicity.spls, ind.names = Time.Group,
            col = col, cex = 0.8)

col <- rainbow(48)[Time.Group]
plot3dIndiv(toxicity.spls, ind.names = FALSE,
            col = col, cex = 0.3, axes.box = "both")

## plot3d of individuals for objects of class 'pca'
data(multidrug)
pca.res <- pca(multidrug$ABC.trans, ncomp = 4, scale = TRUE)

palette(rainbow(9))
col = as.numeric(as.factor(multidrug$cell.line$Class))
plot3dIndiv(pca.res, cex = 0.25, col = col)
palette("default")

## End(Not run)

```

plot3dVar

Plot of Variables in three dimensions

Description

This function provides variables representation in three dimensions for (regularized) CCA, (sparse) PLS regression and PCA.

Usage

```

## S3 method for class 'rcc'
plot3dVar(object, comp = 1:3, rad.in = 1,
          cutoff = NULL, X.label = FALSE, Y.label = FALSE,

```

```

    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'pls'
plot3dVar(object, comp = 1:3, rad.in = 1,
    X.label = FALSE, Y.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'spls'
plot3dVar(object, comp = 1:3, rad.in = 1,
    X.label = FALSE, Y.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'plsda'
plot3dVar(object, comp = 1:3, rad.in = 1,
    var.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'splsda'
plot3dVar(object, comp = 1:3, rad.in = 1,
    var.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'pca'
plot3dVar(object, comp = 1:3, rad.in = 1,
    var.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

## S3 method for class 'spca'
plot3dVar(object, comp = 1:3, rad.in = 1,
    var.label = FALSE,
    pch = NULL, cex = NULL, col = NULL, font = NULL,
    axes.box = "all", label.axes.box = "both",
    xlab = NULL, ylab = NULL, zlab = NULL, ...)

```

Arguments

<code>object</code>	object of class inheriting from "rcc", "pls", "plsda", "spl", "plsda", "pca" or "spca".
<code>comp</code>	an integer vector of length 3, the components that will be used on the x -axis, the y -axis and z -axis respectively to project the variables.
<code>rad.in</code>	numeric between 0 and 1, the radius of the small sphere. Defaults to 1.
<code>cutoff</code>	numeric between 0 and 1. Variables with correlations below this cutoff in absolute value are not plotted (see Details).
<code>X.label</code> , <code>Y.label</code> , <code>var.label</code>	either a character vector of names for the variables or FALSE for no names. If TRUE, the columns names of the matrice are used as labels.
<code>col</code>	character or integer vector of colors for plotted character and items. See Details.
<code>pch</code>	character indicating the type of item to plot, possibly vector (see Details).
<code>cex</code>	numeric character (or item) expansion (see Details).
<code>font</code>	numeric font to be used. See text3d for details.
<code>axes.box</code>	character string or vector specifying the axes box type. Should be a subset of <code>c("axes", "box", "bbox", "all")</code> .
<code>label.axes.box</code>	character string indicating whether to label the axes and/or boxes. Should be a of <code>c("axes", "box", "both")</code>
<code>xlab</code> , <code>ylab</code> , <code>zlab</code>	x -, y - and z -axis titles.
<code>...</code>	further title parameters are passed to title3d .

Details

`plot3dVar` gives an extension of the "correlation circle" to three dimensions, i.e. the correlations between each variable and the selected components are plotted as scatter plot in three dimensions.

For the objects of class `rcc`, `pls` and `spls` a sphere of radius given by `rad.in` centred in the origin is displayed. If `cutoff` is not NULL the `rad.in` is ignored and the radius of the sphere is equal to `cutoff`.

For `plsda` and `splsda` objects, only the X variables are represented.

For `spls` and `splsda` objects, only the X and Y variables selected on dimensions `comp` are represented.

The arguments `cex`, `pch` and `font` are vectors of length two for the objects of class `rcc`, `pls` and `spls`. The first and second component value determines the graphical attribute for X - and Y -variables respectively. Default values exist for this arguments. Supported types for `pch` are: "s" for spheres, "t" for tetrahedrons, "c" for cubes, "o" for octahedrons, "i" for icosahedrons and "d" dodecahedrons.

The argument `col` can be either a vector of length two or a list with two vector components of length p and q respectively, where p is the number of X -variables and q is the number of Y -variables. In the first case, the first and second component of the vector determine the color for the X - and Y -variables respectively. Otherwise, multiple colors can be specified so that each item (variable) can

be given its own color. In this case, the first component of the list correspond to the X -color attribute and the second component correspond to the Y -color attribute.

The pointing device of your graphics user-interface can also be used to set the viewpoint interactively. With the pointing device the buttons are by default set as follows: - left adjust viewpoint position - middle adjust field of view angle - right or wheel adjust zoom factor

Value

A list containing the following components:

coord.X	matrix of X -variables coordinates.
coord.Y	matrix of Y -variables coordinates.

Author(s)

Ignacio González.

See Also

[plotVar](#), [plot3dIndiv](#), [text3d](#), [title3d](#) and [rgl.postscript](#) to save the screen shot to a file in PostScript or other vector graphics format.

Examples

```
require(rgl)

## Not run:
## 3D variable representation for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

# default
plot3dVar(nutri.res)

# cutoff active, labeling the variables
plot3dVar(nutri.res, cutoff = 0.7, X.label = TRUE, cex = c(0.8, 0.8))

## 3D variable representation for objects of class 'pls' or 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxi.spls.1 <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                  keepY = c(10, 10, 10))

plot3dVar(toxi.spls.1, rad.in = 0.5, keep.var = TRUE, cex = c(1, 0.8),
          main = "Variables 3D representation")

toxi.spls.2 <- spls(X, Y, ncomp = 3, keepX = c(10, 10, 10),
                  keepY = c(10, 10, 10))
```



```

plot3dVar(toxi.spls.2, rad.in = 0.5, Y.label = TRUE,
          main = "Variables 3D representation",
          label.axes.box = "axes")

## 3D variable representation for objects of class 'pca'
data(multidrug)
pca.res <- pca(multidrug$ABC.trans, ncomp = 4, scale = TRUE)

plot3dVar(pca.res)

## variable representation for objects of class 'splsa'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])

ncomp <- 3
keepX <- rep(20, ncomp)

splsa.liver <- splsa(X, Y, ncomp = ncomp, keepX = keepX)
plot3dVar(splsa.liver, var.label = FALSE, Y.label = TRUE, keep.var = TRUE)

## End(Not run)

```

plotIndiv

Plot of Individuals (Experimental Units)

Description

This function provides scatter plots for individuals (experimental units) representation in (r)CCA, (s)PLS regression and PCA.

Usage

```

## S3 method for class 'rcc'
plotIndiv(object, comp = 1:2, ind.names = TRUE,
          rep.space = "XY-variate",
          x.label = NULL, y.label = NULL,
          col = "black", cex = 1, pch = 1, ...)

## S3 method for class 'pls'
plotIndiv(object, comp = 1:2, ind.names = TRUE,
          rep.space = "X-variate",
          x.label = NULL, y.label = NULL,
          col = "black", cex = 1, pch = 1, ...)

## S3 method for class 'splsa'
plotIndiv(object, comp = 1:2, ind.names = TRUE,
          rep.space = "X-variate",

```

```

        x.label = NULL, y.label = NULL,
        col = "black", cex = 1, pch = 1, ...)

## S3 method for class 'pca'
plotIndiv(object, comp = 1:2, ind.names = TRUE,
          x.label = NULL, y.label = NULL, ...)

## S3 method for class 'spca'
plotIndiv(object, comp = 1:2, ind.names = TRUE,
          x.label = NULL, y.label = NULL, ...)

```

Arguments

object	object of class inheriting from "rcc", "pls", "plsda", "spls", "plsda", "pca" or "spca".
comp	integer vector of length two. The components that will be used on the horizontal and the vertical axis respectively to project the individuals.
ind.names	either a character vector of names for the individuals to be plotted, or FALSE for no names. If TRUE, the row names of the first (or second) data matrix is used as names (see Details).
rep.space	character string, (partially) matching one of "X-variate", "Y-variate" or "XY-variate", determining the subspace to project the individuals. Defaults to "XY-variate" and "X-variate" for (r)CCA and (s)PLS respectively.
x.label, y.label	<i>x</i> - and <i>y</i> -axis titles.
col	character (or symbol) color to be used, possibly vector.
cex	numeric character (or symbol) expansion, possibly vector.
pch	plot character. A character string or a vector of single characters or integers. See points for all alternatives.
...	further graphical parameters are passed to text .

Details

plotIndiv method makes scatter plot for individuals representation depending on the subspace of projection. Each point corresponds to an individual.

If ind.names=TRUE and row names is NULL, then ind.names=1:n, where n is the number of individuals.

The arguments col, cex and pch can be atomic vectors or vectors of length n. If atomic, this argument value determines the graphical attribute for all the individuals. In the last case, multiple arguments values can be specified so that each point (individual) can be given its own graphic attributes (see [par](#)). Default values exist for this arguments.

Author(s)

Sébastien Déjean and Ignacio González.

See Also

`plot3dIndiv`, `text`, `points` and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## plot of individuals for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

plotIndiv(nutri.res) #(default)

col <- rep(c("blue", "red"), c(20, 20))
plotIndiv(nutri.res, ind.names = nutrimouse$diet, col = col)
legend(-2.2, -1.1, c("WT", "PPAR"), pch = c(16, 16),
       col = c("blue", "red"), text.col = c("blue", "red"),
       cex = 1, pt.cex = c(1.2, 1.2))

## plot of individuals for objects of class 'pls' or 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

col <- rep(c("blue", "red", "darkgreen", "darkviolet"), rep(16, 4))
cex <- rep(c(1, 1.2, 1, 1.4), c(16, 16, 16, 16))
pch <- rep(c(15, 16, 17, 18), c(16, 16, 16, 16))
plotIndiv(toxicity.spls, comp = 1:2, ind.names = FALSE,
          rep.space = "X-variate", col = col, cex = cex, pch = pch)
legend("topright", c("50 mg/kg", "150 mg/kg", "1500 mg/kg", "2000 mg/kg"),
      col = c("blue", "red", "darkgreen", "darkviolet"),
      pch = c(15, 16, 17, 18), pt.cex = c(1, 1.2, 1, 1.4),
      title = "Treatment")
```

plotVar

Plot of Variables

Description

This function provides variables representation for (regularized) CCA, (sparse) PLS regression and PCA.

Usage

```
## S3 method for class 'rcc'
plotVar(object, comp = 1:2, rad.in = 0.5, cutoff = NULL,
```

```

        X.label = FALSE, Y.label = FALSE,
        pch = NULL, cex = NULL, col = NULL, font = NULL, ...)

## S3 method for class 'pls'
plotVar(object, comp = 1:2, rad.in = 0.5,
        X.label = FALSE, Y.label = FALSE, pch = NULL, cex = NULL,
        col = NULL, font = NULL, ...)

## S3 method for class 'plsda'
plotVar(object, comp = 1:2, rad.in = 0.5,
        var.label = FALSE, pch = NULL, cex = NULL, col = NULL,
        font = NULL, ...)

## S3 method for class 'spls'
plotVar(object, comp = 1:2, rad.in = 0.5,
        X.label = FALSE, Y.label = FALSE, pch = NULL, cex = NULL,
        col = NULL, font = NULL, ...)

## S3 method for class 'splsda'
plotVar(object, comp = 1:2, rad.in = 0.5,
        var.label = FALSE, pch = NULL, cex = NULL, col = NULL,
        font = NULL, ...)

## S3 method for class 'pca'
plotVar(object, comp = 1:2, rad.in = 0.5,
        var.label = FALSE, ...)

## S3 method for class 'spca'
plotVar(object, comp = 1:2, rad.in = 0.5,
        var.label = FALSE, pch = NULL, cex = NULL, col = NULL,
        font = NULL, ...)

```

Arguments

object	object of class inheriting from "rcc", "pls", "plsda", "spls", "splsda", "pca" or "spca".
comp	integer vector of length two. The components that will be used on the horizontal and the vertical axis respectively to project the variables.
rad.in	numeric between 0 and 1, the radius of the inner circle. Defaults to 0.5.
cutoff	numeric between 0 and 1. Variables with correlations below this cutoff in absolute value are not plotted (see Details).
X.label, Y.label, var.label	either a character vector of names for the variables or FALSE for no names. If TRUE, the columns names of the matrice are used as labels.
col	character or integer vector of colors for plotted character and symbols. See Details.
pch	plot character. A vector of single characters or integers. See points for all alternatives.

cex	numeric vector of character expansion sizes for the plotted character and symbols.
font	numeric vector of font to be used. See par for details.
...	not used currently.

Details

plotVar produce a "correlation circle", i.e. the correlations between each variable and the selected components are plotted as scatter plot, with concentric circles of radius one et radius given by `rad.in`. Each point corresponds to a variable. For (regularized) CCA the components correspond to the equiangular vector between X - and Y -variables. For (sparse) PLS regression mode the components correspond to the X -variables. If mode is canonical, the components for X and Y variables correspond to the X - and Y -variables respectively.

For `plsda` and `splsda` objects, only the X variables are represented.

For `spls` and `splsda` objects, only the X and Y variables selected on dimensions `comp` are represented.

The arguments `col`, `pch`, `cex` and `font` can be either vectors of length two or a list with two vector components of length p and q respectively, where p is the number of X -variables and q is the number of Y -variables. In the first case, the first and second component of the vector determine the graphics attributes for the X - and Y -variables respectively. Otherwise, multiple arguments values can be specified so that each point (variable) can be given its own graphic attributes. In this case, the first component of the list correspond to the X attributs and the second component correspond to the Y attributs. Default values exist for this arguments.

Value

A list containing the following components:

<code>coord.X</code>	matrix of X -variables coordinates.
<code>coord.Y</code>	matrix of Y -variables coordinates.

Author(s)

Sébastien Déjean and Ignacio González.

See Also

[plot3dVar](#), [cim](#), [network](#), [par](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## variable representation for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)

plotVar(nutri.res) #(default)
```

```

plotVar(nutri.res, comp = 1:2, cutoff = 0.5,
        X.label = TRUE, Y.label = TRUE)

## variable representation for objects of class 'pls' or 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))

plotVar(toxicity.spls, keep.var = TRUE, Y.label = TRUE, cex = c(1,0.8))

## variable representation for objects of class 'splstda'
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])

ncomp <- 2
keepX <- rep(20, ncomp)

splstda.liver <- splstda(X, Y, ncomp = ncomp, keepX = keepX)
plotVar(splstda.liver, var.label = FALSE)

## End(Not run)

```

pls

Partial Least Squares (PLS) Regression

Description

Function to perform Partial Least Squares (PLS) regression.

Usage

```

pls(X, Y, ncomp = 2,
    mode = c("regression", "canonical", "invariant", "classic"),
    max.iter = 500, tol = 1e-06, ...)

```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	numeric vector or matrix of responses (for multi-response models). NAs are allowed.
ncomp	the number of components to include in the model. Default to 2.
mode	character string. What type of algorithm to use, (partially) matching one of "regression", "canonical", "invariant" or "classic". See Details.

<code>max.iter</code>	integer, the maximum number of iterations.
<code>tol</code>	a not negative real, the tolerance used in the iterative algorithm.
<code>...</code>	arguments to pass to nearZeroVar .

Details

`pls` function fit PLS models with $1, \dots, ncomp$ components. Multi-response models are fully supported. The X and Y datasets can contain missing values.

The type of algorithm to use is specified with the `mode` argument. Four PLS algorithms are available: PLS regression ("regression"), PLS canonical analysis ("canonical"), redundancy analysis ("invariant") and the classical PLS algorithm ("classic") (see References).

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `pls` function without having to delete the rows with missing data.

Value

`pls` returns an object of class "pls", a list that contains the following components:

<code>X</code>	the centered and standardized original predictor matrix.
<code>Y</code>	the centered and standardized original response vector or matrix.
<code>ncomp</code>	the number of components included in the model.
<code>mode</code>	the algorithm used to fit the model.
<code>mat.c</code>	matrix of coefficients to be used internally by <code>predict</code> .
<code>variates</code>	list containing the <i>X</i> and <i>Y</i> variates.
<code>loadings</code>	list containing the estimated loadings for the variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.

Author(s)

Sébastien Déjean and Ignacio González and Kim-Anh Lê Cao.

References

- Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.
- Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.

See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [predict](#), [valid](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y, mode = "classic")

data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.pls <- pls(X, Y, ncomp = 3)
```

plsda

Partial Least Squares Discriminate Analysis (PLS-DA).

Description

Function to perform standard Partial Least Squares regression to classify samples.

Usage

```
plsda(X, Y, ncomp = 2, max.iter = 500, tol = 1e-06, ...)
```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	a factor or a class vector for the discrete outcome.
ncomp	the number of components to include in the model. Default to 2.
max.iter	integer, the maximum number of iterations.
tol	a not negative real, the tolerance used in the iterative algorithm.
...	arguments to pass to nearZeroVar .

Details

plsda function fit PLS models with 1, ..., ncomp components to the factor or class vector Y. The appropriate indicator matrix is created.

Value

plsda returns an object of class "plsda", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized indicator response vector or matrix.
ind.mat	the indicator matrix.
ncomp	the number of components included in the model.

<code>mat.c</code>	matrix of coefficients to be used internally by <code>predict</code> .
<code>variates</code>	list containing the X and Y variates.
<code>loadings</code>	list containing the estimated loadings for the variates.
<code>names</code>	list containing the names to be used for individuals and variables.
<code>nzv</code>	list containing the zero- or near-zero predictors information.

Author(s)

Ignacio González, Kim-Anh Lê Cao and Pierre Monget.

References

Pérez-Enciso, M. and Tenenhaus, M. (2003). Prediction of clinical outcome with microarray data: a partial least squares discriminant analysis (PLS-DA) approach. *Human Genetics* **112**, 581-592.

Nguyen, D. V. and Rocke, D. M. (2002). Tumor classification by partial least squares using microarray gene expression data. *Bioinformatics* **18**, 39-50.

Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.

See Also

[splsda](#), [summary](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#), [predict](#), [valid](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## First example
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

plsda.breast <- plsda(X, Y, ncomp = 2)
palette(c("red", "blue"))
col.breast <- as.numeric(as.factor(Y))
plotIndiv(plsda.breast, ind.names = TRUE, col = col.breast)
legend('bottomleft', c("After", "Before"), pch = c(16, 16),
      col = unique(col.breast), cex = 1, pt.cex = c(1.2, 1.2),
      title = "Treatment")
palette("default")

## Second example
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$treatment[, 4]

plsda.liver <- plsda(X, Y, ncomp = 2)
col.rat <- as.numeric(as.factor(Y))
plotIndiv(plsda.liver, col = col.rat, ind.names = Y)
```

predict

Predict Method for PLS, sPLS, PLS-DA or sPLS-DA

Description

Predicted values based on PLS, sparse PLS, PLS-DA or sparse PLS-DA models. New responses and variates are predicted using a fitted model and a new matrix of observations.

Usage

```
## S3 method for class 'pls'
predict(object, newdata, ...)

## S3 method for class 'spls'
predict(object, newdata, ...)

## S3 method for class 'plsda'
predict(object, newdata, method = c("all", "max.dist",
                                     "centroids.dist", "mahalanobis.dist"), ...)

## S3 method for class 'splsda'
predict(object, newdata, method = c("all", "max.dist",
                                     "centroids.dist", "mahalanobis.dist"), ...)
```

Arguments

object	object of class inheriting from "pls", "spls", "plsda" or "splsda".
newdata	data matrix in which to look for explanatory variables to be used for prediction.
method	method to be applied for plsda or splsda to predict the class of new data, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details). Defaults to "all".
...	not used currently.

Details

predict produces predicted values, obtained by evaluating the PLS, sparse PLS, PLSDA or sparse PLSDA model returned by pls, spls, plsda or splsda in the frame newdata. Variates for newdata are also returned.

Different class prediction methods are proposed for plsda or splsda: "max.dist" is the naive method to predict the class. It is based on the predicted matrix (`object$predict`) which can be seen as a probability matrix to assign each test data to a class. The class with the largest class value is the predicted class. "centroids.dist" allocates the individual x to the class of Y minimizing $dist(x\text{-variate}, G_l)$, where G_l , $l = 1, \dots, L$ are the centroids of the classes calculated on the X -variates of the model. "mahalanobis.dist" allocates the individual x to the class of Y as in "centroids.dist" but by using the Mahalanobis metric in the calculation of the distance.

Value

predict produces a list with the following components:

predict	a three dimensional array of predicted response values. The dimensions correspond to the observations, the response variables and the model dimension, respectively.
variates	matrix of predicted variates.
B.hat	matrix of regression coefficients (without the intercept).
class	vector or matrix of predicted class by using 1, ..., ncomp (sparse)PLS-DA components.
centroid	matrix of coordinates for centroids.

Author(s)

Sébastien Déjean, Ignacio González, Kim-Anh Lê Cao and Pierre Monget

References

Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.

See Also

[pls](#), [spl](#)s, [plsda](#), [spl](#)sda and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(linnerud)
X <- linnerud$exercice
Y <- linnerud$physiological
linn.pls <- pls(X, Y, ncomp = 2, mode = "classic")

indiv1 <- c(200, 40, 60)
indiv2 <- c(190, 45, 45)
newdata <- rbind(indiv1, indiv2)
colnames(newdata) <- colnames(X)
newdata

pred <- predict(linn.pls, newdata)

plotIndiv(linn.pls, comp = 1:2, rep.space = "X-variate")
points(pred$variates[, 1], pred$variates[, 2], pch = 19, cex = 1.2)
text(pred$variates[, 1], pred$variates[, 2],
      c("new ind.1", "new ind.2"), pos = 3)

## First example with plsda
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- as.factor(liver.toxicity$treatment[, 4])
```

```
## if training is performed on 4/5th of the original data
samp <- sample(1:5, nrow(X), replace = TRUE)
test <- which(samp == 1) # testing on the first fold
train <- setdiff(1:nrow(X), test)

plsda.train <- plsda(X[train, ], Y[train], ncomp = 2)
test.predict <- predict(plsda.train, X[test, ], method = "max.dist")
Prediction <- levels(Y)[test.predict$class$max.dist[, 2]]
cbind(Y = as.character(Y[test]), Prediction)

## Second example with splsda
splsda.train <- splsda(X[train, ], Y[train], ncomp = 2, keepX = c(30, 30))
test.predict <- predict(splsda.train, X[test, ], method = "max.dist")
Prediction <- levels(Y)[test.predict$class$max.dist[, 2]]
cbind(Y = as.character(Y[test]), Prediction)
```

print

Print Methods for CCA, (s)PLS and Summary objects

Description

Produce print methods for class "rcc", "pls", "spls" and "summary".

Usage

```
## S3 method for class 'rcc'
print(x, ...)

## S3 method for class 'pls'
print(x, ...)

## S3 method for class 'spls'
print(x, ...)

## S3 method for class 'pca'
print(x, ...)

## S3 method for class 'spca'
print(x, ...)

## S3 method for class 'summary'
print(x, ...)
```

Arguments

x	object of class inheriting from "rcc", "pls", "spls", "pca", "spca" or "summary".
...	not used currently.

Details

print method for "rcc", "pls" or "spls" class, returns a description of the x object including: the function used, the regularization parameters (if x of class "rcc"), the (s)PLS algorithm used (if x of class "pls" or "spls"), the samples size, the number of variables selected on each of the sPLS components (if x of class "spls") and the available components of the object.

print method for "summary" class, gives the (s)PLS algorithm used (if x of class "pls" or "spls"), the number of variates considered, the canonical correlations (if x of class "rcc"), the number of variables selected on each of the sPLS components (if x of class "spls") and the available components for Communalities Analysis, Redundancy Analysis and Variable Importance in the Projection (VIP).

Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

See Also

[rcc](#), [pls](#), [spls](#), [vip](#).

Examples

```
## print for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
print(nutri.res)

## print for objects of class 'summary'
more <- summary(nutri.res, cutoff = 0.65)
print(more)

## print for objects of class 'pls'
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)
print(linn.pls)

## print for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                     keepY = c(10, 10, 10))
print(toxicity.spls)
```

prostate

Human Prostate Tumors Data

Description

This data set contains the expression of 6,033 genes derived from 52 prostate tumors and from 50 non tumor prostate samples (referred to as normal) using oligonucleotide microarrays.

Usage

```
data(prostate)
```

Format

A list containing the following components:

`data` data matrix with 102 rows and 6033 columns. Each row represents an experimental sample, and each column a single gene.

`type` a vector containing the clinical status (normal or tumor).

Details

This study investigated whether gene expression differences could distinguished common clinical and pathological features of prostate cancer. Expression profiles were derived from 52 prostate tumors and from 50 non tumour prostate samples (referred to as normal) using oligonucleotide microarrays containing probes for approximately 12,600 genes and ESTs. After preprocessing remains the expression of 6033 genes.

References

Singh D, Febbo P, Ross K, Jackson D, Manola J, Ladd C, Tamayo P, Renshaw A, D'Amico A, Richie J, et al. (2002). Gene expression correlates of clinical prostate cancer behavior. *Cancer cell*, 1(2):203–209.

rcc

Regularized Canonical Correlation Analysis

Description

The function performs the regularized extension of the Canonical Correlation Analysis to seek correlations between two data matrices.

Usage

```
rcc(X, Y, ncomp = 2, lambda1 = 0, lambda2 = 0)
```

Arguments

<code>X</code>	numeric matrix or data frame ($n \times p$), the observations on the X variables. NAs are allowed.
<code>Y</code>	numeric matrix or data frame ($n \times q$), the observations on the Y variables. NAs are allowed.
<code>ncomp</code>	the number of components to include in the model. Default to 2.
<code>lambda1, lambda2</code>	a not negative real. The regularization parameter for the X and Y data. Defaults to <code>lambda1=lambda2=0</code> .

Details

The main purpose of Canonical Correlations Analysis (CCA) is the exploration of sample correlations between two sets of variables X and Y observed on the same individuals (experimental units) whose roles in the analysis are strictly symmetric.

The `cancor` function performs the core of computations but additional tools are required to deal with data sets highly correlated (nearly collinear), data sets with more variables than units by example.

The `rcc` function, the regularized version of CCA, is one way to deal with this problem by including a regularization step in the computations of CCA. Such a regularization in this context was first proposed by Vinod (1976), then developped by Leurgans *et al.* (1993). It consists in the regularization of the empirical covariances matrices of X and Y by adding a multiple of the matrix identity, that is, $\text{Cov}(X) + \lambda_1 I$ and $\text{Cov}(Y) + \lambda_2 I$.

When `lambda1=0` and `lambda2=0`, `rcc` perform classic CCA, if possible.

The estimation of the missing values can be performed by the reconstitution of the data matrix using the `nipals` function. Otherwise, missing values are handled by casewise deletion in the `rcc` function.

Value

`rcc` returns a object of class "rcc", a list that contains the following components:

<code>X</code>	the original X data.
<code>Y</code>	the original Y data.
<code>lambda</code>	a vector containing the regularization parameters.
<code>cor</code>	a vector containing the canonical correlations.
<code>loadings</code>	list containing the estimated loadings for the X and Y canonical variates.
<code>variates</code>	list containing the canonical variates.
<code>names</code>	list containing the names to be used for individuals and variables.

Author(s)

Sébastien Déjean and Ignacio González.

References

Leurgans, S. E., Moyeed, R. A. and Silverman, B. W. (1993). Canonical correlation analysis when the data are curves. *Journal of the Royal Statistical Society. Series B* **55**, 725-740.

Vinod, H. D. (1976). Canonical ridge and econometrics of joint production. *Journal of Econometrics* **6**, 129-137.

See Also

[summary](#), [estim.regul](#), [plot.rcc](#), [plotIndiv](#), [plot3dIndiv](#), [plotVar](#), [plot3dVar](#), [cim](#), [network](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## Classic CCA
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.res <- rcc(X, Y)

## Regularized CCA
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
```

s.match

Plot of Paired Coordinates

Description

performs the scatter diagram for a paired coordinates.

Usage

```
s.match(df1xy, df2xy, xax = 1, yax = 2, pch = 20, cpoint = 1,
        label = row.names(df1xy), clabel = 1, edge = TRUE,
        xlim = NULL, ylim = NULL, grid = FALSE, addaxes = TRUE,
        cgrid = 1, include.origin = TRUE, origin = c(0, 0),
        sub = "", csub = 1.25, possub = "bottomleft",
        pixmap = NULL, contour = NULL, area = NULL,
        add.plot = FALSE, col, lty = 1)
```

Arguments

df1xy	a data frame containing two columns from the first system.
df2xy	a data frame containing two columns from the second system.
xax	the column number for the <i>x</i> -axis of both the two systems.

yax	the column number for the y -axis of both the two systems.
pch	if cpoint > 0, an integer specifying the symbol or the single character to be used in plotting points.
cpoint	a character size for plotting the points, used with par("cex")*cpoint. If zero, no points are drawn.
label	a vector of strings of characters for the couple labels.
clabel	if not NULL, a character size for the labels, used with par("cex")*clabel.
edge	if TRUE the arrows are plotted, otherwise only the segments are drawn.
xlim	the ranges to be encompassed by the x axis, if NULL they are computed.
ylim	the ranges to be encompassed by the y axis, if NULL they are computed.
grid	a logical value indicating whether a grid in the background of the plot should be drawn.
addaxes	a logical value indicating whether the axes should be plotted.
cgrid	a character size, parameter used with par("cex")*cgrid to indicate the mesh of the grid.
include.origin	a logical value indicating whether the point "origin" should be belonged to the graph space.
origin	the fixed point in the graph space, for example c(0,0) the origin axes.
sub	a string of characters to be inserted as legend.
csub	a character size for the legend, used with par("cex")*csub.
possub	character string indicating the sub-title position ("topleft", "topright", "bottomleft", "bottomright").
pixmap	an object pixmap displayed in the map background.
contour	a data frame with 4 columns to plot the contour of the map : each row gives a segment (x1, y1, x2, y2).
area	a data frame of class 'area' to plot a set of surface units in contour.
add.plot	if TRUE uses the current graphics window.
col	vector of size n (the number of samples) to indicate the biological conditions of each sample.
lty	set by default to 1.

Details

Graphical of the samples (individuals) is displayed in a superimposed manner where each sample will be indicated using an arrow. The start of the arrow indicates the location of the sample in X in one plot, and the tip the location of the sample in Y in the other plot. Short arrows indicate if both data sets strongly agree and long arrows a disagreement between the two data sets.

Value

The matched call.

Author(s)

Daniel Chessel from **ade4** R package, modified by Kim-Anh Lê Cao.

References

Lê Cao, K.-A., Martin, P.G.P., Robert-Granié, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.

Examples

```
## relevant only for canonical mode
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, mode = "canonical", ncomp = 3,
                    keepX = c(50, 50, 50), keepY = c(10, 10, 10))

color.toxicity <- as.numeric(liver.toxicity$treatment[, 2])
label.toxicity <- liver.toxicity$treatment[, 1]
s.match(toxicity.spls$variates$X[, c(1, 2)],
        toxicity.spls$variates$Y[, c(1, 2)],
        clabel = 0.5, label = label.toxicity, col = color.toxicity)
```

scatterutil

Graphical utility functions from ade4

Description

These are utilities used in graphical functions.

Details

The functions scatter use some utilities functions :

scatterutil.base defines the layer of the plot for all scatters.

scatterutil.eti puts labels centred on the points.

scatterutil.grid plots a grid and adds a legend.

Author(s)

Daniel Chessel, Stephane Dray <dray@biomserv.univ-lyon1.fr>

See Also

[s.match](#)

select.var	<i>Output of selected variables</i>
------------	-------------------------------------

Description

This function outputs the selected variables on each component for the sparse versions of the approaches.

Usage

```
## S3 method for class 'spls'
select.var(object, comp = 1, ...)
## S3 method for class 'splsda'
select.var(object, comp = 1, ...)
## S3 method for class 'spca'
select.var(object, comp = 1, ...)
## S3 method for class 'sipca'
select.var(object, comp = 1, ...)
```

Arguments

object	object of class inheriting from "spls", "splsda", "spca", "sipca".
comp	integer value indicating the component of interest.
...	other arguments.

Details

select.var provides the variables selected on a given component. \

name outputs the name of the selected variables (provided that the input data have colnames) ranked in decreasing order of importance.

value outputs the loading value for each selected variable, the loadings are ranked according to their absolute value.

These functions are only implemented for the sparse versions.

Author(s)

Kim-Anh Lê Cao.

Examples

```
data(liver.toxicity)
X = liver.toxicity$gene
Y = liver.toxicity$clinic

# example with sPCA
liver.spca <- spca(X, ncomp = 3, keepX = rep(10, 3))
select.var(liver.spca, comp = 1)$name
select.var(liver.spca, comp = 1)$value

#example with sIPCA
## Not run:
liver.sipca <- sipca(X, ncomp = 3, keepX = rep(10, 3))
select.var(liver.sipca, comp = 1)

## End(Not run)

# example with sPLS
## Not run:
liver.spls = spls(X, Y, ncomp = 2, keepX = c(20, 40),keepY = c(5, 5))
select.var(liver.spls, comp = 2)

# example with sPLS-DA
data(srbct) # an example with no gene name in the data
X = srbct$gene
Y = srbct$class

srbct.splsda = splsda(X, Y, ncomp = 2, keepX = c(5, 10))
select = select.var(srbct.splsda, comp = 2)
select
srbct$gene.name[substr(select$select, 2,5),]
# this is a very specific case where a data set has no rownames.

## End(Not run)
```

sipca

Independent Principal Component Analysis

Description

Performs sparse independent principal component analysis on the given data matrix to enable variable selection.

Usage

```
sipca(X, ncomp, mode = c("deflation", "parallel"),
      fun = c("logcosh", "exp"),
      scale = FALSE, max.iter = 200,
      tol = 1e-04, keepX = rep(50, ncomp),
      w.init=NULL)
```

Arguments

X	a numeric matrix (or data frame) which provides the data for the principal component analysis.
ncomp	integer, number of independent component to choose. Set by default to 3.
mode	character string. What type of algorithm to use when estimating the unmixing matrix, (partially) matching one of "deflation", "parallel". Default set to deflation.
fun	the function used in approximation to neg-entropy in the FastICA algorithm. Default set to logcosh, see details of FastICA.
scale	a logical value indicating whether rows of the data matrix X should be standardized beforehand.
max.iter	integer, maximum number of iterations to perform.
tol	a positive scalar giving the tolerance at which the un-mixing matrix is considered to have converged, see fastICA package.
keepX	the number of variable to keep on each dimensions.
w.init	initial un-mixing matrix (unlike FastICA, this matrix is fixed here).

Details

See Details of ipca.

Soft thresholding is implemented on the independent loading vectors to obtain sparse loading vectors and enable variable selection.

Value

pca returns a list with class "ipca" containing the following components:

ncomp	the number of principal components used.
unmixing	the unmixing matrix of size (ncomp x ncomp)
mixing	the mixing matrix of size (ncomp x ncomp)
X	the centered data matrix
x	the principal components (with sparse independent loadings)
loadings	the sparse independent loading vectors
kurtosis	the kurtosis measure of the independent loading vectors

Author(s)

Fangzhou Yao and Jeff Coquery.

References

Yao, F., Coquery, J. and Lê Cao, K.-A. (2011) Principal component analysis with independent loadings: a combination of PCA and ICA. (in preparation)

A. Hyvarinen and E. Oja (2000) Independent Component Analysis: Algorithms and Applications, *Neural Networks*, **13**(4-5):411-430

J L Marchini, C Heaton and B D Ripley (2010). fastICA: FastICA Algorithms to perform ICA and Projection Pursuit. R package version 1.1-13.

See Also

[ipca](#), [pca](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(liver.toxicity)

# implement IPCA on a microarray dataset
sipca.res <- sipca(liver.toxicity$gene, ncomp = 3, mode="deflation", keepX=c(50,50,50))
sipca.res

# samples representation
plotIndiv(sipca.res, ind.names = liver.toxicity$treatment[, 4], cex = 0.5,
          col = as.numeric(as.factor(liver.toxicity$treatment[, 4])))
plot3dIndiv(sipca.res, cex = 0.01,
            col = as.numeric(as.factor(liver.toxicity$treatment[, 4])))

# variables representation
plotVar(sipca.res, var.label = TRUE, cex = 0.5)
plot3dVar(sipca.res, rad.in = 0.5, var.label = TRUE, cex = 0.5)
```

spca

Sparse Principal Components Analysis

Description

Performs a sparse principal components analysis to perform variable selection by using singular value decomposition.

Usage

```
spca(X, ncomp = 3, center = TRUE, scale. = TRUE,
     keepX = rep(ncol(X),ncomp), iter.max = 500,
     tol = 1e-06)
```

Arguments

<code>X</code>	a numeric matrix (or data frame) which provides the data for the sparse principal components analysis.
<code>ncomp</code>	integer, the number of components to keep.
<code>center</code>	a logical value indicating whether the variables should be shifted to be zero centered. Alternatively, a vector of length equal the number of columns of <code>X</code> can be supplied. The value is passed to scale .
<code>scale.</code>	a logical value indicating whether the variables should be scaled to have unit variance before the analysis takes place. The default is TRUE. See details.
<code>iter.max</code>	integer, the maximum number of iterations to check convergence in each component.
<code>tol</code>	a positive real, the tolerance used in the iterative algorithm.
<code>keepX</code>	numeric vector of length <code>ncomp</code> , the number of variables to keep in loading vectors. By default all variables are kept in the model. See details.

Details

The calculation employs singular value decomposition of the (centered and scaled) data matrix and LASSO to generate sparsity on the loading vectors.

`scale.= TRUE` is highly recommended as it will help obtaining orthogonal sparse loading vectors.

`keepX` is the number of variables to keep in loading vectors. The difference between number of columns of `X` and `keepX` is the degree of sparsity, which refers to the number of zeros in each loading vector.

Note that `spca` does not apply to the data matrix with missing values. The biplot function for `spca` is not available.

Value

`spca` returns a list with class "spca" containing the following components:

<code>ncomp</code>	the number of components to keep in the calculation.
<code>varX</code>	the adjusted cumulative percentage of variances explained.
<code>keepX</code>	the number of variables kept in each loading vector.
<code>iter</code>	the number of iterations needed to reach convergence for each component.
<code>rotation</code>	the matrix containing the sparse loading vectors.
<code>x</code>	the matrix containing the principal components.

Author(s)

Kim-Anh Lê Cao, Fangzhou Yao, Leigh Coonan

References

Shen, H. and Huang, J. Z. (2008). Sparse principal component analysis via regularized low rank matrix approximation. *Journal of Multivariate Analysis* **99**, 1015-1034.

See Also

[pca](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(liver.toxicity)
spca.rat <- spca(liver.toxicity$gene, ncomp = 3, keepX = rep(50, 3))
spca.rat

## variable representation
plotVar(spca.rat, X.label = TRUE, cex = 0.5)
plot3dVar(spca.rat)

## samples representation
plotIndiv(spca.rat, ind.names = liver.toxicity$treatment[, 3], cex = 0.5,
          col = as.numeric(liver.toxicity$treatment[, 3]))
plot3dIndiv(spca.rat, cex = 0.01,
            col = as.numeric(liver.toxicity$treatment[, 3]))
```

splS

*Sparse Partial Least Squares (sPLS)***Description**

Function to perform sparse Partial Least Squares (sPLS). The sPLS approach combines both integration and variable selection simultaneously on two data sets in a one-step strategy.

Usage

```
spls(X, Y, ncomp = 2, mode = c("regression", "canonical"),
     max.iter = 500, tol = 1e-06, keepX = rep(ncol(X), ncomp),
     keepY = rep(ncol(Y), ncomp), ...)
```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	numeric vector or matrix of responses (for multi-response models). NAs are allowed.
ncomp	the number of components to include in the model (see Details). Default is set to from one to the rank of X.
mode	character string. What type of algorithm to use, (partially) matching one of "regression" or "canonical". See Details.
max.iter	integer, the maximum number of iterations.
tol	a positive real, the tolerance used in the iterative algorithm.
keepX	numeric vector of length ncomp, the number of variables to keep in X-loadings. By default all variables are kept in the model.

keepY	numeric vector of length ncomp, the number of variables to keep in Y-loadings. By default all variables are kept in the model.
...	arguments to pass to nearZeroVar .

Details

spls function fit sPLS models with $1, \dots, ncomp$ components. Multi-response models are fully supported. The X and Y datasets can contain missing values.

The type of algorithm to use is specified with the mode argument. Two sPLS algorithms are available: sPLS regression ("regression") and sPLS canonical analysis ("canonical") (see References).

The estimation of the missing values can be performed by the reconstitution of the data matrix using the nipals function. Otherwise, missing values are handled by casewise deletion in the spls function without having to delete the rows with missing data.

Value

spls returns an object of class "spls", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized original response vector or matrix.
ncomp	the number of components included in the model.
mode	the algorithm used to fit the model.
keepX	number of X variables kept in the model on each component.
keepY	number of Y variables kept in the model on each component.
mat.c	matrix of coefficients to be used internally by predict.
variates	list containing the variates.
loadings	list containing the estimated loadings for the X and Y variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.

Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

References

- Lê Cao, K.-A., Martin, P.G.P., Robert-Granié, C. and Besse, P. (2009). Sparse canonical methods for biological data integration: application to a cross-platform study. *BMC Bioinformatics* **10**:34.
- Lê Cao, K.-A., Rossouw, D., Robert-Granié, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.
- Shen, H. and Huang, J. Z. (2008). Sparse principal component analysis via regularized low rank matrix approximation. *Journal of Multivariate Analysis* **99**, 1015-1034.
- Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.

Wold H. (1966). Estimation of principal components and related models by iterative least squares. In: Krishnaiah, P. R. (editors), *Multivariate Analysis*. Academic Press, N.Y., 391-420.

See Also

[pls](#), [summary](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#), [cim](#), [network](#), [predict](#), [valid](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

toxicity.spls <- spls(X, Y, ncomp = 2, keepX = c(50, 50),
                     keepY = c(10, 10))
```

splsd

Sparse Partial Least Squares Discriminate Analysis (sPLS-DA)

Description

Function to perform sparse Partial Least Squares to classify samples. The sPLS-DA approach embeds variable selection for this purpose.

Usage

```
splsd(X, Y, ncomp = 2, keepX = rep(ncol(X), ncomp),
      max.iter = 500, tol = 1e-06, ...)
```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	a factor or a class vector for the discrete outcome.
ncomp	the number of components to include in the model (see Details).
keepX	numeric vector of length ncomp, the number of variables to keep in X -loadings. By default all variables are kept in the model.
max.iter	integer, the maximum number of iterations.
tol	a positive real, the tolerance used in the iterative algorithm.
...	arguments to pass to nearZeroVar .

Details

splsd function fit sPLS models with $1, \dots, ncomp$ components to the factor or class vector Y . The appropriate indicator matrix is created.

Value

splsda returns an object of class "splsda", a list that contains the following components:

X	the centered and standardized original predictor matrix.
Y	the centered and standardized indicator response vector or matrix.
ind.mat	the indicator matrix.
ncomp	the number of components included in the model.
keepX	number of X variables kept in the model on each component.
mat.c	matrix of coefficients to be used internally by predict.
variates	list containing the variates.
loadings	list containing the estimated loadings for the X and Y variates.
names	list containing the names to be used for individuals and variables.
nzv	list containing the zero- or near-zero predictors information.

Author(s)

Ignacio González, Kim-Anh Lê Cao and Pierre Monget.

References

On sPLS-DA: Lê Cao, K.-A., Boitard, S. and Besse, P. (2011). Sparse PLS Discriminant Analysis: biologically relevant feature selection and graphical displays for multiclass problems. *BMC Bioinformatics* **12**:253.

See Also

[spls](#), [summary](#), [plotIndiv](#), [plotVar](#), [plot3dIndiv](#), [plot3dVar](#), [cim](#), [network](#), [predict](#), [valid](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## First example
data(breast.tumors)
X <- breast.tumors$gene.exp
Y <- breast.tumors$sample$treatment

res <- splsda(X, Y, ncomp = 2, keepX = c(25, 25))
palette(c("red", "blue"))
col.breast <- as.numeric(as.factor(Y))
plotIndiv(res, ind.names = TRUE, col = col.breast)
legend('bottomleft', c("After", "Before"), pch = c(16, 16),
      col = unique(col.breast), cex = 1, pt.cex = c(1.2, 1.2),
      title = "Treatment")
palette("default")

## Second example
## Not run:
data(liver.toxicity)
```

```

X <- as.matrix(liver.toxicity$gene)
Y <- liver.toxicity$treatment[, 4]

spllda.liver = spllda(X, Y, ncomp = 2, keepX = c(20, 20))
col.rat <- as.numeric(as.factor(Y))
plotIndiv(spllda.liver, col = col.rat, ind.names = Y)

## End(Not run)

```

srbct

Small version of the small round blue cell tumors of childhood data

Description

This data set from Khan *et al.*, (2001) gives the expression measure of 2308 genes measured on 63 samples.

Usage

```
data(srbct)
```

Format

A list containing the following components:

gene data frame with 63 rows and 2308 columns. The expression measure of 2308 genes for the 63 subjects.

class A class vector containing the class tumour of each case (4 classes in total).

gene.name data frame with 2308 rows and 2 columns containing further information on the genes.

Source

<http://research.nhgri.nih.gov/microarray/Supplement>

References

Khan et al. (2001). Classification and diagnostic prediction of cancers using gene expression profiling and artificial neural networks. *Nature Medicine* **7**, Number 6, June.

Description

Produce summary methods for class "rcc", "pls" and "spls".

Usage

```
## S3 method for class 'rcc'
summary(object, what = c("all", "communalities", "redundancy"),
        cutoff = NULL, digits = 4, ...)

## S3 method for class 'pls'
summary(object, what = c("all", "communalities", "redundancy",
                        "VIP"), digits = 4, keep.var = FALSE, ...)

## S3 method for class 'spls'
summary(object, what = c("all", "communalities", "redundancy",
                        "VIP"), digits = 4, keep.var = FALSE, ...)
```

Arguments

object	object of class inheriting from "rcc", "pls" or "spls".
cutoff	real between 0 and 1. Variables with all correlations components below this cutoff in absolute value are not showed (see Details).
digits	integer, the number of significant digits to use when printing. Defaults to 4.
what	character string or vector. Should be a subset of c("all", "summarised", "communalities", "redundancy", "VIP"). "VIP" is only available for (s)PLS. See Details.
keep.var	boolean. If TRUE only the variables with loadings not zero (as selected by spls) are showed. Defaults to FALSE.
...	not used currently.

Details

The information in the rcc, pls or spls object is summarised, it includes: the dimensions of X and Y data, the number of variates considered, the canonical correlations (if object of class "rcc") and the (s)PLS algorithm used (if object of class "pls" or "spls") and the number of variables selected on each of the sPLS components (if x of class "spls").

"communalities" in what gives Communalities Analysis. "redundancy" display Redundancy Analysis. "VIP" gives the Variable Importance in the Projection (VIP) coefficients fit by pls or spls. If what is "all", all are given.

For class "rcc", when a value to cutoff is specified, the correlations between each variable and the equiangular vector between X- and Y-variates are computed. Variables with at least one correlation

componente bigger than cutoff are showed. The defaults is cutoff=NULL all the variables are given.

Value

The function summary returns a list with components:

ncomp	the number of components in the model.
cor	the canonical correlations.
cutoff	the cutoff used.
keep.var	list containing the name of the variables selected.
mode	the algoritm used in pls or spls.
Cm	list containing the communalities.
Rd	list containing the redundancy.
VIP	matrix of VIP coefficients.
what	subset of c("all", "communalities", "redundancy", "VIP").
digits	the number of significant digits to use when printing.
method	method used: rcc, pls or spls.

Author(s)

Sébastien Déjean Ignacio González and Kim-Anh Lê Cao.

See Also

[rcc](#), [pls](#), [spls](#), [vip](#).

Examples

```
## summary for objects of class 'rcc'
data(nutrimouse)
X <- nutrimouse$lipid
Y <- nutrimouse$gene
nutri.res <- rcc(X, Y, ncomp = 3, lambda1 = 0.064, lambda2 = 0.008)
more <- summary(nutri.res, cutoff = 0.65)

## summary for objects of class 'pls'
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)
more <- summary(linn.pls)

## summary for objects of class 'spls'
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic
toxicity.spls <- spls(X, Y, ncomp = 3, keepX = c(50, 50, 50),
                    keepY = c(10, 10, 10))
more <- summary(toxicity.spls, what = "redundancy", keep.var = TRUE)
```

tune.multilevel	<i>Tuning functions for multilevel analyses</i>
-----------------	---

Description

These functions were implemented to help tuning the variable selection parameters in the multilevel analyses.

Usage

```
tune.multilevel(X, Y = NULL,
               cond = NULL,
               sample,
               ncomp=1,
               test.keepX=c(5, 10, 15),
               test.keepY=NULL,
               already.tested.X = NULL,
               already.tested.Y = NULL,
               method = NULL,
               dist)
```

Arguments

X	numeric matrix of predictors. NAs are allowed.
Y	if(method = 'spls') numeric vector or matrix of continuous responses (for multi-response models) NAs are allowed.
cond	a factor or a class vector for one-factor discrete outcome, a numeric matrix of 2 columns for two-factor discrete outcome. See Details
sample	a vector indicating the repeated measured on each individual.
ncomp	the number of components to include in the model.
test.keepX	numeric vector for the different number of variables to test from the <i>X</i> data set
test.keepY	If method = 'spls', numeric vector for the different number of variables to test from the <i>Y</i> data set
already.tested.X	if ncomp > 1 numeric vector indicating the number of variables to select rom the <i>X</i> data set on the previous ncomp-1 components
already.tested.Y	if method = 'spls' and if(ncomp > 1) numeric vector indicating the number of variables to select rom the <i>Y</i> data set on the previous ncomp-1 components
method	character string. Which multivariate method and type of analysis to choose, matching one of 'splsda' (Discriminant Analysis) or 'spls' (unsupervised integrative analysis). See Details.
dist	distance metric to use for splsda to estimate the classification error rate, should be a subset of "centroids.dist", "mahalanobis.dist" or "max.dist" (see Details).


```

result.ex1

## End(Not run)

## Second example: two-factor analysis with sPLS-DA
## Not run:
data(liver.toxicity)
dose = liver.toxicity$treatment$Dose.Group
time = liver.toxicity$treatment$Time.Group
dose.time = cbind(dose, time)
repeat.indiv = c(1, 2, 1, 2, 1, 2, 1, 2, 3, 3, 4, 3, 4, 3, 4, 4, 5, 6, 5, 5,
6, 5, 6, 7, 7, 8, 6, 7, 8, 7, 8, 8, 9, 10, 9, 10, 11, 9, 9, 10, 11, 12,
12, 10, 11, 12, 11, 12, 13, 14, 13, 14, 13, 14, 13, 14, 15, 16, 15, 16,
15, 16, 15, 16)

result.ex2 = tune.multilevel (liver.toxicity$gene,
                             cond = dose.time,
                             sample = repeat.indiv,
                             ncomp=2,
                             test.keepX=c(5, 10, 15),
                             already.tested.X = c(50),
                             method = 'spllda',
                             dist = 'mahalanobis.dist')
result.ex2

## End(Not run)

## Third example: one-factor integrative analysis with sPLS
## Not run:
result.ex3 = tune.multilevel (liver.toxicity$gene, liver.toxicity$clinic,
                             cond = dose,
                             sample = repeat.indiv,
                             ncomp=2,
                             test.keepX=c(5, 10, 15),
                             test.keepY=c(2,3),
                             already.tested.X = c(50), already.tested.Y = c(5),
                             method = 'splsls')

result.ex3

## End(Not run)

```

Description

The data come from a trial evaluating a vaccine based on HIV-1 lipopeptides in HIV-negative volunteers. The vaccine (HIV-1 LIPO-5 ANRS vaccine) contains five HIV-1 amino acid sequences

coding for Gag, Pol and Nef proteins. This data set contains the expression measure of a subset of 2500 genes from purified in vitro stimulated Peripheral Blood Mononuclear Cells from 42 repeated samples (12 unique vaccinated participants) 14 weeks after vaccination, 6 hours after in vitro stimulation by either (1) all the peptides included in the vaccine (LIPO-5), or (2) the Gag peptides included in the vaccine (GAG+) or (3) the Gag peptides not included in the vaccine (GAG-) or (4) without any stimulation (NS).

Usage

```
data(vac18)
```

Format

A list containing the following components:

`gene` data frame with 42 rows and 2500 columns. The expression measure of 2500 genes for the 42 samples (PBMC cells from 12 unique subjects).

`stimulation` is a factor of 42 elements indicating the type of in vitro simulation for each sample.

`sample` is a vector of 42 elements indicating the unique subjects (for example the value '1' correspond to the first patient PBMC cells). Note that the design of this study is unbalanced.

`tab.prob.gene` is a data frame with 2500 rows and 2 columns, indicating the Illumina probe ID and the gene name of the annotated genes.

Details

This is a subset of the original study for illustrative purposes.

References

Salmon-Ceron D, Durier C, Desaint C, Cuzin L, Surenaud M, Hamouda N, Lelievre J, Bonnet B, Pialoux G, Poizot-Martin I, Aboulker J, Levy Y, Launay O, trial group AV: Immunogenicity and safety of an HIV-1 lipopeptide vaccine in healthy adults: a phase 2 placebo-controlled ANRS trial. *AIDS* 2010, 24(14):2211-2223.

valid

Compute validation criterion for PLS, sPLS, PLS-DA and sPLS-DA

Description

Function to estimate measures of the prediction error for fitted PLS, sparse PLS, PLS-DA and sparse PLS-DA models. M-fold and leave-one-out cross-validation are implemented.

Usage

```
## S3 method for class 'pls'
valid(object, criterion = c("all", "MSEP", "R2", "Q2"),
      validation = c("Mfold", "loo"), folds = 10,
      max.iter = 500, tol = 1e-06, ...)

## S3 method for class 'spls'
valid(object, criterion = c("all", "MSEP", "R2", "Q2"),
      validation = c("Mfold", "loo"), folds = 10,
      max.iter = 500, tol = 1e-06, ...)

## S3 method for class 'plsda'
valid(object, method = c("all", "max.dist", "centroids.dist",
                        "mahalanobis.dist"),
      validation = c("Mfold", "loo"), folds = 10,
      max.iter = 500, tol = 1e-06, ...)

## S3 method for class 'splsda'
valid(object, method = c("all", "max.dist", "centroids.dist",
                        "mahalanobis.dist"),
      validation = c("Mfold", "loo"), folds = 10,
      max.iter = 500, tol = 1e-06, ...)
```

Arguments

object	object of class inheriting from "pls", "plsda", "spls" or "splsda".
criterion	what type of validation criterion to be used for pls or spls. Should be a subset of "MSEP", "R2" or "Q2". Default is "all".
method	prediction method to be applied for plsda or splsda. Should be a subset of "max.dist", "centroids.dist", "mahalanobis.dist". Default is "all". See predict .
validation	character. What kind of (internal) validation to use, matching one of "Mfold" or "loo" (see below). Default is "Mfold".
folds	the folds in the Mfold cross-validation. See Details.
max.iter	integer, the maximum number of iterations.
tol	a not negative real, the tolerance used in the iterative algorithm.
...	arguments to pass to nearZeroVar .

Details

For fitted PLS and sPLS regression models, `valid` estimates the mean squared error of prediction (MSEP), R^2 , and Q^2 to assess the predictive validity of the model using M-fold or leave-one-out cross-validation. Note that only the classic, regression and invariant modes can be applied.

If `validation = "Mfold"`, M-fold cross-validation is performed. How many folds to generate is selected by specifying the number of folds in `folds`. The folds also can be supplied as a list of vectors containing the indexes defining each fold as produced by `split`.

If `validation = "loo"`, leave-one-out cross-validation is performed.

For fitted PLS-DA and sPLS-DA models, `valid` estimates the classification error rate using cross-validation. How many folds to generate is selected such that there is at least 1 sample for each class in the test set.

Value

For PLS and sPLS models, `valid` produces a list with the following components:

MSEP	Mean Square Error Prediction for each Y variable.
R2	a matrix of R^2 values of the Y -variables for models with $1, \dots, \text{ncomp}$ components.
Q2	if Y contains one variable, a vector of Q^2 values else a list with a matrix of Q^2 values for each Y -variable and a vector of Q^2 -total values for models with $1, \dots, \text{ncomp}$ components.

For PLS-DA and sPLS-DA models, `valid` produces a matrix of classification error rate estimation. The dimensions correspond to the components in the model and to the prediction method used, respectively.

Author(s)

Sébastien Déjean, Ignacio González and Kim-Anh Lê Cao.

References

- Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.
- Lê Cao, K. A., Rossouw D., Robert-Granié, C. and Besse, P. (2008). A sparse PLS for variable selection when integrating Omics data. *Statistical Applications in Genetics and Molecular Biology* **7**, article 35.
- Mevik, B.-H., Cederkvist, H. R. (2004). Mean Squared Error of Prediction (MSEP) Estimates for Principal Component Regression (PCR) and Partial Least Squares Regression (PLSR). *Journal of Chemometrics* **18**(9), 422-429.

See Also

[predict](#), [nipals](#), [plot.valid](#) and <http://www.math.univ-toulouse.fr/~biostat/mixOmics/> for more details.

Examples

```
## validation for objects of class 'pls' or 'spls'
## Not run:
data(liver.toxicity)
X <- liver.toxicity$gene
Y <- liver.toxicity$clinic

liver.pls <- pls(X, Y, ncomp = 3)
liver.val <- valid(liver.pls, validation = "Mfold")
```

```

plot(liver.val, criterion = "R2", type = "l", layout = c(2, 2))

## End(Not run)

## validation for objects of class 'plsda' or 'splsda'
data(srbct)
X <- srbct$gene
Y <- srbct$class

ncomp = 5
srbct.splsda <- splsda(X, Y, ncomp = ncomp, keepX = rep(10, ncomp))
error <- valid(srbct.splsda, validation = "Mfold", folds = 8,
               method = "all")

plot(error, type = "l")

```

vip

*Variable Importance in the Projection (VIP)***Description**

The function `vip` computes the influence on the Y -responses of every predictor X in the model.

Usage

```
vip(object)
```

Arguments

`object` object of class inheriting from "pls" or "spls".

Details

Variable importance in projection (VIP) coefficients reflect the relative importance of each X variable for each X variate in the prediction model. VIP coefficients thus represent the importance of each X variable in fitting both the X - and Y -variates, since the Y -variates are predicted from the X -variates.

VIP allows to classify the X -variables according to their explanatory power of Y . Predictors with large VIP, larger than 1, are the most relevant for explaining Y .

Value

`vip` produces a matrix of VIP coefficients for each X variable (rows) on each variate component (columns).

Author(s)

Sébastien Déjean and Ignacio González.

References

Tenenhaus, M. (1998). *La régression PLS: théorie et pratique*. Paris: Editions Technic.

See Also

[pls](#), [spls](#), [summary](#).

Examples

```
data(linnerud)
X <- linnerud$exercise
Y <- linnerud$physiological
linn.pls <- pls(X, Y)

linn.vip <- vip(linn.pls)

barplot(linn.vip,
        beside = TRUE, col = c("lightblue", "mistyrose", "lightcyan"),
        ylim = c(0, 1.7), legend = rownames(linn.vip),
        main = "Variable Importance in the Projection", font.main = 4)
```

yeast

Yeast metabolomic study

Description

Two *Saccharomyces Cerevisiae* strains were compared under two different environmental conditions, 37 metabolites expression are measured.

Usage

```
data(yeast)
```

Format

A list containing the following components:

data data matrix with 55 rows and 37 columns. Each row represents an experimental sample, and each column a single metabolite.

strain a factor containing the type of strain (MT or WT).

condition a factor containing the type of environmental condition (AER or ANA).

strain.condition a crossed factor between strain and condition.

Details

In this study, two *Saccharomyces cerevisiae* strains were used - wild-type (WT) and mutant (MT), and were carried out in batch cultures under two different environmental conditions, aerobic (AER) and anaerobic (ANA) in standard mineral media with glucose as the sole carbon source. After normalization and pre processing, the metabolomic data results in 37 metabolites and 55 samples which include 13 MT-AER, 14 MT-ANA, 15 WT-AER and 13 WT-ANA samples

References

Villas-Boas S, Moxley J, Akesson M, Stephanopoulos G, Nielsen J: High-throughput metabolic state analysis (2005). The missing link in integrated functional genomics. *Biochemical Journal*, bold388:669–677.

Index

- *Topic **algebra**
 - [ipca](#), 13
 - [mat.rank](#), 18
 - [nipals](#), 29
 - [pca](#), 32
 - [pcatune](#), 34
 - [sipca](#), 68
 - [spca](#), 70
- *Topic **cluster**
 - [cim](#), 4
- *Topic **color**
 - [jet.colors](#), 15
- *Topic **datasets**
 - [breast.tumors](#), 3
 - [data.simu](#), 7
 - [linnerud](#), 16
 - [liver.toxicity](#), 17
 - [multidrug](#), 19
 - [nutrimouse](#), 31
 - [prostate](#), 62
 - [srbct](#), 76
 - [vac18](#), 81
 - [yeast](#), 86
- *Topic **dplot**
 - [estim.regul](#), 8
 - [image](#), 10
 - [imgCor](#), 11
 - [network](#), 26
 - [plot3dIndiv](#), 42
 - [plot3dVar](#), 45
 - [plotIndiv](#), 49
 - [plotVar](#), 51
- *Topic **graphs**
 - [cim](#), 4
 - [network](#), 26
- *Topic **hplot**
 - [cim](#), 4
 - [image](#), 10
 - [network](#), 26
 - [plot.rcc](#), 39
 - [plot.valid](#), 41
 - [plot3dIndiv](#), 42
 - [plot3dVar](#), 45
 - [plotIndiv](#), 49
 - [plotVar](#), 51
 - [s.match](#), 64
 - [scatterutil](#), 66
- *Topic **iplot**
 - [cim](#), 4
 - [network](#), 26
- *Topic **multivariate**
 - [cim](#), 4
 - [estim.regul](#), 8
 - [imgCor](#), 11
 - [multilevel](#), 20
 - [network](#), 26
 - [nipals](#), 29
 - [pheatmap.multilevel](#), 36
 - [plot.rcc](#), 39
 - [plot.valid](#), 41
 - [plot3dIndiv](#), 42
 - [plot3dVar](#), 45
 - [plotIndiv](#), 49
 - [plotVar](#), 51
 - [pls](#), 54
 - [plsda](#), 56
 - [predict](#), 58
 - [print](#), 60
 - [rcc](#), 62
 - [s.match](#), 64
 - [scatterutil](#), 66
 - [spl](#), 72
 - [splda](#), 74
 - [summary](#), 77
 - [tune.multilevel](#), 79
 - [valid](#), 82
 - [vip](#), 85
- *Topic **regression**

- multilevel, 20
- pheatmap.multilevel, 36
- plot.valid, 41
- pls, 54
- plsda, 56
- predict, 58
- print, 60
- spls, 72
- splsda, 74
- summary, 77
- tune.multilevel, 79
- valid, 82
- vip, 85
- *Topic **utilities**
 - nearZeroVar, 25
- barplot, 40
- bin.color (internal-functions), 13
- biplot, 33, 35
- breast.tumors, 3
- cim, 4, 23, 28, 53, 64, 74, 75
- colorRamp, 15
- colors, 15
- cor, 12
- data.simu, 7
- dist, 5, 37
- eigen, 31
- estim.regul, 8, 10, 64
- gpar, 38
- gray, 15
- grid.text, 38
- hclust, 5, 7, 37
- heat.colors, 10, 11, 15
- heatmap, 7
- hsv, 15
- ica.def (internal-functions), 13
- ica.par (internal-functions), 13
- image, 5, 7, 10, 10, 12
- image.estim.regul, 10
- imgCor, 11
- internal-functions, 13
- ipca, 13, 70
- jet.colors, 5, 12, 15
- linnerud, 16
- liver.toxicity, 17
- loo, 10
- loo (internal-functions), 13
- map (internal-functions), 13
- mat.rank, 18
- Mfold, 10
- Mfold (internal-functions), 13
- multidrug, 19
- multilevel, 20, 38, 80
- nearZeroVar, 24, 55, 56, 73, 74, 83
- network, 7, 23, 26, 53, 64, 74, 75
- nipals, 18, 29, 33, 35, 84
- nutrimouse, 31
- order.dendrogram, 6
- palette, 15
- par, 5, 12, 40, 50, 53
- pca, 14, 32, 70, 72
- pcasvd (internal-functions), 13
- pcatune, 34
- pheatmap, 38
- pheatmap.multilevel, 36
- plot.rcc, 39, 64
- plot.valid, 41, 84
- plot3dIndiv, 14, 23, 33, 35, 42, 48, 51, 57, 64, 70, 74, 75
- plot3dVar, 7, 14, 23, 28, 33, 35, 44, 45, 53, 57, 64, 70, 74, 75
- plotIndiv, 14, 23, 33, 35, 44, 49, 55, 57, 64, 70, 74, 75
- plotVar, 7, 14, 23, 28, 33, 35, 48, 51, 55, 57, 64, 70, 74, 75
- pls, 42, 54, 59, 61, 74, 78, 86
- plsda, 42, 56, 59
- points, 40, 50–52
- prcomp, 31, 33
- predict, 55, 57, 58, 74, 75, 83, 84
- princomp, 31, 33, 35
- print, 60
- prostate, 62
- q2.pls (internal-functions), 13
- q2.spls (internal-functions), 13
- rainbow, 5, 10, 11, 15
- rcc, 61, 62, 78

rgl.postscript, [44](#), [48](#)

s.match, [64](#), [66](#)

scale, [33](#), [34](#), [71](#)

scatterutil, [66](#)

select.var, [67](#)

sipca, [14](#), [68](#)

spca, [70](#)

split, [9](#)

Split.variation.one.level
 (internal-functions), [13](#)

Split.variation.two.level
 (internal-functions), [13](#)

spls, [23](#), [42](#), [55](#), [59](#), [61](#), [72](#), [75](#), [78](#), [86](#)

spls.model (internal-functions), [13](#)

splsda, [23](#), [42](#), [57](#), [59](#), [74](#)

splsda.model (internal-functions), [13](#)

srbc, [76](#)

summary, [55](#), [57](#), [64](#), [74](#), [75](#), [77](#), [86](#)

svd, [31](#)

terrain.colors, [5](#), [10](#), [15](#)

text, [50](#), [51](#)

text3d, [44](#), [47](#), [48](#)

title3d, [44](#), [47](#), [48](#)

topo.colors, [5](#), [10](#), [11](#), [15](#)

tune.multilevel, [79](#)

tune.splsda.level1 (tune.multilevel), [79](#)

tune.splsda.level2 (tune.multilevel), [79](#)

tune.spls.level (tune.multilevel), [79](#)

unmap (internal-functions), [13](#)

vac18, [81](#)

valid, [41](#), [42](#), [55](#), [57](#), [74](#), [75](#), [82](#)

vip, [61](#), [78](#), [85](#)

xyplot, [41](#)

yeast, [86](#)