

3.2.P.3.2 Batch Formula

AMLOZA (Amlodipine Besylate Tablets, USP) 5 mg / 10 mg — ANDA

The following is an example fixed quantitative (per-tablet) composition, provided for academic portfolio demonstration purposes. The 5 mg and 10 mg strengths are formulated proportionally by weight, consistent with a common-blend, proportional-formulation approach across strengths.

Ingredient (Function)	5 mg (mg/tab)	10 mg (mg/tab)	% w/w
Amlodipine Besylate USP, eq. to amlodipine (Active)	6.94	13.87	6.94%
Microcrystalline Cellulose NF (Diluent)	60.00	120.00	60.00%
Anhydrous Dibasic Calcium Phosphate USP (Diluent/Binder)	25.00	50.00	25.00%
Sodium Starch Glycolate, Type A NF (Disintegrant)	5.00	10.00	5.00%
Magnesium Stearate NF (Lubricant)	3.06	6.13	3.06%
Total tablet core weight	100.00	200.00	100.00%

Representative exhibit batch example (10 mg strength, 100,000-tablet batch — consistent with FDA's minimum exhibit batch size recommendation of 100,000 units or 10% of the intended commercial batch size, whichever is larger, for solid oral dosage forms):

Amlodipine Besylate USP	1.387 kg
Microcrystalline Cellulose NF	12.000 kg
Anhydrous Dibasic Calcium Phosphate USP	5.000 kg
Sodium Starch Glycolate, Type A NF	1.000 kg

Magnesium Stearate NF	0.613 kg
Total batch weight	20.000 kg

The 5 mg strength batch formula scales proportionally from the same core-weight ratio. Figures are rounded to the nearest 0.01 mg / 0.001 kg for tabulation; minor rounding differences ($\leq 0.01\%$) may occur and would be reconciled in the actual approved master batch record.

ACADEMIC PORTFOLIO EXERCISE — NOT FOR REGULATORY SUBMISSION