
general feedback, assignment 1

Lau Møller Andersen

2026-10-23

- don't show me the messages following from reading in your libraries (`{r, message=FALSE}`)




```
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ------------------------ tidyverse 2.0.0 --
## v dplyr     1.2.0     v readr     2.2.0
## v forcats   1.0.1     v stringr   1.6.0
## v ggplot2   4.0.2     v tibble    3.3.1
## v lubridate 1.9.5     v tidyr     1.3.2
## v purrr     1.2.1
## -- Conflicts ------------------------------------------ tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become error
```

Figure 1: no messages please

- remember that the summary of an ANOVA only gives you comparisons to the base level. Better to report the ANOVA first and then do the comparisons afterwards
- when you are plotting the outcome of ANOVA's don't connect the dots with lines; that gives the impression of a linear regression



)

- add error bars on plots where you are making estimates
- remember to answer all questions; that is: provide summaries in text when asked to
- when you refer to values, such as p and b, make sure to show the code that provided them.
- When talking about significance, make sure you say what is significant: what is the contrast being tested. You cannot just say that, say, *singles* is significant. What is it compared against?
- Be careful; p-values don't tell if something is better than anything else; it talks about the probability of observing the given test statistic: t, F, chi, given that the null hypothesis is true. If that probability is lower than our alpha value, we reject the null hypothesis
- in anova, you can include all models, e.g. a anova(model.0, model.1, model.2) to compare all in one command
- in your text summaries, make sure to relate back to the experiment. Don't just describe the distributions. Also indicate what can be inferred from it in terms of an experiment
- Plots are beautiful; some few tips for improvement: use bar plots for counts with individuals highligthed as well; base the plots on the full model (with interactions) even if that is not your chose model
- Remember; don't show enormous summaries; (you're much better at not doing it, but there are still a few around)




Figure 2: no error bars