
a
PBMC
FTD
BT474
K562
HG002
UHRR
All
Pile−up + cap
+ CAGE or refTSS
+ not canonical TSS
+ protein altered
+ N−truncated
5,263
177
146
75
24
16
6,222
83
70
29
7
4
460
90
81
54
14
8
519
58
55
34
9
7
880
91
89
54
14
10
734
73
64
40
10
7
1
100
10,000
strict ISM TSSs
b
Same−exon random
Site
Capped pile−up
Uncapped pile−up
% within 10 nt of a CAGE peak
100
75
50
25
0
PBMC
FTD
BT474
K562
HG002
UHRR
c
Supported TSSs kept (%; higher is better)
IsoSeq
LRAA
better
Mandalorion
ESPRESSO
Bambu
StringTie
IsoQuant
0
2
10
50
100
Truncation−like pile−ups kept (%; lower is better)
d
COMT, BT474: 271 −> 221 aa
S−site reads 47% capped
CAGE
COMT−L
COMT−S
Read 5' ends
2000
1500
1000
500
0
e
EPB41L3, FTD: 865 −> 318 aa
S−site reads 53% capped
CAGE
EPB41L3−L
EPB41L3−S
Read 5' ends
20
15
10
5
0
f
CORO1B, PBMC: 489 −> 171 aa
S−site reads 71% capped
CAGE
CORO1B−L
CORO1B−S
Read 5' ends
600
400
200
0
g
RECQL4, BT474: 1208 −> 851 aa
S−site reads 85% capped
CAGE
RECQL4−L
RECQL4−S
Read 5' ends
50
40
30
20
10
0
Starts at L's TSS
Starts at the S site
Starts elsewhere