DATABASE ATLAS / 01

IoT Hub

Entity Relationship Diagram

33 TABLES / 48 RELATIONSHIPS / 10 DOMAINS

PostgreSQL · public schema + auth.users reference

PK Primary key | FK Foreign key | UQ Unique | ? Nullable | Arrows: FK → referenced key | All unmarked columns: NOT NULL

01 Identity & access

Application profiles, platform roles and the Supabase Auth boundary

3 TABLES

users public

KEY	COLUMN	POSTGRESQL TYPE
PK FK	**id**	UUID
FK	role_id	UUID
UQ	username	TEXT
	display_name	VARCHAR(60) ?
	bio	VARCHAR(280) ?
UQ	email	TEXT
	is_active	BOOLEAN
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

roles public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
UQ	name	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

auth.users EXTERNAL

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID

Reference only: id is the only field shown.
Supabase-managed table; outside public schema.

02 Workspaces & membership

Ownership and explicit membership define the collaboration boundary

2 TABLES

workspaces public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	owner_id	UUID
	name	TEXT
UQ	slug	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

workspace_members public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	workspace_id	UUID
FK	user_id	UUID
	role	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (workspace_id, user_id)

03 Projects & circuit design

Project source files, placed components and pin-to-pin connections

4 TABLES

projects public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	workspace_id	UUID
	name	TEXT
	slug	TEXT
	description	TEXT
	board	TEXT
	framework	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (workspace_id, slug)

project_files public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
	path	TEXT
	content	TEXT
	content_hash	TEXT
	size_bytes	INTEGER
	version	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (project_id, path)

project_components public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
	definition_id	TEXT
	label	TEXT
	x	DOUBLE PRECISION
	y	DOUBLE PRECISION
	rotation	INTEGER
	state	JSONB
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

project_connections public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
FK	from_component_id	UUID
FK	to_component_id	UUID
	from_pin_id	TEXT
	to_pin_id	TEXT
	color	TEXT
	kind	TEXT
	waypoints	JSONB
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

04 Plans & subscriptions

Subscription tiers, per-plan limits and the user subscription

3 TABLES

plans public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
UQ	code	TEXT
	name	TEXT
	rank	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

plan_limits public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	plan_id	UUID
	key	TEXT
	value	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (plan_id, key)

user_subscriptions public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK UQ	user_id	UUID
FK	plan_id	UUID
	status	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

05 Community

Posts, answers, tags and votes, including optional and self-referencing links

5 TABLES

community_posts public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	author_id	UUID
FK UQ	accepted_comment_id	UUID ?
	kind	TEXT
	title	TEXT
UQ	slug	TEXT
	body	TEXT
	status	TEXT
	score	INTEGER
	comment_count	INTEGER
	view_count	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)
	last_activity_at	TIMESTAMP(3)

community_comments public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	post_id	UUID
FK	author_id	UUID
FK	parent_id	UUID ?
	body	TEXT
	score	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

community_tags public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
UQ	slug	TEXT
	name	TEXT
	description	TEXT
	post_count	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

community_votes public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	user_id	UUID
FK	post_id	UUID ?
FK	comment_id	UUID ?
	value	SMALLINT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (user_id, post_id)
UQ (user_id, comment_id)

community_post_tags public

KEY	COLUMN	POSTGRESQL TYPE
PK FK	**post_id**	UUID
PK FK	**tag_id**	UUID
	created_at	TIMESTAMP(3)

06 Activity & history

Private sign-in events and per-user search history

2 TABLES

login_events public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	user_id	UUID
UQ	session_id	UUID
	ip_address	TEXT
	user_agent	TEXT
	created_at	TIMESTAMP(3)

search_history public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	user_id	UUID
	scope	TEXT
	query	TEXT
	created_at	TIMESTAMP(3)

UQ (user_id, scope, query)

07 Firmware builds

Queued build jobs claimed by the isolated builder and the images they produce

2 TABLES

build_jobs public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
FK	requested_by	UUID ?
	status	TEXT
	board_id	TEXT
	platform	TEXT
	platform_board	TEXT
	source	JSONB ?
	source_hash	TEXT
	failure_reason	TEXT ?
	log	TEXT
	duration_ms	INTEGER ?
	created_at	TIMESTAMP(3)
	started_at	TIMESTAMP(3) ?
	finished_at	TIMESTAMP(3) ?
	lease_expires_at	TIMESTAMP(3) ?

build_artifacts public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	build_job_id	UUID
	name	TEXT
	flash_offset	INTEGER ?
	size_bytes	INTEGER
	sha256	TEXT
	created_at	TIMESTAMP(3)

UQ (build_job_id, name)

08 Dashboards & datastreams

Per-project datastreams and dashboards, and reusable versioned templates

4 TABLES

project_datastreams public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
FK	component_id	UUID ?
	key	TEXT
	name	TEXT
	data_type	TEXT
	unit	TEXT
	min	DOUBLE PRECISION ?
	max	DOUBLE PRECISION ?
	source	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

UQ (project_id, key)

project_dashboards public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK UQ	project_id	UUID
FK	template_id	UUID ?
	name	TEXT
	document	JSONB
	version	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)
	template_version	INTEGER ?

dashboard_templates public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	workspace_id	UUID
FK	created_by	UUID ?
	name	TEXT
	description	TEXT
	board_id	TEXT
	visibility	TEXT
	latest_version	INTEGER
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

dashboard_template_versions public

KEY	COLUMN	POSTGRESQL TYPE
PK FK	**template_id**	UUID
PK	**version**	INTEGER
FK	created_by	UUID ?
	document	JSONB
	datastreams	JSONB
	created_at	TIMESTAMP(3)

09 Devices & telemetry

Provisioned devices, their latest values and the telemetry history

3 TABLES

devices public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	project_id	UUID
FK	created_by	UUID ?
	name	TEXT
UQ	token_hash	TEXT
	token_hint	TEXT
	last_seen_at	TIMESTAMP(3) ?
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

device_values public

KEY	COLUMN	POSTGRESQL TYPE
PK FK	**device_id**	UUID
PK	**key**	TEXT
	value	JSONB
	source	TEXT
	updated_at	TIMESTAMP(3)

telemetry_points public

KEY	COLUMN	POSTGRESQL TYPE
FK	device_id	UUID
	key	TEXT
	value	DOUBLE PRECISION ?
	text	TEXT ?
	recorded_at	TIMESTAMP(3)

10 AI assistant & credits

Profiles, saved conversations, model settings, credit overrides and usage

6 TABLES

ai_profiles public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	owner_id	UUID ?
	name	TEXT
	description	TEXT
	model	TEXT ?
	tier	TEXT
	instructions	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

ai_conversations public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	user_id	UUID
FK	project_id	UUID
FK	profile_id	UUID ?
	title	TEXT
	created_at	TIMESTAMP(3)
	updated_at	TIMESTAMP(3)

ai_messages public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	UUID
FK	conversation_id	UUID
	role	TEXT
	content	TEXT
	plan	JSONB ?
	plan_state	TEXT ?
	plan_error	TEXT ?
	model	TEXT ?
	created_at	TIMESTAMP(3)

ai_settings public

KEY	COLUMN	POSTGRESQL TYPE
PK	**id**	SMALLINT
	primary_model	TEXT ?
	fallback_models	TEXT[] ?
	daily_credits	INTEGER
	weekly_credits	INTEGER
	monthly_credits	INTEGER
	daily_reset_minute	SMALLINT
	weekly_reset_minute	SMALLINT
	weekly_reset_day	SMALLINT
	monthly_reset_minute	SMALLINT
	monthly_reset_day	SMALLINT
	updated_at	TIMESTAMP(3)
	updated_by	UUID ?

ai_credit_overrides public

KEY	COLUMN	POSTGRESQL TYPE
PK FK	**user_id**	UUID
	daily_credits	INTEGER ?
	weekly_credits	INTEGER ?
	monthly_credits	INTEGER ?
	note	TEXT
	updated_at	TIMESTAMP(3)

ai_usage_events public

KEY	COLUMN	POSTGRESQL TYPE
FK	user_id	UUID
	feature	TEXT
	model	TEXT
	credits	INTEGER
	input_tokens	INTEGER ?
	output_tokens	INTEGER ?
	created_at	TIMESTAMP(3)

SCHEMA NOTES

community_votes: exactly one of post_id / comment_id is set; value is -1 or 1.
TEXT is the actual SQL type. TIMESTAMP(3) has millisecond precision and no time zone.
Composite unique keys appear below their table. Full cardinalities are listed in the companion HTML.

Source: iot-hub-be/prisma/schema.prisma + versioned migrations · Repository snapshot, 2026-10-18
Supabase-managed auth.users is abbreviated. Planned domains without persisted tables are excluded.