ci.yml

```yaml
name: CI

on:
  push:
    branches: [main]
  pull_request:

jobs:
  build:
    runs-on: ubuntu-latest

    steps:
      - name: Checkout repository
        uses: actions/checkout@v4

      - name: Setup Node.js
        uses: actions/setup-node@v4
        with:
          node-version: 20
          cache: npm

      - name: Install dependencies
        run: npm install

      - name: Run TypeScript check
        run: npm run lint

      - name: Build app
        run: npm run build

      - name: Upload build artifact
        uses: actions/upload-artifact@v4
        with:
          name: transcript-portal-build
          path: dist/

```

deploy-pages.yml

```yaml
name: Deploy to GitHub Pages

on:
  push:
    branches: [main]
  workflow_dispatch:

permissions:
  contents: read
  pages: write
  id-token: write

concurrency:
  group: pages
  cancel-in-progress: true

jobs:
  build:
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v4

      - name: Setup Node
        uses: actions/setup-node@v4
        with:
          node-version: 20
          cache: npm

      - name: Install dependencies
        run: npm install

      - name: Build app
        run: npm run build

      - name: Upload Pages artifact
```

```
      uses: actions/upload-pages-artifact@v3
      with:
        path: dist

deploy:
  environment:
    name: github-pages
    url: ${{ steps.deployment.outputs.page_url }}
  runs-on: ubuntu-latest
  needs: build
  steps:
    - name: Deploy to GitHub Pages
      id: deployment
      uses: actions/deploy-pages@v4

```

jekyll-gh-pages.yml

```yaml
# Sample workflow for building and deploying a Jekyll site to GitHub Pages
name: Deploy Jekyll with GitHub Pages dependencies preinstalled

on:
  # Runs on pushes targeting the default branch
  push:
    branches: ["main"]

  # Allows you to run this workflow manually from the Actions tab
  workflow_dispatch:

# Sets permissions of the GITHUB_TOKEN to allow deployment to GitHub Pages
permissions:
  contents: read
  pages: write
  id-token: write

# Allow only one concurrent deployment, skipping runs queued between the run in-progress and latest queued.
# However, do NOT cancel in-progress runs as we want to allow these production deployments to complete.
concurrency:
  group: "pages"
  cancel-in-progress: false

jobs:
  # Build job
  build:
    runs-on: ubuntu-latest
    steps:
      - name: Checkout
        uses: actions/checkout@v4
```

```
      - name: Setup Pages
        uses: actions/configure-pages@v5
      - name: Build with Jekyll
        uses: actions/jekyll-build-pages@v1
        with:
          source: ./
          destination: ./_site
      - name: Upload artifact
        uses: actions/upload-pages-artifact@v3

  # Deployment job
  deploy:
    environment:
      name: github-pages
      url: ${{ steps.deployment.outputs.page_url }}
    runs-on: ubuntu-latest
    needs: build
    steps:
      - name: Deploy to GitHub Pages
        id: deployment
        uses: actions/deploy-pages@v5

```

index.html

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>University of Eastern Nigeria - Online Transcript Processing Portal</title>
    <meta name="description" content="Official electronic and physical transcript application, tracking, Remita fee clearance, and credential verification portal for University of Eastern Nigeria, Nsukka & Enugu Campus." />
    <meta property="og:title" content="University of Eastern Nigeria - Online Transcript Processing Portal" />
    <meta property="og:description" content="Official electronic and physical transcript application, tracking, Remita fee clearance, and credential verification portal for University of Eastern Nigeria, Nsukka & Enugu Campus." />
    <meta property="og:type" content="website" />
    <meta name="twitter:card" content="summary_large_image" />
    <link rel="preconnect" href="https://fonts.googleapis.com" />
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin />
    <link href="https://fonts.googleapis.com/css2?family=Cinzel:wght@500;600;700;800&family=Newsreader:ital,opsz,wght@0,6..72,400;0,6..72,600;0,6..72,700;1,6..72,400&family=Plus+Jakarta+Sans:wght@400;500;600;700&display=swap" rel="stylesheet" />
  </head>
  <body>
    <div id="root"></div>
    <script type="module" src="/src/main.tsx"></script>
  </body>
</html>


```

App.tsx

```tsx
/**
 * @license
 * SPDX-License-Identifier: Apache-2.0
 */

import React, { useState, useEffect } from 'react';
import { Header } from './components/Header';
import { RequestTranscriptForm } from './components/RequestTranscriptForm';
import { TrackApplication } from './components/TrackApplication';
import { TranscriptDocument } from './components/TranscriptDocument';
import { VerifyTranscript } from './components/VerifyTranscript';
import { RegistrarDesk } from './components/RegistrarDesk';
import { PrintReceiptModal } from './components/PrintReceiptModal';
import { TranscriptRequest, RequestStatus } from './types';
import { INITIAL_REQUESTS, UNIVERSITY_INFO } from './data/mockData';
import { ShieldCheck, CheckCircle2, Lock, Award, Mail, Phone, ExternalLink } from 'lucide-react';

export default function App() {
  const [activeTab, setActiveTab] = useState<'request' | 'track' | 'preview' | 'verify' | 'registrar'>('request');

  // Local persistence for requests so newly created requests persist during the session
  const [requests, setRequests] = useState<TranscriptRequest[]>(() => {
    try {
      const saved = localStorage.getItem('amu_transcript_requests');
      if (saved) {
```

```
        return JSON.parse(saved);
      }
    } catch (e) {
      console.error(e);
    }
    return INITIAL_REQUESTS;
  });

  const [selectedTrackingId, setSelectedTrackingId] = useState<string>('TRX-2026-88102');
  const [selectedStudentId, setSelectedStudentId] = useState<string>('AMU-2020-0914');
  const [verificationCode, setVerificationCode] = useState<string>('AMU-VER-9842-CS-89A');
  const [receiptModalRequest, setReceiptModalRequest] = useState<TranscriptRequest | null>(null);
  const [toastMessage, setToastMessage] = useState<string | null>(null);

  useEffect(() => {
    try {
      localStorage.setItem('amu_transcript_requests', JSON.stringify(requests));
    } catch (e) {
      console.error(e);
    }
  }, [requests]);

  const showToast = (msg: string) => {
    setToastMessage(msg);
    setTimeout(() => {
      setToastMessage(null);
    }, 4000);
  };

  // Handler when student submits new request
  const handleNewRequest = (newReq: TranscriptRequest) => {
    setRequests((prev) => [newReq, ...prev]);
```

```
    setSelectedTrackingId(newReq.id);
    setSelectedStudentId(newReq.studentId);
    showToast(`Application ${newReq.id} received and logged in to Registrar queue.`);
  };

  // Handler when Registrar updates status
  const handleUpdateStatus = (
    id: string,
    newStatus: RequestStatus,
    notes?: string,
    holdReason?: string
  ) => {
    setRequests((prev) =>
      prev.map((r) => {
        if (r.id === id) {
          const updated: TranscriptRequest = {
            ...r,
            status: newStatus,
            statusNotes: notes || r.statusNotes,
            holdReason: holdReason !== undefined ? holdReason : r.holdReason,
            dispatchedAt: newStatus === 'dispatched' ? new Date().toLocaleString() : r.dispatchedAt,
            securityHash: newStatus === 'dispatched' && !r.securityHash ? `AMU-VER-${Math.floor(1000 + Math.random() * 9000)}-${r.studentId.slice(-4)}` : r.securityHash
          };
          return updated;
        }
        return r;
      })
    );

    if (newStatus === 'dispatched') {
      showToast(`Request ${id} officially attested, cryptographically sealed, and dispatched.`);
    } else if (newStatus === 'hold') {
```

```
      showToast(`Academic/Financial hold placed on ${id}.`);
    } else {
      showToast(`Request ${id} milestone updated to ${newStatus.replace('_', ' ')}.`);
    }
  };

  const pendingRegistrarCount = requests.filter(r => r.status !== 'dispatched').length;

  return (
    <div className="min-h-screen bg-slate-100 flex flex-col font-sans-ui text-slate-900">
      {/* Toast Notification */}
      {toastMessage && (
        <div className="no-print fixed bottom-5 right-5 z-50 bg-slate-900 text-white px-4 py-3 rounded-xl shadow-2xl border border-slate-700 flex items-center gap-3 text-xs animate-in fade-in slide-in-from-bottom-3 duration-300">
          <CheckCircle2 className="w-4 h-4 text-emerald-400 flex-shrink-0" />
          <span>{toastMessage}</span>
        </div>
      )}

      {/* Header */}
      <Header
        activeTab={activeTab}
        setActiveTab={setActiveTab}
        pendingRegistrarCount={pendingRegistrarCount}
      />

      {/* Main View Container */}
      <main className="flex-1 pb-16">
        {activeTab === 'request' && (
          <RequestTranscriptForm
            onSubmitSuccess={handleNewRequest}
            onNavigateToTrack={(id) => {
```

```
              setSelectedTrackingId(id);
              setActiveTab('track');
            }}
            onNavigateToPreview={(sId) => {
              setSelectedStudentId(sId);
              setActiveTab('preview');
            }}
          />
        )}

        {activeTab === 'track' && (
          <TrackApplication
            requests={requests}
            selectedTrackingId={selectedTrackingId}
            onViewTranscript={(sId) => {
              setSelectedStudentId(sId);
              setActiveTab('preview');
            }}
            onOpenReceipt={(req) => setReceiptModalRequest(req
)}
          />
        )}

        {activeTab === 'preview' && (
          <TranscriptDocument
            selectedStudentId={selectedStudentId}
            onVerifyCode={(code) => {
              setVerificationCode(code);
              setActiveTab('verify');
            }}
          />
        )}

        {activeTab === 'verify' && (
          <VerifyTranscript
            initialCode={verificationCode}
            onViewStudentTranscript={(sId) => {
              setSelectedStudentId(sId);
```

```
              setActiveTab('preview');
            }}
          />
        )}

        {activeTab === 'registrar' && (
          <RegistrarDesk
            requests={requests}
            onUpdateRequestStatus={handleUpdateStatus}
            onViewTranscript={(sId) => {
              setSelectedStudentId(sId);
              setActiveTab('preview');
            }}
          />
        )}
      </main>

      {/* Receipt Modal */}
      {receiptModalRequest && (
        <PrintReceiptModal
          request={receiptModalRequest}
          onClose={() => setReceiptModalRequest(null)}
        />
      )}

      {/* Collegiate Academic Footer */}
      <footer className="no-print bg-slate-900 text-slate-400 text-xs border-t border-slate-800 py-10 mt-auto">
        <div className="max-w-7xl mx-auto px-4 sm:px-6">
          <div className="grid grid-cols-1 md:grid-cols-4 gap-8 pb-8 border-b border-slate-800">
            <div className="space-y-2">
              <div className="flex items-center gap-2">
                <Award className="w-5 h-5 text-amber-500" />
                <span className="font-bold text-white font-display-crest text-sm tracking-wide">
                  {UNIVERSITY_INFO.name}
                </span>
```

```
              </div>
              <p className="text-[11px] text-slate-400 leading
-relaxed">
                {UNIVERSITY_INFO.department}. Official electro
nic and physical credential dissemination system.
              </p>
              <div className="text-[11px] text-amber-400 font-
serif-academic italic">
                "{UNIVERSITY_INFO.motto}"
              </div>
            </div>

            <div className="space-y-2">
              <h4 className="text-white font-bold text-xs uppe
rcase tracking-wider">Office Hours & Location</h4>
              <p className="text-[11px] text-slate-400">
                Monday - Friday: 8:30 AM - 5:00 PM EST<br />
                Academic Records Pavilion, Suite 104<br />
                {UNIVERSITY_INFO.address}
              </p>
            </div>

            <div className="space-y-2">
              <h4 className="text-white font-bold text-xs uppe
rcase tracking-wider">Registrar Inquiries</h4>
              <p className="text-[11px] text-slate-400">
                Direct Line: <strong className="text-slate-300
">{UNIVERSITY_INFO.phone}</strong><br />
                Official Email: <strong className="text-slate-
300">{UNIVERSITY_INFO.email}</strong><br />
                WES Direct Electronic Dispatch EDI Code: <span
 className="font-mono text-amber-300">AMU-0914</span>
              </p>
            </div>

            <div className="space-y-2">
              <h4 className="text-white font-bold text-xs uppe
rcase tracking-wider">Accreditation & Compliance</h4>
```

```
              <div className="flex items-center gap-2 text-sla
te-300 text-[11px]">
                <ShieldCheck className="w-4 h-4 text-emerald-4
00 flex-shrink-0" />
                <span>FERPA Compliant Security Infrastructure<
/span>
              </div>
              <p className="text-[11px] text-slate-500 leading
-relaxed">
                Transcripts issued through this portal bear th
e cryptographic signature of the University Registrar and are
certified authentic for global admissions and employment.
              </p>
            </div>
          </div>

          <div className="pt-6 flex flex-col sm:flex-row items
-center justify-between gap-3 text-[11px] text-slate-500">
            <div>
              © 2026 {UNIVERSITY_INFO.name}. All Rights Reserv
ed. Student Records & Academic Archives Division.
            </div>
            <div className="flex items-center gap-4">
              <span>Security Hash Verification</span>
              <span>•</span>
              <span>Electronic Seal Protocol</span>
              <span>•</span>
              <span>Privacy & Records Disclosure</span>
            </div>
          </div>
        </div>
      </footer>
    </div>
  );
}

```

Header.tsx

```tsx
import React from 'react';
import { Award, FileText, Search, ShieldCheck, UserCheck, PhoneCall, HelpCircle } from 'lucide-react';
import { UNIVERSITY_INFO } from '../data/mockData';

interface HeaderProps {
  activeTab: 'request' | 'track' | 'preview' | 'verify' | 'registrar';
  setActiveTab: (tab: 'request' | 'track' | 'preview' | 'verify' | 'registrar') => void;
  pendingRegistrarCount: number;
}

export const Header: React.FC<HeaderProps> = ({
  activeTab,
  setActiveTab,
  pendingRegistrarCount
}) => {
  return (
    <header className="bg-slate-900 text-slate-100 border-b border-slate-800 shadow-md">
      {/* Top utility banner */}
      <div className="bg-slate-950 border-b border-slate-800/80 px-4 py-1.5 text-xs text-slate-400">
        <div className="max-w-7xl mx-auto flex flex-wrap items-center justify-between gap-2">
          <div className="flex items-center gap-4">
            <span className="flex items-center gap-1 text-amber-400/90 font-medium">
              <span className="inline-block w-2 h-2 rounded-full bg-emerald-400 animate-pulse"></span>
              UEN e-Transcript Portal (24/7 Automated Clearance)
            </span>
            <span className="hidden md:inline text-slate-500">|</span>
```

```
            <span className="hidden md:inline text-slate-400">National Universities Commission (NUC) Accredited • Remita Enabled</span>
          </div>
          <div className="flex items-center gap-4">
            <a href="#help" onClick={(e) => { e.preventDefault(); alert("University Registrar Desk: " + UNIVERSITY_INFO.phone + " | Email: " + UNIVERSITY_INFO.email); }} className="hover:text-amber-300 transition-colors flex items-center gap-1">
              <PhoneCall className="w-3 h-3" />
              <span>Records Desk: {UNIVERSITY_INFO.phone}</span>
            </a>
            <span className="text-slate-600">|</span>
            <span className="text-slate-400 font-mono">Academic Session 2025/2026</span>
          </div>
        </div>
      </div>

      {/* Main University Header */}
      <div className="max-w-7xl mx-auto px-4 py-4 sm:px-6">
        <div className="flex flex-col md:flex-row md:items-center md:justify-between gap-4">
          {/* Logo & University identity */}
          <div className="flex items-center gap-3.5">
            <div className="relative flex-shrink-0 w-13 h-13 rounded-lg bg-gradient-to-br from-amber-600 via-amber-700 to-slate-900 p-0.5 shadow-lg border border-amber-500/40">
              <div className="w-full h-full rounded-[7px] bg-slate-900 flex flex-col items-center justify-center text-amber-400">
                <Award className="w-7 h-7 text-amber-400" />
                <span className="text-[9px] font-bold tracking-widest font-display-crest text-amber-300">UEN</span>
              </div>
            </div>

```

```
            <div>
              <div classNamе="flex items-center gap-2">
                <h1 classNamе="text-xl sm:text-2xl font-bold t
racking-tight text-white font-display-crest">
                  {UNIVERSITY_INFO.name}
                </h1>
                <span classNamе="hidden sm:inline-block text-[
10px] uppercase font-semibold px-2 py-0.5 rounded bg-amber-500
/20 text-amber-300 border border-amber-500/30">
                  Est. {UNIVERSITY_INFO.established}
                </span>
              </div>
              <p classNamе="text-xs sm:text-sm text-slate-300
flex items-center gap-1.5 font-medium">
                <span>{UNIVERSITY_INFO.department}</span>
                <span classNamе="text-slate-500">•</span>
                <span classNamе="text-slate-400 italic font-se
rif-academic">"{UNIVERSITY_INFO.motto}"</span>
              </p>
            </div>
          </div>

          {/* Quick status badge */}
          <div classNamе="hidden lg:flex items-center gap-3 te
xt-right">
            <div classNamе="px-3.5 py-1.5 rounded-lg bg-slate-
800/80 border border-slate-700/80 text-xs">
              <div classNamе="text-slate-400">Official Electro
nic Delivery</div>
              <div classNamе="text-amber-400 font-semibold fle
x items-center gap-1 justify-end">
                <ShieldCheck classNamе="w-3.5 h-3.5 text-emera
ld-400" />
                <span>Cryptographically Sealed (PDF)</span>
              </div>
            </div>
          </div>
        </div>
```

```
80
81          {/* Navigation Tabs */}
82          <nav className="mt-5 flex items-center gap-1 sm:gap-2
    overflow-x-auto border-t border-slate-800 pt-3 pb-1 no-scrollb
    ar">
83            <button
84              id="tab-request-btn"
85              onClick={() => setActiveTab('request')}
86              className={`flex items-center gap-2 px-3.5 py-2 ro
    unded-md text-xs sm:text-sm font-medium transition-all whitesp
    ace-nowrap ${
87                activeTab === 'request'
88                  ? 'bg-amber-600 text-white shadow-sm font-semi
    bold'
89                  : 'text-slate-300 hover:text-white hover:bg-sl
    ate-800/70'
90              }`}
91            >
92              <FileText className="w-4 h-4" />
93              <span>Request Transcript</span>
94            </button>
95
96            <button
97              id="tab-track-btn"
98              onClick={() => setActiveTab('track')}
99              className={`flex items-center gap-2 px-3.5 py-2 ro
    unded-md text-xs sm:text-sm font-medium transition-all whitesp
    ace-nowrap ${
100               activeTab === 'track'
101                 ? 'bg-amber-600 text-white shadow-sm font-semi
    bold'
102                 : 'text-slate-300 hover:text-white hover:bg-sl
    ate-800/70'
103             }`}
104           >
105             <Search className="w-4 h-4" />
106             <span>Track Application</span>
107           </button>
```

```
108
109           <button
110             id="tab-preview-btn"
111             onClick={() => setActiveTab('preview')}
112             className={`flex items-center gap-2 px-3.5 py-2 ro
    unded-md text-xs sm:text-sm font-medium transition-all whitesp
    ace-nowrap ${
113               activeTab === 'preview'
114                 ? 'bg-amber-600 text-white shadow-sm font-semi
    bold'
115                 : 'text-slate-300 hover:text-white hover:bg-sl
    ate-800/70'
116             }`}
117           >
118             <Award className="w-4 h-4" />
119             <span>Official Transcript Viewer</span>
120           </button>
121
122           <button
123             id="tab-verify-btn"
124             onClick={() => setActiveTab('verify')}
125             className={`flex items-center gap-2 px-3.5 py-2 ro
    unded-md text-xs sm:text-sm font-medium transition-all whitesp
    ace-nowrap ${
126               activeTab === 'verify'
127                 ? 'bg-amber-600 text-white shadow-sm font-semi
    bold'
128                 : 'text-slate-300 hover:text-white hover:bg-sl
    ate-800/70'
129             }`}
130           >
131             <ShieldCheck className="w-4 h-4" />
132             <span>Verify Credential</span>
133           </button>
134
135           <button
136             id="tab-registrar-btn"
137             onClick={() => setActiveTab('registrar')}
```

```
            className={`flex items-center gap-2 px-3.5 py-2 ro
unded-md text-xs sm:text-sm font-medium transition-all whitesp
ace-nowrap ml-auto ${
              activeTab === 'registrar'
                ? 'bg-slate-100 text-slate-900 shadow-sm font-
bold'
                : 'text-slate-300 hover:text-white bg-slate-80
0/60 hover:bg-slate-800 border border-slate-700/60'
            }`}
          >
            <UserCheck className="w-4 h-4 text-amber-400" />
            <span>Registrar Desk</span>
            {pendingRegistrarCount > 0 && (
              <span className="ml-1 px-1.5 py-0.5 rounded-full
 text-[10px] bg-amber-500 text-slate-950 font-bold">
                {pendingRegistrarCount}
              </span>
            )}
          </button>
        </nav>
      </div>
    </header>
  );
};

```

PrintReceiptModal.tsx

```tsx
import React from 'react';
import { X, Printer, CheckCircle, Download, Building, Calendar, Shield } from 'lucide-react';
import { TranscriptRequest } from '../types';
import { UNIVERSITY_INFO } from '../data/mockData';

interface PrintReceiptModalProps {
  request: TranscriptRequest;
  onClose: () => void;
}

export const PrintReceiptModal: React.FC<PrintReceiptModalProps> = ({ request, onClose }) => {
  const handlePrint = () => {
    window.print();
  };

  const priorityAmount = request.priority === 'same_day' ? 20000 : request.priority === 'express' ? 10000 : 0;
  const courierAmount = request.transcriptType === 'official_hardcopy' ? 6500 : 0;
  const baseAmount = request.totalFee - priorityAmount - courierAmount;

  return (
    <div className="fixed inset-0 z-50 bg-slate-900/70 backdrop-blur-xs flex items-center justify-center p-4 overflow-y-auto">
      <div className="bg-white rounded-xl shadow-2xl max-w-xl w-full border border-slate-200 overflow-hidden my-8">
        {/* Modal Controls (Hidden in print) */}
        <div className="no-print bg-slate-900 text-white px-5 py-3 flex items-center justify-between">
          <div className="flex items-center gap-2">
            <CheckCircle className="w-4 h-4 text-emerald-400" />
```

```
            <span className="text-sm font-semibold">Official University Bursary & Remita RRR Receipt</span>
          </div>
          <div className="flex items-center gap-2">
            <button
              onClick={handlePrint}
              className="flex items-center gap-1.5 px-3 py-1 bg-amber-600 hover:bg-amber-700 text-white rounded text-xs font-medium transition-colors"
            >
              <Printer className="w-3.5 h-3.5" />
              <span>Print Official Receipt</span>
            </button>
            <button
              onClick={onClose}
              className="text-slate-400 hover:text-white p-1 rounded transition-colors"
            >
              <X className="w-4 h-4" />
            </button>
          </div>
        </div>

        {/* Printable Receipt Body */}
        <div className="p-6 sm:p-8 printable-transcript-page bg-white text-slate-900">
          <div className="border-b-2 border-slate-900 pb-4 mb-5 text-center">
            <h2 className="font-display-crest text-lg font-bold tracking-tight text-slate-900">
              {UNIVERSITY_INFO.name}
            </h2>
            <p className="text-xs uppercase tracking-wider text-slate-700 font-semibold mt-0.5">
              Office of the University Bursar • Treasury & Revenue Directorate
            </p>
            <p className="text-[11px] text-slate-500 mt-1">
```

```
              {UNIVERSITY_INFO.address}
            </p>
            <div className="inline-flex items-center gap-1.5 mt-2 px-3 py-1 bg-emerald-50 text-emerald-800 border border-emerald-300 rounded text-xs font-bold uppercase tracking-wider">
              <CheckCircle className="w-3.5 h-3.5 text-emerald-600" />
              <span>Remita TSA Payment Confirmed & Validated</span>
            </div>
          </div>

          <div className="grid grid-cols-2 gap-3.5 text-xs mb-6 bg-slate-50 p-4 rounded-lg border border-slate-200">
            <div>
              <span className="text-slate-500 block">Tracking Reference:</span>
              <span className="font-mono font-bold text-slate-900 text-sm">{request.id}</span>
            </div>
            <div>
              <span className="text-slate-500 block">Remita Retrieval Ref (RRR):</span>
              <span className="font-mono font-bold text-amber-800 text-sm">
                {request.remitaRrr || '3309-8412-9014'}
              </span>
            </div>
            <div>
              <span className="text-slate-500 block">Student Matriculation No:</span>
              <span className="font-mono font-semibold text-slate-900">{request.studentId}</span>
            </div>
            <div>
              <span className="text-slate-500 block">JAMB Registration No:</span>
              <span className="font-mono font-semibold text-sl
```

```
ate-900">{request.jambRegNo || '96102844AJ'}</span>
            </div>
            <div>
              <span className="text-slate-500 block">Student L
egal Name:</span>
              <span className="font-medium text-slate-800">{re
quest.fullName}</span>
            </div>
            <div>
              <span className="text-slate-500 block">State of
Origin:</span>
              <span className="font-medium text-slate-800">{re
quest.stateOfOrigin || 'Anambra State'}</span>
            </div>
            <div>
              <span className="text-slate-500 block">Academic
Program:</span>
              <span className="font-medium text-slate-800">{re
quest.degree}</span>
            </div>
            <div>
              <span className="text-slate-500 block">Date & Ti
me of Transaction:</span>
              <span className="font-medium text-slate-800">{re
quest.submittedAt}</span>
            </div>
          </div>

          <div className="border border-slate-200 rounded-lg o
verflow-hidden mb-6">
            <table className="w-full text-xs">
              <thead className="bg-slate-100 border-b border-s
late-200 text-slate-700">
                <tr>
                  <th className="py-2.5 px-3 text-left font-se
mibold">Service Description</th>
                  <th className="py-2.5 px-3 text-center font-
semibold">Target / Route</th>
```

```
                  <th className="py-2.5 px-3 text-right font-semibold">Amount (NGN ₦)</th>
                </tr>
              </thead>
              <tbody className="divide-y divide-slate-200 text-slate-700">
                <tr>
                  <td className="py-2.5 px-3">
                    <span className="font-medium text-slate-900 capitalize">
                      {request.transcriptType.replace('_', ' ')}
                    </span>
                    <p className="text-[11px] text-slate-500">Official academic transcript records search & verification</p>
                  </td>
                  <td className="py-2.5 px-3 text-center capitalize text-slate-600">
                    {request.recipientType}
                  </td>
                  <td className="py-2.5 px-3 text-right font-mono font-medium">
                    ₦{baseAmount.toLocaleString('en-NG')}
                  </td>
                </tr>
                {priorityAmount > 0 && (
                  <tr>
                    <td className="py-2.5 px-3">
                      <span className="font-medium text-slate-900">Senate Priority Processing Surcharge</span>
                      <p className="text-[11px] text-slate-500">
                        {request.priority === 'same_day' ? 'Same-Day Urgent Senate Clearance' : 'Express Priority Queue (48h)'}
                      </p>
                    </td>
                    <td className="py-2.5 px-3 text-center tex
```

```
t-slate-600">Registrar Priority</td>
                    <td className="py-2.5 px-3 text-right font
-mono font-medium">
                      ₦{priorityAmount.toLocaleString('en-NG')
}
                    </td>
                  </tr>
                )}
                {courierAmount > 0 && (
                  <tr>
                    <td className="py-2.5 px-3">
                      <span className="font-medium text-slate-
900">Logistics & Watermark Security Envelope</span>
                      <p className="text-[11px] text-slate-500
">Waybill dispatch via GIG Logistics / NIPOST Speedpost</p>
                    </td>
                    <td className="py-2.5 px-3 text-center tex
t-slate-600">Registered Courier</td>
                    <td className="py-2.5 px-3 text-right font
-mono font-medium">
                      ₦{courierAmount.toLocaleString('en-NG')}
                    </td>
                  </tr>
                )}
              </tbody>
              <tfoot className="bg-slate-50 border-t border-sl
ate-200">
                <tr>
                  <td colSpan={2} className="py-2.5 px-3 text-
right font-bold text-slate-900">
                    Total Remita Settlement:
                  </td>
                  <td className="py-2.5 px-3 text-right font-m
ono font-bold text-slate-900 text-sm">
                    ₦{request.totalFee.toLocaleString('en-NG')
} NGN
                  </td>
                </tr>
```

```
              </tfoot>
            </table>
          </div>

          <div className="text-[11px] text-slate-500 border-t border-slate-200 pt-3 space-y-1">
            <p>
              • <strong>Payment Channel:</strong> Remita Electronic Gateway / Central Bank of Nigeria (CBN) TSA Account #014029104
            </p>
            <p>
              • <strong>Designated Recipient:</strong> {request.recipientName} ({request.recipientEmail})
            </p>
            <p>
              • <strong>Attestation:</strong> Certified by {UNIVERSITY_INFO.bursar} ({UNIVERSITY_INFO.bursarTitle}).
            </p>
          </div>
        </div>

        {/* Modal Footer */}
        <div className="no-print bg-slate-50 px-6 py-3 border-t border-slate-200 flex justify-end">
          <button
            onClick={onClose}
            className="px-4 py-1.5 bg-slate-200 hover:bg-slate-300 text-slate-800 rounded-md text-xs font-semibold transition-colors"
          >
            Close Receipt
          </button>
        </div>
      </div>
    </div>
  );
};
```

RegistrarDesk.tsx

```tsx
import React, { useState } from 'react';
import {
  UserCheck, ShieldCheck, AlertCircle, Clock, CheckCircle2,
  Search, Filter, Stamp, RefreshCw, FileText, Ban, Check
} from 'lucide-react';
import { TranscriptRequest, RequestStatus } from '../types';
import { UNIVERSITY_INFO } from '../data/mockData';

interface RegistrarDeskProps {
  requests: TranscriptRequest[];
  onUpdateRequestStatus: (
    id: string,
    newStatus: RequestStatus,
    notes?: string,
    holdReason?: string
  ) => void;
  onViewTranscript: (studentId: string) => void;
}

export const RegistrarDesk: React.FC<RegistrarDeskProps> = ({
  requests,
  onUpdateRequestStatus,
  onViewTranscript
}) => {
  const [filterStatus, setFilterStatus] = useState<string>('all');
  const [searchTerm, setSearchTerm] = useState<string>('');
  const [holdModalReqId, setHoldModalReqId] = useState<string | null>(null);
  const [holdInputReason, setHoldInputReason] = useState<string>('Bursary Hold: Unsettled departmental laboratory surcharge (₦15,000). Please present Remita receipt at Bursary.');

  // Filter requests
  const filteredRequests = requests.filter((r) => {
    const matchesFilter =
```

```
      filterStatus === 'all' ||
      (filterStatus === 'pending' && (r.status === 'submitted' || r.status === 'archive_retrieval' || r.status === 'clearance_review')) ||
      (filterStatus === 'ready_to_seal' && r.status === 'ready_to_seal') ||
      (filterStatus === 'hold' && r.status === 'hold') ||
      (filterStatus === 'dispatched' && r.status === 'dispatched');

    const matchesSearch =
      r.id.toLowerCase().includes(searchTerm.toLowerCase()) ||
      r.fullName.toLowerCase().includes(searchTerm.toLowerCase()) ||
      r.studentId.toLowerCase().includes(searchTerm.toLowerCase()) ||
      r.recipientName.toLowerCase().includes(searchTerm.toLowerCase());

    return matchesFilter && matchesSearch;
  });

  // Metrics
  const totalCount = requests.length;
  const readyToSealCount = requests.filter(r => r.status === 'ready_to_seal').length;
  const inProgressCount = requests.filter(r => ['submitted', 'archive_retrieval', 'clearance_review'].includes(r.status)).length;
  const holdCount = requests.filter(r => r.status === 'hold').length;
  const dispatchedCount = requests.filter(r => r.status === 'dispatched').length;

  const handleApproveAndSeal = (req: TranscriptRequest) => {
    onUpdateRequestStatus(
      req.id,
      'dispatched',
```

```
      `Officially attested and sealed with Registrar Cryptographic Key by ${UNIVERSITY_INFO.registrar}. Transmitted via secure institutional protocol.`,
      undefined
    );
  };

  const handleAdvanceStage = (req: TranscriptRequest) => {
    if (req.status === 'submitted') {
      onUpdateRequestStatus(req.id, 'archive_retrieval', 'Records vault accessed. Historical course credits retrieved.');
    } else if (req.status === 'archive_retrieval') {
      onUpdateRequestStatus(req.id, 'clearance_review', 'Archive records confirmed. Departmental and Bursary sign-off in progress.');
    } else if (req.status === 'clearance_review') {
      onUpdateRequestStatus(req.id, 'ready_to_seal', 'All clearances confirmed. Queued for Registrar signature and seal.');
    }
  };

  const handleApplyHold = (id: string) => {
    if (!holdInputReason.trim()) return;
    onUpdateRequestStatus(id, 'hold', 'Application flagged with administrative hold.', holdInputReason);
    setHoldModalReqId(null);
  };

  const handleReleaseHold = (id: string) => {
    onUpdateRequestStatus(id, 'clearance_review', 'Hold successfully resolved with Bursar/Department. Processing resumed.');
  };

  return (
    <div className="max-w-6xl mx-auto py-6 px-4">
      {/* Officer Header */}
      <div className="bg-slate-900 text-white rounded-xl border border-slate-800 p-6 mb-6 shadow-md">
```

```
        <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4">
          <div>
            <div className="flex items-center gap-2 text-amber-400 text-xs font-semibold uppercase tracking-wider">
              <UserCheck className="w-4 h-4" />
              <span>Office of the Registrar • Administrative Workbench</span>
            </div>
            <h2 className="text-xl sm:text-2xl font-bold font-display-crest mt-1">
              Academic Records Processing Queue
            </h2>
            <p className="text-xs text-slate-400 mt-0.5">
              Authorized Evaluator: <strong className="text-slate-200">{UNIVERSITY_INFO.registrar}</strong> (Custodian of Academic Seals)
            </p>
          </div>

          <div className="flex items-center gap-2">
            <span className="px-3 py-1.5 rounded-lg bg-slate-800 border border-slate-700 text-xs text-slate-300">
              Live Gateway Active
            </span>
          </div>
        </div>

        {/* Metrics Row */}
        <div className="grid grid-cols-2 sm:grid-cols-5 gap-3 mt-6 pt-6 border-t border-slate-800">
          <div className="bg-slate-800/80 p-3 rounded-lg border border-slate-700/60">
            <div className="text-[10px] uppercase tracking-wider text-slate-400 font-semibold">Total Requests</div>
            <div className="text-xl font-bold font-mono text-white mt-1">{totalCount}</div>
          </div>
```

```
          <div className="bg-slate-800/80 p-3 rounded-lg borde
r border-slate-700/60">
            <div className="text-[10px] uppercase tracking-wid
er text-amber-400 font-semibold">In Progress</div>
            <div className="text-xl font-bold font-mono text-a
mber-300 mt-1">{inProgressCount}</div>
          </div>
          <div className="bg-slate-800/80 p-3 rounded-lg borde
r border-slate-700/60">
            <div className="text-[10px] uppercase tracking-wid
er text-blue-400 font-semibold">Ready to Seal</div>
            <div className="text-xl font-bold font-mono text-b
lue-300 mt-1">{readyToSealCount}</div>
          </div>
          <div className="bg-slate-800/80 p-3 rounded-lg borde
r border-slate-700/60">
            <div className="text-[10px] uppercase tracking-wid
er text-red-400 font-semibold">Active Holds</div>
            <div className="text-xl font-bold font-mono text-r
ed-400 mt-1">{holdCount}</div>
          </div>
          <div className="bg-slate-800/80 p-3 rounded-lg borde
r border-slate-700/60">
            <div className="text-[10px] uppercase tracking-wid
er text-emerald-400 font-semibold">Dispatched</div>
            <div className="text-xl font-bold font-mono text-e
merald-400 mt-1">{dispatchedCount}</div>
          </div>
        </div>
      </div>

      {/* Filter & Search Bar */}
      <div className="bg-white rounded-xl border border-slate-
200 shadow-sm p-4 mb-6 flex flex-col sm:flex-row sm:items-cent
er justify-between gap-3">
        <div className="flex items-center gap-2 overflow-x-aut
o pb-1 sm:pb-0">
          <button
```

```
            onClick={() => setFilterStatus('all')}
            className={`px-3 py-1.5 rounded-lg text-xs font-se
mibold whitespace-nowrap transition-colors ${
              filterStatus === 'all'
                ? 'bg-slate-900 text-white'
                : 'bg-slate-100 text-slate-700 hover:bg-slate-
200'
            }`}
          >
            All ({totalCount})
          </button>
          <button
            onClick={() => setFilterStatus('pending')}
            className={`px-3 py-1.5 rounded-lg text-xs font-se
mibold whitespace-nowrap transition-colors ${
              filterStatus === 'pending'
                ? 'bg-slate-900 text-white'
                : 'bg-slate-100 text-slate-700 hover:bg-slate-
200'
            }`}
          >
            In Processing ({inProgressCount})
          </button>
          <button
            onClick={() => setFilterStatus('ready_to_seal')}
            className={`px-3 py-1.5 rounded-lg text-xs font-se
mibold whitespace-nowrap transition-colors ${
              filterStatus === 'ready_to_seal'
                ? 'bg-amber-600 text-white'
                : 'bg-slate-100 text-slate-700 hover:bg-slate-
200'
            }`}
          >
            Ready to Sign ({readyToSealCount})
          </button>
          <button
            onClick={() => setFilterStatus('hold')}
            className={`px-3 py-1.5 rounded-lg text-xs font-se
```

```
mibold whitespace-nowrap transition-colors ${
              filterStatus === 'hold'
                ? 'bg-red-600 text-white'
                : 'bg-slate-100 text-slate-700 hover:bg-slate-
200'
            }`}
          >
            Holds ({holdCount})
          </button>
          <button
            onClick={() => setFilterStatus('dispatched')}
            className={`px-3 py-1.5 rounded-lg text-xs font-se
mibold whitespace-nowrap transition-colors ${
              filterStatus === 'dispatched'
                ? 'bg-emerald-700 text-white'
                : 'bg-slate-100 text-slate-700 hover:bg-slate-
200'
            }`}
          >
            Dispatched ({dispatchedCount})
          </button>
        </div>

        <div className="relative w-full sm:w-64">
          <Search className="w-4 h-4 text-slate-400 absolute l
eft-3 top-1/2 -translate-y-1/2" />
          <input
            type="text"
            value={searchTerm}
            onChange={(e) => setSearchTerm(e.target.value)}
            placeholder="Search student, ref or target..."
            className="w-full pl-9 pr-3 py-1.5 text-xs border
border-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500"
          />
        </div>
      </div>

      {/* Queue Table */}
```

```
      <div className="bg-white rounded-xl border border-slate-200 shadow-sm overflow-hidden">
        <div className="overflow-x-auto">
          <table className="w-full text-xs">
            <thead className="bg-slate-100/80 border-b border-slate-200 text-slate-700">
              <tr>
                <th className="py-3 px-4 text-left font-semibold">Tracking Ref / Submitted</th>
                <th className="py-3 px-4 text-left font-semibold">Student Record</th>
                <th className="py-3 px-4 text-left font-semibold">Transcript Type & Target</th>
                <th className="py-3 px-4 text-center font-semibold">Status</th>
                <th className="py-3 px-4 text-right font-semibold">Registrar Officer Actions</th>
              </tr>
            </thead>
            <tbody className="divide-y divide-slate-200">
              {filteredRequests.map((req) => {
                const isHold = req.status === 'hold';
                const isDispatched = req.status === 'dispatched';

                return (
                  <tr key={req.id} className="hover:bg-slate-50/60 transition-colors">
                    <td className="py-3 px-4">
                      <span className="font-mono font-bold text-slate-900 block">{req.id}</span>
                      <span className="text-[11px] text-slate-500">{req.submittedAt}</span>
                      <span className="inline-block mt-0.5 px-1.5 py-0.5 rounded text-[10px] font-semibold uppercase bg-slate-100 text-slate-700">
                        {req.priority}
                      </span>
```

```
                    </td>

                    <td className="py-3 px-4">
                      <span className="font-semibold text-slat
e-900 block">{req.fullName}</span>
                      <span className="text-[11px] font-mono t
ext-slate-500">{req.studentId}</span>
                      <span className="text-[11px] text-slate-
600 block truncate max-w-[180px]">{req.degree}</span>
                    </td>

                    <td className="py-3 px-4">
                      <span className="font-medium text-slate-
900 block capitalize">
                        {req.transcriptType.replace('_', ' ')}
                      </span>
                      <span className="text-[11px] text-slate-
600 block truncate max-w-[200px]" title={req.recipientName}>
                        To: {req.recipientName}
                      </span>
                      {req.evaluationRefNo && (
                        <span className="text-[10px] font-mono
 text-amber-800 bg-amber-50 px-1 py-0.2 rounded">
                          Ref: {req.evaluationRefNo}
                        </span>
                      )}
                    </td>

                    <td className="py-3 px-4 text-center">
                      <span className={`inline-block px-2.5 py
-1 rounded-full text-[11px] font-bold uppercase tracking-wider
 ${
                        isHold
                          ? 'bg-red-100 text-red-800 border bo
rder-red-200'
                          : isDispatched
                          ? 'bg-emerald-100 text-emerald-800 b
order border-emerald-200'
```

```
                        : req.status === 'ready_to_seal'
                        ? 'bg-blue-100 text-blue-800 border border-blue-200'
                        : 'bg-amber-100 text-amber-800 border border-amber-200'
                    }`}>
                      {req.status.replace('_', ' ')}
                    </span>
                    {isHold && req.holdReason && (
                      <span className="block text-[10px] text-red-600 max-w-[140px] truncate mx-auto mt-0.5" title={req.holdReason}>
                        {req.holdReason}
                      </span>
                    )}
                  </td>

                  <td className="py-3 px-4 text-right">
                    <div className="flex items-center justify-end gap-1.5 flex-wrap">
                      {/* View Transcript Preview */}
                      <button
                        onClick={() => onViewTranscript(req.studentId)}
                        className="px-2.5 py-1 bg-slate-100 hover:bg-slate-200 text-slate-700 rounded text-[11px] font-medium transition-colors"
                        title="View academic courses & GPA"
                      >
                        Transcript
                      </button>

                      {/* If in early stages, allow advancing */}
                      {['submitted', 'archive_retrieval', 'clearance_review'].includes(req.status) && (
                        <button
                          onClick={() => handleAdvanceStage(
```

```
req)}
                            className="px-2.5 py-1 bg-slate-800 hover:bg-slate-900 text-white rounded text-[11px] font-semibold transition-colors"
                          >
                            Advance Stage →
                          </button>
                        )}

                        {/* If Ready to Seal or In clearance, allow Sign & Dispatched */}
                        {['clearance_review', 'ready_to_seal'].includes(req.status) && (
                          <button
                            onClick={() => handleApproveAndSeal(req)}
                            className="px-2.5 py-1 bg-amber-600 hover:bg-amber-700 text-white rounded text-[11px] font-bold flex items-center gap-1 transition-colors shadow-xs"
                          >
                            <Stamp className="w-3 h-3" />
                            <span>Sign & Seal</span>
                          </button>
                        )}

                        {/* Hold Management */}
                        {isHold ? (
                          <button
                            onClick={() => handleReleaseHold(req.id)}
                            className="px-2.5 py-1 bg-emerald-600 hover:bg-emerald-700 text-white rounded text-[11px] font-semibold transition-colors"
                          >
                            Lift Hold
                          </button>
                        ) : !isDispatched && (
                          <button
```

```
                          onClick={() => setHoldModalReqId(r
eq.id)}
                          className="px-2 py-1 text-red-700
hover:bg-red-50 rounded text-[11px] font-medium transition-col
ors"
                          title="Flag an administrative or l
ibrary hold"
                        >
                          Flag Hold
                        </button>
                      )}

                      {isDispatched && (
                        <span className="text-[11px] text-em
erald-700 font-bold flex items-center gap-1">
                          <CheckCircle2 className="w-3.5 h-3
.5" />
                          <span>Completed</span>
                        </span>
                      )}
                    </div>
                  </td>
                </tr>
              );
            })}
          </tbody>
        </table>
      </div>

      {filteredRequests.length === 0 && (
        <div className="p-8 text-center text-slate-500 text-
xs">
          No requests matched the current search or filter c
riteria.
        </div>
      )}
    </div>

```

```
      {/* Flag Hold Modal */}
      {holdModalReqId && (
        <div className="fixed inset-0 z-50 bg-slate-900/60 backdrop-blur-xs flex items-center justify-center p-4">
          <div className="bg-white rounded-xl shadow-xl max-w-md w-full p-6 border border-slate-200">
            <div className="flex items-center gap-2 text-red-700 mb-2">
              <Ban className="w-5 h-5" />
              <h3 className="font-bold text-sm">Flag Academic / Financial Hold</h3>
            </div>
            <p className="text-xs text-slate-600 mb-4">
              Specify the reason why transcript issuance is halted for request <strong className="font-mono">{holdModalReqId}</strong>. The student will be prompted to resolve this condition.
            </p>

            <textarea
              rows={3}
              value={holdInputReason}
              onChange={(e) => setHoldInputReason(e.target.value)}
              className="w-full text-xs border border-slate-300 rounded-lg p-2.5 focus:ring-2 focus:ring-red-500 focus:border-red-500 mb-4"
              placeholder="e.g. Library Hold: Unreturned chemistry textbook. Contact main library desk."
            />

            <div className="flex justify-end gap-2">
              <button
                onClick={() => setHoldModalReqId(null)}
                className="px-3 py-1.5 text-xs text-slate-600 hover:bg-slate-100 rounded-lg font-medium"
              >
                Cancel
```

```
              </button>
              <button
                onClick={() => handleApplyHold(holdModalReqId)
}
                className="px-4 py-1.5 text-xs bg-red-600 hove
r:bg-red-700 text-white rounded-lg font-bold"
              >
                Apply Hold
              </button>
            </div>
          </div>
        </div>
      )}
    </div>
  );
};

```

RequestTranscriptForm.tsx

```tsx
import React, { useState } from 'react';
import {
  FileText, CheckCircle2, ArrowRight, ArrowLeft, Upload,
  Clock, ShieldCheck, Mail, Building2, User, Sparkles, Send, CreditCard
} from 'lucide-react';
import { TranscriptRequest, TranscriptType, ProcessingPriority } from '../types';
import { PRICING_RULES, INITIAL_STUDENT_PROFILES, UNIVERSITY_INFO } from '../data/mockData';

interface RequestTranscriptFormProps {
  onSubmitSuccess: (newRequest: TranscriptRequest) => void;
  onNavigateToTrack: (trackingId: string) => void;
  onNavigateToPreview: (studentId: string) => void;
}

export const RequestTranscriptForm: React.FC<RequestTranscriptFormProps> = ({
  onSubmitSuccess,
  onNavigateToTrack,
  onNavigateToPreview
}) => {
  const [currentStep, setCurrentStep] = useState<number>(1);
  const [isSubmitted, setIsSubmitted] = useState<boolean>(false);
  const [createdRequest, setCreatedRequest] = useState<TranscriptRequest | null>(null);

  // Form State
  const [studentId, setStudentId] = useState<string>('2019/248910');
  const [jambRegNo, setJambRegNo] = useState<string>('96102844AJ');
  const [fullName, setFullName] = useState<string>('Chidiebube Emmanuel Okafor');
```

```
  const [dob, setDob] = useState<string>('1999-10-14');
  const [stateOfOrigin, setStateOfOrigin] = useState<string>('Anambra State (Idemili North LGA)');
  const [email, setEmail] = useState<string>('chidiebube.okafor@alumni.uen.edu.ng');
  const [phone, setPhone] = useState<string>('+234 803 555 4392');
  const [faculty, setFaculty] = useState<string>('Faculty of Physical Sciences');
  const [degree, setDegree] = useState<string>('B.Sc. (Honours) Computer Science');
  const [graduationYear, setGraduationYear] = useState<string>('2023');

  const [transcriptType, setTranscriptType] = useState<TranscriptType>('wes_evaluation');
  const [priority, setPriority] = useState<ProcessingPriority>('express');
  const [recipientType, setRecipientType] = useState<'university' | 'employer' | 'evaluation_agency' | 'self'>('evaluation_agency');
  const [recipientName, setRecipientName] = useState<string>('World Education Services (WES) Canada');
  const [recipientEmail, setRecipientEmail] = useState<string>('submit@wes.org');
  const [recipientAddress, setRecipientAddress] = useState<string>('2 Carlton Street, Suite 1400, Toronto, ON M5B 1J3, Canada');
  const [evaluationRefNo, setEvaluationRefNo] = useState<string>('WES-CAN-9912042');
  const [additionalInstructions, setAdditionalInstructions] = useState<string>('Please attach NUC accreditation certificate and official course syllabus transcript addendum.');

  // Step 3 Clearances
  const [uploadedFileName, setUploadedFileName] = useState<string>('UEN_Degree_Certificate_Okafor.pdf');
  const [bursaryClearance, setBursaryClearance] = useState<boo
```

```
lean>(true);
  const [libraryClearance, setLibraryClearance] = useState<boo
lean>(true);
  const [truthAffirmation, setTruthAffirmation] = useState<boo
lean>(true);

  // Calculate fees
  const baseFee = PRICING_RULES.types[transcriptType]?.fee ||
15000;
  const priorityFee = PRICING_RULES.priorities[priority]?.fee
|| 0;
  const courierFee = transcriptType === 'official_hardcopy' ?
PRICING_RULES.delivery.domesticCourier : 0;
  const totalCalculatedFee = baseFee + priorityFee + courierFe
e;

  // Auto-fill student helpers
  const handleAutoFill = (id: string) => {
    const profile = INITIAL_STUDENT_PROFILES[id];
    if (!profile) return;
    setStudentId(profile.studentId);
    setJambRegNo(profile.jambRegNo || '');
    setFullName(profile.fullName);
    setStateOfOrigin(profile.stateOfOrigin || 'Enugu State');
    setDob(id === '2019/248910' ? '1999-10-14' : id === '2018/
193044' ? '1998-08-29' : '2001-11-03');
    setEmail(id === '2019/248910' ? 'chidiebube.okafor@alumni.
uen.edu.ng' : id === '2018/193044' ? 'ngozi.eze@firstbank.ng'
: 'somto.nnamani@students.uen.edu.ng');
    setPhone(id === '2019/248910' ? '+234 803 555 4392' : id =
== '2018/193044' ? '+234 814 555 8819' : '+234 703 555 3104');
    setFaculty(profile.faculty);
    setDegree(profile.degree + ' in ' + profile.major);
    setGraduationYear(profile.graduationDate.includes('2023')
? '2023' : profile.graduationDate.includes('2022') ? '2022' :
'2025');
  };

```

```
  const handleFileUpload = (e: React.ChangeEvent<HTMLInputElement>) => {
    if (e.target.files && e.target.files[0]) {
      setUploadedFileName(e.target.files[0].name);
    }
  };

  const handleSubmitOrder = (e: React.FormEvent) => {
    e.preventDefault();

    if (!truthAffirmation || !bursaryClearance || !libraryClearance) {
      alert("Please confirm all mandatory institutional clearance affirmations before proceeding.");
      return;
    }

    const randomSuffix = Math.floor(10000 + Math.random() * 90000);
    const trackingId = `TRX-2026-${randomSuffix}`;
    const rrrCode = `${Math.floor(1000 + Math.random()*9000)}-${Math.floor(1000 + Math.random()*9000)}-${Math.floor(1000 + Math.random()*9000)}`;

    const now = new Date();
    const formattedDate = `${now.getFullYear()}-${String(now.getMonth() + 1).padStart(2, '0')}-${String(now.getDate()).padStart(2, '0')} ${now.toLocaleTimeString([], { hour: '2-digit', minute: '2-digit' })}`;

    let etaDays = 5;
    if (priority === 'same_day') etaDays = 0;
    else if (priority === 'express') etaDays = 2;

    const etaDate = new Date();
    etaDate.setDate(etaDate.getDate() + etaDays);
    const formattedEta = `${etaDate.getFullYear()}-${String(etaDate.getMonth() + 1).padStart(2, '0')}-${String(etaDate.getDa
```

```
te()).padStart(2, '0')} 05:00 PM`;

    const newRequest: TranscriptRequest = {
      id: trackingId,
      studentId,
      jambRegNo,
      remitaRrr: rrrCode,
      fullName,
      email,
      phone,
      dob,
      stateOfOrigin,
      faculty,
      degree,
      graduationYear,
      transcriptType,
      priority,
      recipientType,
      recipientName,
      recipientEmail,
      recipientAddress: transcriptType === 'official_hardcopy'
 ? recipientAddress : undefined,
      evaluationRefNo: evaluationRefNo || undefined,
      additionalInstructions: additionalInstructions || undefi
ned,
      submittedAt: formattedDate,
      estimatedCompletion: formattedEta,
      status: 'submitted',
      statusNotes: 'Order received by the Office of the Univer
sity Registrar. Queued for digital records retrieval and Remit
a RRR settlement clearance.',
      totalFee: totalCalculatedFee,
      paymentStatus: 'Paid',
      uploadedDocumentName: uploadedFileName,
      securityHash: `UEN-NUC-${randomSuffix}-${studentId.slice
(-4)}`
    };

```

```
    setCreatedRequest(newRequest);
    setIsSubmitted(true);
    onSubmitSuccess(newRequest);
  };

  if (isSubmitted && createdRequest) {
    return (
      <div className="max-w-3xl mx-auto py-8 px-4">
        <div className="bg-white rounded-xl shadow-lg border b
order-slate-200 overflow-hidden text-center p-8 sm:p-10">
          <div className="w-16 h-16 bg-emerald-100 text-emeral
d-600 rounded-full flex items-center justify-center mx-auto mb
-4 border border-emerald-300">
            <CheckCircle2 className="w-9 h-9" />
          </div>

          <span className="inline-block px-3 py-1 bg-emerald-5
0 text-emerald-800 border border-emerald-200 rounded-full text
-xs font-semibold uppercase tracking-wider mb-2">
            Application Registered Successfully
          </span>

          <h2 className="text-2xl font-bold text-slate-900 fon
t-display-crest">
            Transcript Application Logged
          </h2>
          <p className="text-sm text-slate-600 max-w-md mx-aut
o mt-2">
            Your official transcript request has been received
, Remita payment confirmed, and routed to the University Regis
trar's Records Directorate.
          </p>

          <div className="bg-slate-50 border border-slate-200
rounded-xl p-5 my-6 max-w-md mx-auto text-left">
            <div className="flex justify-between items-center
pb-3 border-b border-slate-200">
              <span className="text-xs text-slate-500">Trackin
```

```
g Reference ID:</span>
              <span className="font-mono font-bold text-amber-
800 text-base">{createdRequest.id}</span>
            </div>
            <div className="flex justify-between items-center
py-2 text-xs border-b border-slate-200">
              <span className="text-slate-500">Remita RRR Numb
er:</span>
              <span className="font-mono font-bold text-slate-
900">{createdRequest.remitaRrr}</span>
            </div>
            <div className="flex justify-between items-center
py-2 text-xs border-b border-slate-200">
              <span className="text-slate-500">Matriculation N
o:</span>
              <span className="font-mono font-medium text-slat
e-900">{createdRequest.studentId}</span>
            </div>
            <div className="flex justify-between items-center
py-2 text-xs border-b border-slate-200">
              <span className="text-slate-500">Student Name:</
span>
              <span className="font-medium text-slate-900">{cr
eatedRequest.fullName}</span>
            </div>
            <div className="flex justify-between items-center
py-2 text-xs border-b border-slate-200">
              <span className="text-slate-500">Transcript Serv
ice:</span>
              <span className="font-medium capitalize text-sla
te-900">{createdRequest.transcriptType.replace('_', ' ')}</spa
n>
            </div>
            <div className="flex justify-between items-center
py-2 text-xs border-b border-slate-200">
              <span className="text-slate-500">Amount Paid (NG
N):</span>
              <span className="font-mono font-bold text-emeral
```

```
d-800">₦{createdRequest.totalFee.toLocaleString('en-NG')}</spa
n>
            </div>
            <div className="flex justify-between items-center
pt-2 text-xs">
              <span className="text-slate-500">Estimated Senat
e Approval:</span>
              <span className="font-medium text-emerald-700">{
createdRequest.estimatedCompletion}</span>
            </div>
          </div>

          <div className="flex flex-col sm:flex-row items-cent
er justify-center gap-3 max-w-md mx-auto">
            <button
              id="track-new-request-btn"
              onClick={() => onNavigateToTrack(createdRequest.
id)}
              className="w-full sm:w-auto px-5 py-2.5 bg-slate
-900 hover:bg-slate-800 text-white rounded-lg text-xs font-sem
ibold flex items-center justify-center gap-2 shadow-sm transit
ion-colors"
            >
              <ArrowRight className="w-4 h-4 text-amber-400" /
>
              <span>Track Application Progress</span>
            </button>

            <button
              id="view-transcript-btn"
              onClick={() => onNavigateToPreview(createdReques
t.studentId)}
              className="w-full sm:w-auto px-5 py-2.5 bg-amber
-600 hover:bg-amber-700 text-white rounded-lg text-xs font-sem
ibold flex items-center justify-center gap-2 shadow-sm transit
ion-colors"
            >
              <FileText className="w-4 h-4" />
```

```
              <span>Preview Official Transcript</span>
            </button>
          </div>

          <p className="text-xs text-slate-400 mt-6">
            A confirmation SMS and official Remita e-receipt h
ave been dispatched to <strong className="text-slate-600">{cre
atedRequest.phone}</strong> and <strong className="text-slate-
600">{createdRequest.email}</strong>.
          </p>
        </div>
      </div>
    );
  }

  return (
    <div className="max-w-4xl mx-auto py-6 px-4">
      {/* Auto-fill Quick Tester Bar */}
      <div className="bg-amber-50/80 border border-amber-200/8
0 rounded-xl p-3.5 mb-6 flex flex-wrap items-center justify-be
tween gap-3 text-xs">
        <div className="flex items-center gap-2 text-amber-900
 font-medium">
          <Sparkles className="w-4 h-4 text-amber-600 flex-shr
ink-0" />
          <span>Quick Demo Profiles (South-Eastern Alumni):</s
pan>
        </div>
        <div className="flex flex-wrap items-center gap-2">
          <button
            type="button"
            onClick={() => handleAutoFill('2019/248910')}
            className={`px-2.5 py-1 rounded border text-xs fon
t-medium transition-colors ${
              studentId === '2019/248910'
                ? 'bg-amber-600 text-white border-amber-600'
                : 'bg-white text-slate-700 border-amber-300 ho
ver:bg-amber-100'
```

```
            }`}
          >
            Chidiebube (First Class CS, Anambra)
          </button>
          <button
            type="button"
            onClick={() => handleAutoFill('2018/193044')}
            className={`px-2.5 py-1 rounded border text-xs fon
t-medium transition-colors ${
              studentId === '2018/193044'
                ? 'bg-amber-600 text-white border-amber-600'
                : 'bg-white text-slate-700 border-amber-300 ho
ver:bg-amber-100'
            }`}
          >
            Ngozi (2:1 Finance, Enugu)
          </button>
          <button
            type="button"
            onClick={() => handleAutoFill('2021/304192')}
            className={`px-2.5 py-1 rounded border text-xs fon
t-medium transition-colors ${
              studentId === '2021/304192'
                ? 'bg-amber-600 text-white border-amber-600'
                : 'bg-white text-slate-700 border-amber-300 ho
ver:bg-amber-100'
            }`}
          >
            Somtochukwu (Biochem, Penultimate)
          </button>
        </div>
      </div>

      {/* Multi-step Header */}
      <div className="mb-8">
        <div className="flex items-center justify-between mb-4
">
          <div>
```

```
            <h2 className="text-xl sm:text-2xl font-bold text-slate-900 font-display-crest">
              Official Transcript Application
            </h2>
            <p className="text-xs sm:text-sm text-slate-600 mt-0.5">
              {UNIVERSITY_INFO.name} • {UNIVERSITY_INFO.department}
            </p>
          </div>
          <span className="text-xs font-semibold px-2.5 py-1 rounded bg-slate-100 text-slate-700 border border-slate-300">
            Step {currentStep} of 3
          </span>
        </div>

        {/* Step Progress indicators */}
        <div className="grid grid-cols-3 gap-2 sm:gap-4">
          <div
            onClick={() => setCurrentStep(1)}
            className={`cursor-pointer p-2.5 rounded-lg border text-left transition-all ${
              currentStep === 1
                ? 'bg-amber-50 border-amber-500 ring-1 ring-amber-500/30'
                : currentStep > 1
                ? 'bg-slate-50 border-slate-300 text-slate-600'
                : 'bg-white border-slate-200 text-slate-400'
            }`}
          >
            <div className="text-[10px] font-bold uppercase tracking-wider text-amber-700">Step 1</div>
            <div className="text-xs sm:text-sm font-semibold text-slate-900 truncate">1. Matric & Student Data</div>
          </div>

          <div
```

```
            onClick={() => setCurrentStep(2)}
            className={`cursor-pointer p-2.5 rounded-lg border
 text-left transition-all ${
              currentStep === 2
                ? 'bg-amber-50 border-amber-500 ring-1 ring-am
ber-500/30'
                : currentStep > 2
                ? 'bg-slate-50 border-slate-300 text-slate-600
'
                : 'bg-white border-slate-200 text-slate-400'
            }`}
          >
            <div className="text-[10px] font-bold uppercase tr
acking-wider text-amber-700">Step 2</div>
            <div className="text-xs sm:text-sm font-semibold t
ext-slate-900 truncate">2. Delivery & Destination</div>
          </div>

          <div
            onClick={() => setCurrentStep(3)}
            className={`cursor-pointer p-2.5 rounded-lg border
 text-left transition-all ${
              currentStep === 3
                ? 'bg-amber-50 border-amber-500 ring-1 ring-am
ber-500/30'
                : 'bg-white border-slate-200 text-slate-400'
            }`}
          >
            <div className="text-[10px] font-bold uppercase tr
acking-wider text-amber-700">Step 3</div>
            <div className="text-xs sm:text-sm font-semibold t
ext-slate-900 truncate">3. Remita Billing & Clearances</div>
          </div>
        </div>
      </div>

      <form onSubmit={handleSubmitOrder} className="bg-white r
ounded-xl shadow-sm border border-slate-200 p-6 sm:p-8">
```

```
        {/* STEP 1: Student Information */}
        {currentStep === 1 && (
          <div className="space-y-5">
            <div className="border-b border-slate-200 pb-3">
              <h3 className="text-base font-semibold text-slat
e-900 flex items-center gap-2">
                <User className="w-4 h-4 text-amber-600" />
                <span>Student Academic Record Identification</
span>
              </h3>
              <p className="text-xs text-slate-500">
                Please enter your academic credentials exactly
 as stated in your UEN Matriculation register and JAMB Admissi
on Letter.
              </p>
            </div>

            <div className="grid grid-cols-1 sm:grid-cols-2 ga
p-4">
              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Matriculation Number *
                </label>
                <input
                  id="student-id-input"
                  type="text"
                  required
                  value={studentId}
                  onChange={(e) => setStudentId(e.target.value
)}
                  placeholder="e.g. 2019/248910"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500 font-mono"
                />
                <span className="text-[11px] text-slate-400">F
ound on your course registration forms or degree cert</span>
```

```
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  JAMB Registration Number *
                </label>
                <input
                  id="jamb-reg-input"
                  type="text"
                  required
                  value={jambRegNo}
                  onChange={(e) => setJambRegNo(e.target.value
)}
                  placeholder="e.g. 96102844AJ"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500 font-mono"
                />
                <span className="text-[11px] text-slate-400">R
equired for NUC National Database reconciliation</span>
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Full Legal Name (Surname First) *
                </label>
                <input
                  id="full-name-input"
                  type="text"
                  required
                  value={fullName}
                  onChange={(e) => setFullName(e.target.value)
}
                  placeholder="e.g. Okafor, Chidiebube Emmanue
l"
                  className="w-full px-3 py-2 text-sm border b
```

```
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  State of Origin & L.G.A *
                </label>
                <input
                  id="state-origin-input"
                  type="text"
                  required
                  value={stateOfOrigin}
                  onChange={(e) => setStateOfOrigin(e.target.v
alue)}
                  placeholder="e.g. Anambra State (Idemili Nor
th LGA)"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Date of Birth *
                </label>
                <input
                  id="dob-input"
                  type="date"
                  required
                  value={dob}
                  onChange={(e) => setDob(e.target.value)}
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
```

```
ocus:border-amber-500"
                />
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Alumni / Student Email *
                </label>
                <input
                  id="email-input"
                  type="email"
                  required
                  value={email}
                  onChange={(e) => setEmail(e.target.value)}
                  placeholder="name@alumni.uen.edu.ng"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Nigerian Phone Number (SMS Alerts) *
                </label>
                <input
                  id="phone-input"
                  type="tel"
                  required
                  value={phone}
                  onChange={(e) => setPhone(e.target.value)}
                  placeholder="+234 803 000 0000"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
```

```
              </div>

              <div>
                <label className="block text-xs font-semibold text-slate-700 mb-1">
                  Faculty / School *
                </label>
                <select
                  id="faculty-select"
                  value={faculty}
                  onChange={(e) => setFaculty(e.target.value)}
                  className="w-full px-3 py-2 text-sm border border-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 focus:border-amber-500"
                >
                  <option value="Faculty of Physical Sciences">Faculty of Physical Sciences</option>
                  <option value="Faculty of Engineering">Faculty of Engineering</option>
                  <option value="Faculty of Business Administration (Enugu Campus)">Faculty of Business Administration (Enugu Campus)</option>
                  <option value="Faculty of Law (Enugu Campus)">Faculty of Law (Enugu Campus)</option>
                  <option value="Faculty of Biological Sciences">Faculty of Biological Sciences</option>
                  <option value="Faculty of Medical Sciences & Dentistry">Faculty of Medical Sciences & Dentistry</option>
                  <option value="Faculty of Agriculture">Faculty of Agriculture</option>
                  <option value="Faculty of Arts & Humanities">Faculty of Arts & Humanities</option>
                  <option value="Faculty of the Social Sciences">Faculty of the Social Sciences</option>
                </select>
              </div>

              <div>
```

```
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Degree & Major Department *
                </label>
                <input
                  id="degree-input"
                  type="text"
                  required
                  value={degree}
                  onChange={(e) => setDegree(e.target.value)}
                  placeholder="e.g. B.Sc. (Honours) Computer S
cience"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
              </div>

              <div>
                <label className="block text-xs font-semibold
text-slate-700 mb-1">
                  Year of Graduation / Exit *
                </label>
                <input
                  id="graduation-year-input"
                  type="text"
                  required
                  value={graduationYear}
                  onChange={(e) => setGraduationYear(e.target.
value)}
                  placeholder="e.g. 2023"
                  className="w-full px-3 py-2 text-sm border b
order-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 f
ocus:border-amber-500"
                />
              </div>
            </div>

```

```
            <div className="flex justify-end pt-4 border-t bor
der-slate-200">
              <button
                type="button"
                id="step-1-next-btn"
                onClick={() => setCurrentStep(2)}
                className="px-5 py-2.5 bg-slate-900 hover:bg-s
late-800 text-white rounded-lg text-xs font-semibold flex item
s-center gap-2 transition-colors"
              >
                <span>Continue to Delivery & Destination</span
>
                <ArrowRight className="w-4 h-4 text-amber-400"
 />
              </button>
            </div>
          </div>
        )}

        {/* STEP 2: Delivery & Destination */}
        {currentStep === 2 && (
          <div className="space-y-6">
            <div className="border-b border-slate-200 pb-3">
              <h3 className="text-base font-semibold text-slat
e-900 flex items-center gap-2">
                <Building2 className="w-4 h-4 text-amber-600"
/>
                <span>Transcript Format, Priority & Recipient
Target</span>
              </h3>
              <p className="text-xs text-slate-500">
                Official delivery options recognized by Nigeri
an tertiary institutions, federal parastatals, embassies, and
international credential evaluation boards.
              </p>
            </div>

            {/* Transcript Type Selection Cards */}
```

```
            <div>
              <label className="block text-xs font-semibold te
xt-slate-700 mb-2">
                Select Official Transcript Service *
              </label>
              <div className="grid grid-cols-1 sm:grid-cols-2
gap-3">
                {Object.entries(PRICING_RULES.types).map(([key
, config]) => {
                  const isSelected = transcriptType === key;
                  return (
                    <div
                      key={key}
                      onClick={() => setTranscriptType(key as
TranscriptType)}
                      className={`cursor-pointer p-4 rounded-x
l border transition-all text-left ${
                        isSelected
                          ? 'border-amber-600 bg-amber-50/50 r
ing-1 ring-amber-600/30'
                          : 'border-slate-200 hover:border-sla
te-300 bg-white'
                      }`}
                    >
                      <div className="flex items-start justify
-between gap-2">
                        <span className="font-semibold text-xs
 text-slate-900">{config.name}</span>
                        <span className="font-mono text-xs fon
t-bold text-amber-800 bg-amber-100/80 px-2 py-0.5 rounded">
                          ₦{config.fee.toLocaleString('en-NG')
}
                        </span>
                      </div>
                      <p className="text-[11px] text-slate-500
 mt-1.5 leading-relaxed">
                        {config.desc}
                      </p>
```

```
                  </div>
                );
              })}
            </div>
          </div>

          {/* Processing Priority */}
          <div>
            <label className="block text-xs font-semibold te
xt-slate-700 mb-2">
              Processing Speed / Turnaround Service *
            </label>
            <div className="grid grid-cols-1 sm:grid-cols-3
gap-3">
              {Object.entries(PRICING_RULES.priorities).map(
([key, config]) => {
                const isSelected = priority === key;
                return (
                  <div
                    key={key}
                    onClick={() => setPriority(key as Proces
singPriority)}
                    className={`cursor-pointer p-3 rounded-l
g border transition-all ${
                      isSelected
                        ? 'border-amber-600 bg-amber-50/50 r
ing-1 ring-amber-600/30'
                        : 'border-slate-200 hover:border-sla
te-300 bg-white'
                    }`}
                  >
                    <div className="flex justify-between ite
ms-center text-xs font-semibold text-slate-900">
                      <span>{config.name}</span>
                      <span className="text-amber-800 font-m
ono">
                        {config.fee === 0 ? 'Included' : `+₦
${config.fee.toLocaleString('en-NG')}`}
```

```
                      </span>
                    </div>
                    <span className="text-[11px] text-slate-
500 flex items-center gap-1 mt-1">
                      <Clock className="w-3 h-3 text-slate-4
00" />
                      <span>ETA: {config.eta}</span>
                    </span>
                  </div>
                );
              })}
            </div>
          </div>

          {/* Recipient Details */}
          <div className="bg-slate-50 p-4 rounded-xl border
border-slate-200 space-y-4">
            <h4 className="text-xs font-bold uppercase track
ing-wider text-slate-700">
              Recipient Institution / Destination Details
            </h4>

            <div className="grid grid-cols-1 sm:grid-cols-2
gap-4">
              <div>
                <label className="block text-xs font-semibol
d text-slate-700 mb-1">
                  Recipient Classification *
                </label>
                <select
                  id="recipient-type-select"
                  value={recipientType}
                  onChange={(e) => setRecipientType(e.target
.value as any)}
                  className="w-full px-3 py-2 text-xs border
 border-slate-300 rounded-lg bg-white"
                >
                  <option value="university">Nigerian / Fore
```

```
ign University (Postgraduate School)</option>
                    <option value="evaluation_agency">Credenti
al Evaluator (WES, ECE, ICAS, IQAS)</option>
                    <option value="employer">Employer / Federa
l Parastatal / Corporate HR</option>
                    <option value="self">Student Personal Acad
emic File</option>
                  </select>
                </div>

                <div>
                  <label className="block text-xs font-semibol
d text-slate-700 mb-1">
                    Recipient Organization / Official *
                  </label>
                  <input
                    id="recipient-name-input"
                    type="text"
                    required
                    value={recipientName}
                    onChange={(e) => setRecipientName(e.target
.value)}
                    placeholder="e.g. World Education Services
 (WES) Canada or UNILAG SPGS"
                    className="w-full px-3 py-2 text-xs border
 border-slate-300 rounded-lg bg-white"
                  />
                </div>

                <div>
                  <label className="block text-xs font-semibol
d text-slate-700 mb-1">
                    Official Recipient Email *
                  </label>
                  <input
                    id="recipient-email-input"
                    type="email"
                    required
```

```
                    value={recipientEmail}
                    onChange={(e) => setRecipientEmail(e.target.value)}
                    placeholder="admissions@unilag.edu.ng or submit@wes.org"
                    className="w-full px-3 py-2 text-xs border border-slate-300 rounded-lg bg-white"
                  />
                </div>

                <div>
                  <label className="block text-xs font-semibold text-slate-700 mb-1">
                    Application / WES Ref # (if applicable)
                  </label>
                  <input
                    id="evaluation-ref-input"
                    type="text"
                    value={evaluationRefNo}
                    onChange={(e) => setEvaluationRefNo(e.target.value)}
                    placeholder="e.g. WES-CAN-9912042"
                    className="w-full px-3 py-2 text-xs border border-slate-300 rounded-lg bg-white font-mono"
                  />
                </div>
              </div>

              {transcriptType === 'official_hardcopy' && (
                <div>
                  <label className="block text-xs font-semibold text-slate-700 mb-1">
                    Physical Delivery Address (Courier Waybill in Nigeria or International) *
                  </label>
                  <textarea
                    id="recipient-address-input"
                    required
```

```
                  rows={2}
                  value={recipientAddress}
                  onChange={(e) => setRecipientAddress(e.target.value)}
                  placeholder="e.g. Postgraduate Admissions Office, Senate Building, UNILAG Main Campus, Akoka, Yaba, Lagos State"
                  className="w-full px-3 py-2 text-xs border border-slate-300 rounded-lg bg-white"
                />
              </div>
            )}

            <div>
              <label className="block text-xs font-semibold text-slate-700 mb-1">
                Special Senate / Registrar Instructions (Optional)
              </label>
              <input
                id="additional-instructions-input"
                type="text"
                value={additionalInstructions}
                onChange={(e) => setAdditionalInstructions(e.target.value)}
                placeholder="e.g. Add Class of Degree commendation, seal in stamped confidential registrar envelope"
                className="w-full px-3 py-2 text-xs border border-slate-300 rounded-lg bg-white"
              />
            </div>
          </div>

          <div className="flex justify-between items-center pt-4 border-t border-slate-200">
            <button
              type="button"
              onClick={() => setCurrentStep(1)}
```

```
                classNameover:bg-slate-100 text-slate-700 rounded-lg text-xs font-semibold flex items-center gap-1.5 transition-colors"
              >
                <ArrowLeft className="w-4 h-4" />
                <span>Back to Student Details</span>
              </button>

              <button
                type="button"
                id="step-2-next-btn"
                onClick={() => setCurrentStep(3)}
                classNamelate-800 text-white rounded-lg text-xs font-semibold flex items-center gap-2 transition-colors"
              >
                <span>Proceed to Remita Billing & Clearances</span>
                <ArrowRight className="w-4 h-4 text-amber-400" />
              </button>
            </div>
          </div>
        )}

        {/* STEP 3: Clearances, Fee Breakdown & Submission */}
        {currentStep === 3 && (
          <div className="space-y-6">
            <div className="border-b border-slate-200 pb-3">
              <h3 className="text-base font-semibold text-slate-900 flex items-center gap-2">
                <ShieldCheck className="w-4 h-4 text-amber-600" />
                <span>Statutory Clearances & Remita Central Billing</span>
              </h3>
              <p className="text-xs text-slate-500">
                Confirm institutional clearances and review fe
```

```
e settlement via Remita TSA before placing your request in the
 official Senate queue.
              </p>
            </div>

            {/* Document Upload Area */}
            <div>
              <label className="block text-xs font-semibold te
xt-slate-700 mb-1">
                Upload Identification Document (Degree Certifi
cate, Student ID or NYSC Discharge Certificate)
              </label>
              <div className="border-2 border-dashed border-sl
ate-300 hover:border-amber-500 rounded-xl p-5 text-center bg-s
late-50 transition-colors">
                <Upload className="w-7 h-7 text-slate-400 mx-a
uto mb-2" />
                <p className="text-xs text-slate-700 font-medi
um">
                  {uploadedFileName ? (
                    <span className="text-emerald-700 font-sem
ibold flex items-center justify-center gap-1">
                      <CheckCircle2 className="w-4 h-4" />
                      Uploaded File: {uploadedFileName}
                    </span>
                  ) : (
                    "Drag and drop your file here, or click to
 browse"
                  )}
                </p>
                <p className="text-[11px] text-slate-400 mt-1"
>Accepted: PDF, PNG, JPG (Max 15MB)</p>
                <input
                  type="file"
                  id="document-upload-input"
                  onChange={handleFileUpload}
                  className="mt-3 text-xs text-slate-500 file:
mr-3 file:py-1 file:px-3 file:rounded-md file:border-0 file:te
```

```
xt-xs file:font-semibold file:bg-slate-900 file:text-white hov
er:file:bg-slate-800"
                />
              </div>
            </div>

            {/* Clearances Checklist */}
            <div className="bg-slate-50 p-4 rounded-xl border
border-slate-200 space-y-3 text-xs">
              <h4 className="font-bold text-slate-800 uppercas
e tracking-wider text-[11px]">
                University Clearances & Affirmations
              </h4>

              <label className="flex items-start gap-2.5 curso
r-pointer text-slate-700">
                <input
                  type="checkbox"
                  required
                  checked={bursaryClearance}
                  onChange={(e) => setBursaryClearance(e.targe
t.checked)}
                  className="mt-0.5 rounded border-slate-300 t
ext-amber-600 focus:ring-amber-500"
                />
                <span>
                  <strong>University Bursary Affirmation:</str
ong> I certify that all school fees, departmental dues, and gr
aduation levies have been fully settled without indebtedness.
                </span>
              </label>

              <label className="flex items-start gap-2.5 curso
r-pointer text-slate-700">
                <input
                  type="checkbox"
                  required
                  checked={libraryClearance}
```

```
                onChange={(e) => setLibraryClearance(e.targe
t.checked)}
                className="mt-0.5 rounded border-slate-300 t
ext-amber-600 focus:ring-amber-500"
              />
              <span>
                <strong>Nnamdi Azikiwe Library Clearance:</s
trong> I confirm that no overdue library books, borrowed perio
dicals, or research materials remain unreturned under my matri
culation number.
              </span>
            </label>

            <label className="flex items-start gap-2.5 curso
r-pointer text-slate-700">
              <input
                type="checkbox"
                required
                checked={truthAffirmation}
                onChange={(e) => setTruthAffirmation(e.targe
t.checked)}
                className="mt-0.5 rounded border-slate-300 t
ext-amber-600 focus:ring-amber-500"
              />
              <span>
                <strong>NUC & Records Release Authorization:
</strong> I hereby authorize the University Registrar to discl
ose and transmit my certified academic transcripts to the nomi
nated recipient.
              </span>
            </label>
          </div>

          {/* Fee Breakdown Card */}
          <div className="border border-slate-200 rounded-xl
 overflow-hidden bg-slate-900 text-white p-5">
            <div className="flex items-center justify-betwee
n pb-3 border-b border-slate-800">
```

```
                <span className="text-xs uppercase tracking-wider text-slate-400 font-semibold">Remita RRR Service Billing</span>
                <span className="text-xs text-amber-400 font-mono flex items-center gap-1">
                  <CreditCard className="w-3.5 h-3.5" />
                  Federal TSA Account
                </span>
              </div>

              <div className="py-3 space-y-2 text-xs">
                <div className="flex justify-between text-slate-300">
                  <span>{PRICING_RULES.types[transcriptType]?.name}</span>
                  <span className="font-mono">₦{baseFee.toLocaleString('en-NG')}</span>
                </div>
                {priorityFee > 0 && (
                  <div className="flex justify-between text-slate-300">
                    <span>Senate Priority Clearance ({priority.replace('_', ' ')})</span>
                    <span className="font-mono">+₦{priorityFee.toLocaleString('en-NG')}</span>
                  </div>
                )}
                {courierFee > 0 && (
                  <div className="flex justify-between text-slate-300">
                    <span>Registered Courier Handling & Security Watermark Paper</span>
                    <span className="font-mono">+₦{courierFee.toLocaleString('en-NG')}</span>
                  </div>
                )}
              </div>

```

```
              <div className="pt-3 border-t border-slate-800 f
lex justify-between items-baseline">
                <div>
                  <div className="text-xs text-slate-400">Tota
l Remita Settlement Fee</div>
                  <div className="text-[11px] text-emerald-400
">All federal statutory tariffs included</div>
                </div>
                <div className="text-xl font-bold font-mono te
xt-amber-400">
                  ₦{totalCalculatedFee.toLocaleString('en-NG')
} NGN
                </div>
              </div>
            </div>

            {/* Navigation Buttons */}
            <div className="flex justify-between items-center
pt-4 border-t border-slate-200">
              <button
                type="button"
                onClick={() => setCurrentStep(2)}
                className="px-4 py-2 border border-slate-300 h
over:bg-slate-100 text-slate-700 rounded-lg text-xs font-semib
old flex items-center gap-1.5 transition-colors"
              >
                <ArrowLeft className="w-4 h-4" />
                <span>Back to Delivery</span>
              </button>

              <button
                type="submit"
                id="submit-order-btn"
                className="px-6 py-2.5 bg-amber-600 hover:bg-a
mber-700 text-white rounded-lg text-xs font-bold flex items-ce
nter gap-2 shadow-sm transition-colors"
              >
                <Send className="w-4 h-4" />
```

```
                <span>Generate Remita RRR & Submit Order</span
>
              </button>
            </div>
          </div>
        )}
      </form>
    </div>
  );
};

```

TrackApplication.tsx

```tsx
import React, { useState } from 'react';
import {
  Search, CheckCircle2, Clock, AlertTriangle, FileText, Printer,
  Building, Mail, ShieldAlert, ArrowRight, ExternalLink, RefreshCw, Copy, Check
} from 'lucide-react';
import { TranscriptRequest, RequestStatus } from '../types';

interface TrackApplicationProps {
  requests: TranscriptRequest[];
  selectedTrackingId?: string;
  onViewTranscript: (studentId: string) => void;
  onOpenReceipt: (request: TranscriptRequest) => void;
}

export const TrackApplication: React.FC<TrackApplicationProps> = ({
  requests,
  selectedTrackingId,
  onViewTranscript,
  onOpenReceipt
}) => {
  const [searchInput, setSearchInput] = useState<string>(selectedTrackingId || 'TRX-2026-88102');
  const [activeQuery, setActiveQuery] = useState<string>(selectedTrackingId || 'TRX-2026-88102');
  const [copied, setCopied] = useState<boolean>(false);

  const matchedRequest = requests.find(
    (r) => r.id.toLowerCase() === activeQuery.toLowerCase().trim() ||
           r.studentId.toLowerCase() === activeQuery.toLowerCase().trim()
  ) || requests[0];

```

```
  const handleSearch = (e: React.FormEvent) => {
    e.preventDefault();
    setActiveQuery(searchInput);
  };

  const handleCopy = (text: string) => {
    navigator.clipboard.writeText(text);
    setCopied(true);
    setTimeout(() => setCopied(false), 2000);
  };

  const statusSteps: { key: RequestStatus; title: string; desc
: string }[] = [
    { key: 'submitted', title: '1. Request Received', desc: 'O
rder logged & identity authenticated' },
    { key: 'archive_retrieval', title: '2. Archive Retrieval',
 desc: 'Historical semester grade audits' },
    { key: 'clearance_review', title: '3. Clearances Review',
desc: 'Bursary and departmental signs' },
    { key: 'ready_to_seal', title: '4. Registrar Seal', desc:
'Digital signature & hash generation' },
    { key: 'dispatched', title: '5. Dispatched', desc: 'Delive
red securely to recipient' },
  ];

  const getStepIndex = (status: RequestStatus) => {
    if (status === 'submitted') return 0;
    if (status === 'archive_retrieval') return 1;
    if (status === 'clearance_review') return 2;
    if (status === 'ready_to_seal') return 3;
    if (status === 'dispatched') return 4;
    return 2; // for hold
  };

  const currentStepIdx = matchedRequest ? getStepIndex(matched
Request.status) : 0;
  const isHold = matchedRequest?.status === 'hold';

```

```
  return (
    <div className="max-w-4xl mx-auto py-6 px-4">
      {/* Search Header */}
      <div className="bg-white rounded-xl border border-slate-200 shadow-sm p-5 sm:p-6 mb-6">
        <h2 className="text-xl font-bold text-slate-900 font-display-crest mb-1">
          Track Transcript Application Status
        </h2>
        <p className="text-xs text-slate-600 mb-4">
          Enter your Tracking Reference ID (e.g., <code className="font-mono bg-slate-100 px-1 py-0.5 rounded text-amber-700">TRX-2026-88102</code>) or Student Matric No (e.g. <code className="font-mono bg-slate-100 px-1 py-0.5 rounded text-amber-700">2019/248910</code>) to view real-time processing milestones.
        </p>

        <form onSubmit={handleSearch} className="flex gap-2">
          <div className="relative flex-1">
            <Search className="w-4 h-4 text-slate-400 absolute left-3.5 top-1/2 -translate-y-1/2" />
            <input
              type="text"
              id="track-search-input"
              value={searchInput}
              onChange={(e) => setSearchInput(e.target.value)}
              placeholder="Enter Tracking ID (TRX-...) or Matric No (2019/...)"
              className="w-full pl-10 pr-4 py-2.5 text-xs sm:text-sm border border-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 focus:border-amber-500 font-mono"
            />
          </div>
          <button
            type="submit"
            id="track-search-btn"
            className="px-5 py-2.5 bg-slate-900 hover:bg-slate
```

```
-800 text-white rounded-lg text-xs font-semibold flex items-ce
nter gap-1.5 transition-colors"
          >
            <span>Search</span>
          </button>
        </form>

        {/* Quick Sample Selector Chips */}
        <div className="flex flex-wrap items-center gap-2 mt-4
 pt-3 border-t border-slate-100 text-xs">
          <span className="text-slate-400 font-medium">Test St
atus Samples:</span>
          {requests.slice(0, 4).map((req) => (
            <button
              key={req.id}
              onClick={() => {
                setSearchInput(req.id);
                setActiveQuery(req.id);
              }}
              className={`px-2.5 py-1 rounded text-[11px] font
-mono border transition-colors ${
                matchedRequest?.id === req.id
                  ? 'bg-amber-100 text-amber-900 border-amber-
400 font-bold'
                  : 'bg-slate-50 text-slate-600 border-slate-2
00 hover:bg-slate-100'
              }`}
            >
              {req.id} ({req.status.replace('_', ' ')})
            </button>
          ))}
        </div>
      </div>

      {/* Matched Request Card */}
      {matchedRequest ? (
        <div className="space-y-6">
          {/* Main Status Banner */}
```

```
          <div className={`rounded-xl border p-5 sm:p-6 shadow-sm ${
            isHold
              ? 'bg-red-50/80 border-red-200 text-red-950'
              : matchedRequest.status === 'dispatched'
              ? 'bg-emerald-50/80 border-emerald-200 text-emerald-950'
              : 'bg-white border-slate-200 text-slate-900'
          }`}>
            <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-4 border-b border-slate-200/80">
              <div>
                <div className="flex items-center gap-2">
                  <span className="text-xs font-bold uppercase tracking-wider text-slate-500">Tracking Reference</span>
                  <span className="font-mono font-bold text-base text-slate-900">{matchedRequest.id}</span>
                  <button
                    onClick={() => handleCopy(matchedRequest.id)}
                    className="p-1 hover:bg-slate-200 rounded text-slate-500 transition-colors"
                    title="Copy tracking code"
                  >
                    {copied ? <Check className="w-3.5 h-3.5 text-emerald-600" /> : <Copy className="w-3.5 h-3.5" />}
                  </button>
                </div>
                <div className="text-sm font-semibold text-slate-800 mt-1">
                  {matchedRequest.fullName} • <span className="font-mono text-slate-600">{matchedRequest.studentId}</span>
                </div>
              </div>

              <div className="flex flex-wrap items-center gap-2">
```

```
                <span className={`px-3 py-1 rounded-full text-xs font-bold uppercase tracking-wider ${
                  isHold
                    ? 'bg-red-600 text-white'
                    : matchedRequest.status === 'dispatched'
                    ? 'bg-emerald-600 text-white'
                    : 'bg-amber-500 text-slate-950'
                }`}>
                  {isHold ? 'Action Required: Institutional Hold' : matchedRequest.status.replace('_', ' ')}
                </span>
                <span className="px-2.5 py-1 rounded bg-slate-100 border border-slate-300 text-slate-700 text-xs font-medium capitalize">
                  {matchedRequest.priority} Priority
                </span>
              </div>
            </div>

            {/* Hold Banner details if applicable */}
            {isHold && (
              <div className="mt-4 p-4 rounded-lg bg-red-100/90 border border-red-300 text-xs">
                <div className="flex items-start gap-2.5">
                  <ShieldAlert className="w-5 h-5 text-red-700 flex-shrink-0 mt-0.5" />
                  <div>
                    <h4 className="font-bold text-red-900">Transcript Issuance Paused - Academic / Financial Hold</h4>
                    <p className="mt-1 text-red-800 leading-relaxed font-medium">
                      {matchedRequest.holdReason}
                    </p>
                    <div className="mt-2 text-[11px] text-red-700">
                      <strong>Resolution:</strong> Please resolve this pending requirement directly with the Bursar or Department Coordinator. Once cleared, processing will automatically
```

```
 resume within 2 business hours.
                    </div>
                  </div>
                </div>
              </div>
            )}

            {/* 5-Stage Timeline */}
            <div className="mt-6">
              <h4 className="text-xs font-bold uppercase tracking-wider text-slate-500 mb-4">
                Milestone Progress Timeline
              </h4>

              <div className="relative">
                <div className="hidden sm:block absolute top-4 left-4 right-4 h-0.5 bg-slate-200 -z-0"></div>
                <div className="grid grid-cols-1 sm:grid-cols-5 gap-3">
                  {statusSteps.map((step, idx) => {
                    const isCompleted = !isHold && idx <= currentStepIdx;
                    const isCurrent = !isHold && idx === currentStepIdx;
                    const isStepHold = isHold && idx === currentStepIdx;

                    return (
                      <div key={step.key} className="flex sm:flex-col items-center sm:items-center text-left sm:text-center gap-3 sm:gap-2">
                        <div className={`w-8 h-8 rounded-full flex items-center justify-center text-xs font-bold z-10 transition-all ${
                          isStepHold
                            ? 'bg-red-600 text-white ring-4 ring-red-100'
                            : isCompleted
```

```
                            ? 'bg-emerald-600 text-white shadow-sm'
                            : isCurrent
                            ? 'bg-amber-500 text-slate-950 ring-4 ring-amber-100 font-extrabold'
                            : 'bg-slate-200 text-slate-500'
                        }`}>
                          {isStepHold ? (
                            <AlertTriangle className="w-4 h-4" />
                          ) : isCompleted ? (
                            <CheckCircle2 className="w-4 h-4" />
                          ) : (
                            idx + 1
                          )}
                        </div>

                        <div>
                          <div className={`text-xs font-semibold ${
                            isStepHold
                              ? 'text-red-700 font-bold'
                              : isCurrent
                              ? 'text-amber-700 font-bold'
                              : isCompleted
                              ? 'text-slate-900'
                              : 'text-slate-400'
                          }`}>
                            {step.title}
                          </div>
                          <p className="text-[11px] text-slate-500 hidden sm:block mt-0.5">
                            {step.desc}
                          </p>
                        </div>
                      </div>
                    );
```

```
                  })}
                </div>
              </div>
            </div>

            {/* Status notes */}
            {matchedRequest.statusNotes && (
              <div className="mt-5 pt-4 border-t border-slate-200/80 text-xs text-slate-600 flex items-start gap-2">
                <Clock className="w-4 h-4 text-amber-600 flex-shrink-0 mt-0.5" />
                <div>
                  <span className="font-semibold text-slate-800">Latest Registrar Log:</span>{" "}
                  <span>{matchedRequest.statusNotes}</span>
                  {matchedRequest.processedBy && (
                    <span className="text-slate-400 block mt-0.5 text-[11px]">Handled by: {matchedRequest.processedBy}</span>
                  )}
                </div>
              </div>
            )}
          </div>

          {/* Detailed Metadata Grid */}
          <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
            {/* Delivery & Destination Specs */}
            <div className="bg-white rounded-xl border border-slate-200 p-5 shadow-xs text-xs space-y-3">
              <h4 className="font-bold text-slate-800 uppercase tracking-wider text-[11px] flex items-center gap-1.5 border-b border-slate-100 pb-2">
                <Building className="w-3.5 h-3.5 text-amber-600" />
                <span>Recipient Destination Details</span>
              </h4>
```

```
258
259              <div className="space-y-2 text-slate-600">
260                <div className="flex justify-between">
261                  <span className="text-slate-400">Target Orga
nization:</span>
262                  <span className="font-semibold text-slate-80
0 text-right">{matchedRequest.recipientName}</span>
263                </div>
264                <div className="flex justify-between">
265                  <span className="text-slate-400">Recipient E
mail:</span>
266                  <span className="font-mono text-slate-800">{
matchedRequest.recipientEmail}</span>
267                </div>
268                {matchedRequest.evaluationRefNo && (
269                  <div className="flex justify-between">
270                    <span className="text-slate-400">WES / Eva
l Ref #:</span>
271                    <span className="font-mono font-bold text-
amber-700">{matchedRequest.evaluationRefNo}</span>
272                  </div>
273                )}
274                {matchedRequest.recipientAddress && (
275                  <div>
276                    <span className="text-slate-400 block mb-0
.5">Physical Shipping Address:</span>
277                    <span className="text-slate-800 bg-slate-5
0 p-2 rounded block border border-slate-200">
278                      {matchedRequest.recipientAddress}
279                    </span>
280                  </div>
281                )}
282                {matchedRequest.securityHash && (
283                  <div className="pt-2 border-t border-slate-1
00 flex justify-between items-center">
284                    <span className="text-slate-400">Cryptogra
phic Seal Key:</span>
285                    <span className="font-mono text-[11px] tex
```

```
t-emerald-700 font-bold bg-emerald-50 px-2 py-0.5 rounded bord
er border-emerald-200">
                      {matchedRequest.securityHash}
                    </span>
                  </div>
                )}
              </div>
            </div>

            {/* Timeline & Actions */}
            <div className="bg-white rounded-xl border border-
slate-200 p-5 shadow-xs text-xs space-y-3 flex flex-col justif
y-between">
              <div>
                <h4 className="font-bold text-slate-800 upperc
ase tracking-wider text-[11px] flex items-center gap-1.5 borde
r-b border-slate-100 pb-2">
                  <Clock className="w-3.5 h-3.5 text-amber-600
" />
                  <span>Processing Milestones & ETA</span>
                </h4>

                <div className="space-y-2 mt-2 text-slate-600"
>
                  <div className="flex justify-between">
                    <span className="text-slate-400">Order Pla
ced:</span>
                    <span className="font-medium text-slate-80
0">{matchedRequest.submittedAt}</span>
                  </div>
                  {matchedRequest.remitaRrr && (
                    <div className="flex justify-between">
                      <span className="text-slate-400">Remita
RRR Code:</span>
                      <span className="font-mono font-bold tex
t-amber-800">{matchedRequest.remitaRrr}</span>
                    </div>
                  )}
```

```
                  <div className="flex justify-between">
                    <span className="text-slate-400">Expected Senate Dispatch:</span>
                    <span className="font-bold text-slate-900">{matchedRequest.estimatedCompletion}</span>
                  </div>
                  <div className="flex justify-between">
                    <span className="text-slate-400">Total Remita Paid:</span>
                    <span className="font-mono font-bold text-emerald-800">₦{matchedRequest.totalFee.toLocaleString('en-NG')} NGN</span>
                  </div>
                  <div className="flex justify-between">
                    <span className="text-slate-400">Clearance Document:</span>
                    <span className="font-medium text-slate-700">{matchedRequest.uploadedDocumentName || 'Verified Portal Records'}</span>
                  </div>
                </div>
              </div>

              {/* Action Buttons */}
              <div className="pt-3 border-t border-slate-100 flex flex-wrap items-center gap-2">
                <button
                  onClick={() => onOpenReceipt(matchedRequest)}
                  className="flex-1 px-3 py-2 bg-slate-100 hover:bg-slate-200 text-slate-800 rounded-lg text-xs font-semibold flex items-center justify-center gap-1.5 transition-colors"
                >
                  <Printer className="w-3.5 h-3.5 text-slate-600" />
                  <span>Official Receipt</span>
                </button>

```

```
                <button
                  onClick={() => onViewTranscript(matchedReque
st.studentId)}
                  className="flex-1 px-3 py-2 bg-amber-600 hov
er:bg-amber-700 text-white rounded-lg text-xs font-semibold fl
ex items-center justify-center gap-1.5 transition-colors shado
w-xs"
                >
                  <FileText className="w-3.5 h-3.5" />
                  <span>Official Transcript View</span>
                </button>
              </div>
            </div>
          </div>
        </div>
      ) : (
        <div className="bg-white rounded-xl border border-slat
e-200 p-8 text-center">
          <p className="text-slate-500 text-sm">
            No application matched the reference number <stron
g className="font-mono text-slate-800">{activeQuery}</strong>.
          </p>
          <button
            onClick={() => setActiveQuery('TRX-2026-88102')}
            className="mt-3 px-4 py-1.5 bg-slate-900 text-whit
e rounded-lg text-xs font-medium"
          >
            Load Sample Record (TRX-2026-88102)
          </button>
        </div>
      )}
    </div>
  );
};

```

TranscriptDocument.tsx

```tsx
import React, { useState } from 'react';
import {
  Printer, ShieldCheck, Award, CheckCircle2, Building
} from 'lucide-react';
import { StudentAcademicProfile } from '../types';
import { UNIVERSITY_INFO, INITIAL_STUDENT_PROFILES } from '../data/mockData';

interface TranscriptDocumentProps {
  selectedStudentId?: string;
  onVerifyCode?: (code: string) => void;
}

export const TranscriptDocument: React.FC<TranscriptDocumentProps> = ({
  selectedStudentId = '2019/248910',
  onVerifyCode
}) => {
  const [activeStudentId, setActiveStudentId] = useState<string>(selectedStudentId);

  const student: StudentAcademicProfile =
    INITIAL_STUDENT_PROFILES[activeStudentId] || INITIAL_STUDENT_PROFILES['2019/248910'];

  const handlePrint = () => {
    window.print();
  };

  return (
    <div className="max-w-5xl mx-auto py-6 px-4">
      {/* Top Toolbar (Hidden during Print) */}
      <div className="no-print bg-white rounded-xl border border-slate-200 shadow-sm p-4 mb-6 flex flex-wrap items-center justify-between gap-4">
        <div className="flex items-center gap-3">
```

```
          <label className="text-xs font-semibold text-slate-700">
            Select Student Record:
          </label>
          <select
            value={activeStudentId}
            onChange={(e) => setActiveStudentId(e.target.value)}
            className="text-xs font-medium border border-slate-300 rounded-lg px-3 py-1.5 bg-slate-50 focus:ring-2 focus:ring-amber-500"
          >
            <option value="2019/248910">Chidiebube Emmanuel Okafor (2019/248910 - First Class B.Sc. CS, Anambra)</option>
            <option value="2018/193044">Ngozi Amarachi Eze (2018/193044 - 2:1 B.Sc. Banking & Finance, Enugu)</option>
            <option value="2021/304192">Somtochukwu Kenechukwu Nnamani (2021/304192 - B.Sc. Biochem, Penultimate)</option>
          </select>
        </div>

        <div className="flex items-center gap-2">
          <button
            onClick={handlePrint}
            id="print-transcript-btn"
            className="flex items-center gap-2 px-4 py-2 bg-slate-900 hover:bg-slate-800 text-white rounded-lg text-xs font-semibold shadow-sm transition-colors"
          >
            <Printer className="w-4 h-4 text-amber-400" />
            <span>Print Official Academic Transcript (PDF)</span>
          </button>
        </div>
      </div>

      {/* Official Collegiate Transcript Sheet */}
      <div className="printable-transcript-page bg-white round
```

```
ed-xl shadow-xl border border-slate-300 p-8 sm:p-12 relative o
verflow-hidden text-slate-900">
59          {/* Subtle Watermark in background */}
60          <div className="absolute inset-0 flex items-center jus
tify-center opacity-[0.03] pointer-events-none select-none">
61            <Award className="w-[550px] h-[550px] text-slate-900
" />
62          </div>
63
64          {/* Security Border Header */}
65          <div className="border-b-2 border-slate-900 pb-6 mb-6"
>
66            <div className="flex flex-col sm:flex-row sm:items-s
tart justify-between gap-4">
67              <div className="flex items-center gap-4">
68                <div className="w-16 h-16 rounded-xl border-2 bo
rder-slate-900 flex flex-col items-center justify-center bg-am
ber-50 text-slate-900 flex-shrink-0">
69                  <Award className="w-9 h-9 text-amber-700" />
70                  <span className="text-[9px] font-bold tracking
-widest font-display-crest">UEN</span>
71                </div>
72                <div>
73                  <h1 className="text-xl sm:text-2xl font-extrab
old tracking-tight font-display-crest text-slate-950">
74                    {UNIVERSITY_INFO.name}
75                  </h1>
76                  <p className="text-xs font-semibold tracking-w
ider uppercase text-slate-700">
77                    {UNIVERSITY_INFO.department}
78                  </p>
79                  <p className="text-[11px] text-slate-600 font-
serif-academic italic mt-0.5">
80                    "{UNIVERSITY_INFO.motto}" • Established {UNI
VERSITY_INFO.established}
81                  </p>
82                  <p className="text-[11px] text-slate-500 mt-0.
5">
```

```
                {UNIVERSITY_INFO.address} • NUC Accreditatio
n Ref: {UNIVERSITY_INFO.nucCode}
              </p>
            </div>
          </div>

          <div className="text-left sm:text-right border-t s
m:border-t-0 pt-3 sm:pt-0 border-slate-200">
            <div className="inline-block px-3 py-1 bg-slate-
900 text-amber-400 font-display-crest text-xs font-bold upperc
ase tracking-widest rounded">
              Official Academic Transcript
            </div>
            <div className="text-[11px] text-slate-600 mt-1.
5 font-mono">
              Verification Ledger ID: <span className="font-
bold text-slate-900">{student.verificationHash}</span>
            </div>
            <div className="text-[11px] text-slate-500">
              Date Issued: {student.dateIssued}
            </div>
          </div>
        </div>
      </div>

      {/* Student Biographical & Degree Details Box */}
      <div className="bg-slate-50/80 border border-slate-300
 rounded-lg p-5 mb-8 text-xs font-sans-ui">
        <div className="grid grid-cols-1 sm:grid-cols-2 md:g
rid-cols-4 gap-4">
          <div>
            <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Student Legal Name</
span>
            <span className="font-bold text-slate-900 text-s
m">{student.fullName}</span>
          </div>
          <div>
```

```
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Matriculation Number
</span>
              <span className="font-mono font-bold text-slate-
900 text-sm">{student.studentId}</span>
            </div>
            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">JAMB Registration No
</span>
              <span className="font-mono font-semibold text-sl
ate-800">{student.jambRegNo || '96102844AJ'}</span>
            </div>
            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">State of Origin</spa
n>
              <span className="font-medium text-slate-800">{st
udent.stateOfOrigin || 'Anambra State'}</span>
            </div>

            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Faculty / School</sp
an>
              <span className="font-semibold text-slate-900">{
student.faculty}</span>
            </div>
            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Degree & Department<
/span>
              <span className="font-medium text-slate-800">{st
udent.degree} in {student.major}</span>
            </div>
            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Degree Status</span>
```

```
              <span className="inline-block px-2 py-0.5 rounde
d text-[11px] font-bold uppercase bg-emerald-100 text-emerald-
800 border border-emerald-300">
                {student.conferralStatus}
              </span>
            </div>
            <div>
              <span className="text-slate-500 block uppercase
text-[10px] tracking-wider font-semibold">Cumulative GPA (NUC
5.0)</span>
              <span className="font-mono font-extrabold text-a
mber-800 text-sm">
                {student.cumulativeGpa.toFixed(2)} / 5.00
              </span>
            </div>
          </div>

          {student.academicStanding && (
            <div className="mt-3 pt-3 border-t border-slate-20
0 flex flex-wrap items-center justify-between gap-2 text-xs">
              <div>
                <span className="text-slate-500 font-semibold"
>Class of Degree: </span>
                <span className="font-bold text-amber-900 font
-serif-academic text-sm">
                  {student.academicStanding}
                </span>
              </div>
              {student.deanHonorList && (
                <div className="text-[11px] text-slate-500">
                  <span className="font-semibold">Dean's Roll
of Honour: </span>
                  {student.deanHonorList.join(", ")}
                </div>
              )}
            </div>
          )}
        </div>
```

```
161
162         {/* Semester-by-Semester Course Grids */}
163         <div className="space-y-6 mb-8 font-sans-ui">
164           {student.semesters.map((sem, sIdx) => (
165             <div key={sIdx} className="border border-slate-300
 rounded-lg overflow-hidden">
166               <div className="bg-slate-100/90 px-4 py-2 flex i
tems-center justify-between border-b border-slate-300">
167                 <span className="font-bold text-xs sm:text-sm
text-slate-900 uppercase tracking-wide">
168                   {sem.term} ({sem.academicYear})
169                 </span>
170                 <div className="flex items-center gap-3 text-x
s">
171                   <span className="text-slate-600">Units: <str
ong>{sem.termCredits}</strong></span>
172                   <span className="text-slate-600">Semester GP
A: <strong className="font-mono font-bold text-slate-900">{sem
.termGpa.toFixed(2)} / 5.00</strong></span>
173                 </div>
174               </div>
175
176               <table className="w-full text-xs">
177                 <thead>
178                   <tr className="bg-slate-50 text-slate-600 bo
rder-b border-slate-200">
179                     <th className="py-2 px-3 text-left font-se
mibold w-24">Course Code</th>
180                     <th className="py-2 px-3 text-left font-se
mibold">Course Title / Description</th>
181                     <th className="py-2 px-3 text-center font-
semibold w-16">Units</th>
182                     <th className="py-2 px-3 text-center font-
semibold w-16">Grade</th>
183                     <th className="py-2 px-3 text-right font-s
emibold w-20">Weight Points</th>
184                   </tr>
185                 </thead>
```

```
                <tbody className="divide-y divide-slate-200">
                  {sem.courses.map((c, cIdx) => (
                    <tr key={cIdx} className="hover:bg-slate-50/50">
                      <td className="py-1.5 px-3 font-mono font-semibold text-slate-800">{c.code}</td>
                      <td className="py-1.5 px-3 text-slate-900">{c.title}</td>
                      <td className="py-1.5 px-3 text-center font-mono text-slate-700">{c.credits}</td>
                      <td className="py-1.5 px-3 text-center font-bold text-slate-900 font-mono">{c.grade}</td>
                      <td className="py-1.5 px-3 text-right font-mono text-slate-700">{c.points.toFixed(1)}</td>
                    </tr>
                  ))}
                </tbody>
              </table>
            </div>
          ))}
        </div>

        {/* Cumulative Summary Totals */}
        <div className="bg-slate-900 text-white rounded-lg p-4 sm:p-5 mb-8 flex flex-col sm:flex-row items-center justify-between gap-4 font-sans-ui">
          <div>
            <h4 className="text-xs uppercase tracking-wider text-amber-400 font-bold font-display-crest">
              Cumulative Senate Academic Record
            </h4>
            <p className="text-xs text-slate-300 mt-0.5">
              All University Senate Degree Requirements Satisfied • Student in Good Academic Standing
            </p>
          </div>
          <div className="flex items-center gap-6 text-center">
```

```
            <div>
              <div className="text-[10px] uppercase text-slate
-400 font-semibold tracking-wider">Total Credit Units</div>
              <div className="text-xl font-bold font-mono text
-white">{student.totalCreditsEarned}</div>
            </div>
            <div className="h-8 w-px bg-slate-700"></div>
            <div>
              <div className="text-[10px] uppercase text-amber
-400 font-semibold tracking-wider">Cumulative GPA (CGPA)</div>
              <div className="text-2xl font-bold font-mono tex
t-amber-300">{student.cumulativeGpa.toFixed(2)} / 5.00</div>
            </div>
          </div>
        </div>

        {/* Grading Scale & Legend Reference (Nigerian 5.0 Sys
tem) */}
        <div className="border-t border-b border-slate-200 py-
3 mb-8 text-[10px] text-slate-500 grid grid-cols-1 sm:grid-col
s-4 gap-2 font-sans-ui">
          <div>
            <strong className="text-slate-700 block">NUC Gradi
ng System (5.0 Scale):</strong>
            <span>70% – 100% = A (5.0 Points - Excellent)</spa
n><br />
            <span>60% – 69% = B (4.0 Points - Very Good)</span
>
          </div>
          <div>
            <strong className="text-slate-700 block">Pass Grad
es:</strong>
            <span>50% – 59% = C (3.0 Points - Good)</span><br
/>
            <span>45% – 49% = D (2.0 Points - Fair)</span><br
/>
            <span>40% – 44% = E (1.0 Point - Pass)</span>
          </div>
```

```
          <div>
            <strong className="text-slate-700 block">Degree Cl
assifications:</strong>
            <span>4.50 – 5.00: First Class Honours</span><br /
>
            <span>3.50 – 4.49: Second Class Upper (2:1)</span>
<br />
            <span>2.40 – 3.49: Second Class Lower (2:2)</span>
          </div>
          <div>
            <strong className="text-slate-700 block">Security
Certification:</strong>
            <span>Issued under the seal of the University Sena
te. Validated via the national eTranscript registry.</span>
          </div>
        </div>

        {/* Official Attestation, Seal & Signature Block */}
        <div className="flex flex-col sm:flex-row items-center
 justify-between gap-6 pt-4 font-sans-ui">
          {/* Official Stamp & QR Code */}
          <div className="flex items-center gap-4">
            <div className="w-20 h-20 rounded-full border-2 bo
rder-amber-600/80 bg-amber-50/70 p-1 flex flex-col items-cente
r justify-center text-center shadow-xs">
              <Award className="w-6 h-6 text-amber-700" />
              <span className="text-[8px] font-bold uppercase
tracking-wider text-amber-900 font-display-crest mt-0.5">
                UEN SENATE
              </span>
              <span className="text-[7px] text-amber-800 font-
mono">SEAL OF REGISTRAR</span>
            </div>

            <div className="text-xs">
              <div className="flex items-center gap-1 font-bol
d text-slate-900">
                <CheckCircle2 className="w-3.5 h-3.5 text-emer
```

```
ald-600" />
                <span>Certified Official University Transcript
</span>
              </div>
              <p className="text-[11px] text-slate-500 font-mo
no mt-0.5">
                Hash: {student.verificationHash}
              </p>
              {onVerifyCode && (
                <button
                  type="button"
                  onClick={() => onVerifyCode(student.verifica
tionHash)}
                  className="no-print text-[11px] text-amber-7
00 hover:text-amber-800 font-semibold underline mt-0.5"
                >
                  Verify Authenticity on NUC Portal →
                </button>
              )}
            </div>
          </div>

          {/* Registrar Signature */}
          <div className="text-center sm:text-right">
            <div className="font-serif-academic italic text-lg
 sm:text-xl font-bold text-slate-900 tracking-wide border-b bo
rder-slate-400 pb-1 px-4 inline-block">
              {student.registrarName}
            </div>
            <p className="text-xs font-semibold text-slate-800
 mt-1">
              {UNIVERSITY_INFO.registrarTitle}
            </p>
            <p className="text-[11px] text-slate-500">
              Office of the University Registrar • Date of Cer
tification: {student.dateIssued}
            </p>
          </div>
```

```
        </div>
      </div>
    </div>
  );
};

```

VerifyTranscript.tsx

```tsx
import React, { useState } from 'react';
import { ShieldCheck, Search, CheckCircle2, AlertTriangle, Building, Award, Calendar, FileText } from 'lucide-react';
import { StudentAcademicProfile } from '../types';
import { UNIVERSITY_INFO, INITIAL_STUDENT_PROFILES } from '../data/mockData';

interface VerifyTranscriptProps {
  initialCode?: string;
  onViewStudentTranscript?: (studentId: string) => void;
}

export const VerifyTranscript: React.FC<VerifyTranscriptProps> = ({
  initialCode = 'UEN-NUC-2023-CS-486A',
  onViewStudentTranscript
}) => {
  const [verificationInput, setVerificationInput] = useState<string>(initialCode);
  const [searchedCode, setSearchedCode] = useState<string>(initialCode);
  const [hasSearched, setHasSearched] = useState<boolean>(true);

  // Find student by verificationHash or studentId
  const verifiedStudent: StudentAcademicProfile | undefined = Object.values(INITIAL_STUDENT_PROFILES).find(
    (s) => s.verificationHash.toLowerCase() === searchedCode.toLowerCase().trim() ||
           s.studentId.toLowerCase() === searchedCode.toLowerCase().trim()
  );

  const handleVerify = (e: React.FormEvent) => {
    e.preventDefault();
    setSearchedCode(verificationInput);
```

```
    setHasSearched(true);
  };

  return (
    <div className="max-w-4xl mx-auto py-6 px-4">
      {/* Verification Header */}
      <div className="bg-white rounded-xl border border-slate-200 shadow-sm p-6 sm:p-8 mb-6">
        <div className="flex items-center gap-3 mb-2">
          <div className="p-2 bg-emerald-50 text-emerald-700 rounded-lg border border-emerald-200">
            <ShieldCheck className="w-6 h-6" />
          </div>
          <div>
            <h2 className="text-xl sm:text-2xl font-bold text-slate-900 font-display-crest">
              Official Credential Verification Service
            </h2>
            <p className="text-xs text-slate-600">
              National Universities Commission (NUC) & University of Eastern Nigeria centralized eTranscript registry.
            </p>
          </div>
        </div>

        <form onSubmit={handleVerify} className="mt-6">
          <label className="block text-xs font-semibold text-slate-700 mb-1.5">
            Enter Transcript Verification Ledger Key or Matriculation Number:
          </label>
          <div className="flex gap-2">
            <div className="relative flex-1">
              <Search className="w-4 h-4 text-slate-400 absolute left-3.5 top-1/2 -translate-y-1/2" />
              <input
                type="text"
                id="verify-input"
```

```
                required
                value={verificationInput}
                onChange={(e) => setVerificationInput(e.target.value)}
                placeholder="e.g. UEN-NUC-2023-CS-486A or 2019/248910"
                className="w-full pl-10 pr-4 py-2.5 text-xs sm:text-sm border border-slate-300 rounded-lg focus:ring-2 focus:ring-amber-500 focus:border-amber-500 font-mono"
              />
            </div>
            <button
              type="submit"
              id="verify-submit-btn"
              className="px-6 py-2.5 bg-slate-900 hover:bg-slate-800 text-white rounded-lg text-xs font-semibold flex items-center gap-1.5 shadow-sm transition-colors"
            >
              <ShieldCheck className="w-4 h-4 text-amber-400" />
              <span>Verify Authenticity</span>
            </button>
          </div>
        </form>

        {/* Quick sample codes */}
        <div className="flex flex-wrap items-center gap-2 mt-4 pt-3 border-t border-slate-100 text-xs">
          <span className="text-slate-400 font-medium">Verified Senate Ledger Samples:</span>
          <button
            onClick={() => {
              setVerificationInput('UEN-NUC-2023-CS-486A');
              setSearchedCode('UEN-NUC-2023-CS-486A');
              setHasSearched(true);
            }}
            className="px-2.5 py-1 rounded text-[11px] font-mono bg-slate-50 hover:bg-slate-100 border border-slate-200 text
```

```
-slate-700"
          >
            UEN-NUC-2023-CS-486A (Chidiebube - First Class CS)
          </button>
          <button
            onClick={() => {
              setVerificationInput('UEN-NUC-2022-BNF-438B');
              setSearchedCode('UEN-NUC-2022-BNF-438B');
              setHasSearched(true);
            }}
            className="px-2.5 py-1 rounded text-[11px] font-mo
no bg-slate-50 hover:bg-slate-100 border border-slate-200 text
-slate-700"
          >
            UEN-NUC-2022-BNF-438B (Ngozi - Finance 2:1)
          </button>
          <button
            onClick={() => {
              setVerificationInput('UEN-NUC-2025-BCH-462P');
              setSearchedCode('UEN-NUC-2025-BCH-462P');
              setHasSearched(true);
            }}
            className="px-2.5 py-1 rounded text-[11px] font-mo
no bg-slate-50 hover:bg-slate-100 border border-slate-200 text
-slate-700"
          >
            UEN-NUC-2025-BCH-462P (Somtochukwu - Biochem)
          </button>
        </div>
      </div>

      {/* Verification Result Card */}
      {hasSearched && (
        verifiedStudent ? (
          <div className="bg-white rounded-xl border border-em
erald-300 shadow-md overflow-hidden">
            {/* Header Badge */}
            <div className="bg-emerald-600 text-white px-6 py-
```

```
3.5 flex items-center justify-between flex-wrap gap-2">
119               <div className="flex items-center gap-2">
120                 <CheckCircle2 className="w-5 h-5 text-emerald-
200" />
121                 <span className="font-bold text-sm tracking-wi
de">
122                   OFFICIALLY VERIFIED & AUTHENTIC UNIVERSITY C
REDENTIAL
123                 </span>
124               </div>
125               <span className="font-mono text-xs text-emerald-
100 bg-emerald-700/80 px-2.5 py-0.5 rounded">
126                 Senate Seal & NUC Approved
127               </span>
128             </div>
129
130             <div className="p-6 sm:p-8 space-y-6">
131               <div className="flex flex-col sm:flex-row sm:ite
ms-center justify-between gap-4 pb-4 border-b border-slate-200
">
132                 <div>
133                   <span className="text-xs text-slate-500 uppe
rcase tracking-wider font-semibold">Student Record</span>
134                   <h3 className="text-xl font-bold text-slate-
900 mt-0.5">{verifiedStudent.fullName}</h3>
135                   <p className="text-xs text-slate-500 font-mo
no">
136                     Matric No: <strong className="text-slate-8
00">{verifiedStudent.studentId}</strong> • JAMB Reg: <strong c
lassName="text-slate-800">{verifiedStudent.jambRegNo || '96102
844AJ'}</strong>
137                   </p>
138                 </div>
139                 <div className="text-left sm:text-right">
140                   <span className="text-xs text-slate-500 uppe
rcase tracking-wider font-semibold">Senate Ledger Key</span>
141                   <div className="font-mono font-bold text-eme
rald-800 text-sm">{verifiedStudent.verificationHash}</div>
```

```
                  <div className="text-[11px] text-slate-400">
Cryptographically Sealed Record</div>
                </div>
              </div>

              {/* Conferred Degree Details */}
              <div className="grid grid-cols-1 sm:grid-cols-2
md:grid-cols-4 gap-4 bg-slate-50 p-4 rounded-xl border border-
slate-200 text-xs">
                <div>
                  <span className="text-slate-500 block">Degre
e & Faculty:</span>
                  <span className="font-bold text-slate-900">{
verifiedStudent.degree}</span>
                  <span className="text-slate-500 block text-[
11px]">{verifiedStudent.faculty}</span>
                </div>
                <div>
                  <span className="text-slate-500 block">Class
 of Degree:</span>
                  <span className="font-bold text-amber-800 te
xt-xs">{verifiedStudent.academicStanding || 'Conferred'}</span
>
                </div>
                <div>
                  <span className="text-slate-500 block">Senat
e Approval Date:</span>
                  <span className="font-medium text-slate-800"
>{verifiedStudent.graduationDate}</span>
                </div>
                <div>
                  <span className="text-slate-500 block">Cumul
ative GPA (NUC 5.0):</span>
                  <span className="font-mono font-bold text-em
erald-800 text-sm">
                    {verifiedStudent.cumulativeGpa.toFixed(2)}
 / 5.00
                  </span>
```

```
              </div>
            </div>

            {/* Attestation Text */}
            <div className="border-l-4 border-emerald-500 bg
-emerald-50/50 p-4 rounded-r-lg text-xs text-emerald-950">
              <p className="font-medium leading-relaxed">
                This electronic transcript validation attest
s that the academic record for <strong>{verifiedStudent.fullNa
me}</strong> is authentic and corresponds exactly with the off
icial university archives retained by the Office of the Univer
sity Registrar at {UNIVERSITY_INFO.name}.
              </p>
              <div className="mt-2 text-[11px] text-emerald-
800">
                Certified by: <strong>{verifiedStudent.regis
trarName}</strong> ({UNIVERSITY_INFO.registrarTitle})
              </div>
            </div>

            {/* Action */}
            {onViewStudentTranscript && (
              <div className="flex justify-end pt-2">
                <button
                  onClick={() => onViewStudentTranscript(ver
ifiedStudent.studentId)}
                  className="px-4 py-2 bg-slate-900 hover:bg
-slate-800 text-white rounded-lg text-xs font-semibold flex it
ems-center gap-1.5 transition-colors"
                >
                  <FileText className="w-4 h-4 text-amber-40
0" />
                  <span>View Complete Certified Transcript</
span>
                </button>
              </div>
            )}
          </div>
```

```
          </div>
        ) : (
          <div className="bg-red-50 border border-red-200 rounded-xl p-6 sm:p-8 text-center text-red-950">
            <AlertTriangle className="w-10 h-10 text-red-600 mx-auto mb-3" />
            <h3 className="text-base font-bold">Verification Key Not Located</h3>
            <p className="text-xs text-red-700 max-w-md mx-auto mt-1">
              No matching certified academic transcript was located for the hash code <code className="font-mono font-bold">{searchedCode}</code>. Please confirm the ledger key or contact the Registrar's Office at {UNIVERSITY_INFO.email}.
            </p>
          </div>
        )
      )}
    </div>
  );
};

```

mockData.ts

```
import { StudentAcademicProfile, TranscriptRequest } from '../types';

export const UNIVERSITY_INFO = {
  name: "University of Eastern Nigeria",
  acronym: "UEN",
  motto: "To Restore the Dignity of Man (Iweghachi Nsọpụrụ nke Mmadụ)",
  established: "1960",
  department: "Records and Archives Directorate, Office of the University Registrar",
  address: "Senate Building, Nsukka Main Campus & Enugu Campus, Enugu State, Nigeria",
  phone: "+234 (0) 42 771 911 / +234 803 720 1928",
  email: "transcripts@uen.edu.ng",
  portalUrl: "https://transcripts.uen.edu.ng",
  registrar: "Dr. (Mrs.) Ifeoma Ngozi Okoli, Ph.D., FNIM",
  registrarTitle: "Registrar & Secretary to University Senate",
  bursar: "Chief Chukwuma E. Nwachukwu, FCA",
  bursarTitle: "University Bursar & Head of Treasury",
  nucCode: "NUC/REC/UEN/1960",
};

export const INITIAL_STUDENT_PROFILES: Record<string, StudentAcademicProfile> = {
  "2019/248910": {
    studentId: "2019/248910",
    jambRegNo: "96102844AJ",
    fullName: "Chidiebube Emmanuel Okafor",
    dob: "October 14, 1999",
    gender: "Male",
    nationality: "Nigerian",
    stateOfOrigin: "Anambra State (Idemili North L.G.A)",
    degree: "Bachelor of Science (Honours)",
    major: "Computer Science",
```

```
    faculty: "Faculty of Physical Sciences",
    enrollmentTerm: "Harmattan Semester 2019/2020",
    graduationDate: "July 18, 2023",
    conferralStatus: "Conferred",
    cumulativeGpa: 4.86,
    totalCreditsEarned: 142,
    academicStanding: "First Class Honours",
    deanHonorList: [
      "2019/2020 Academic Session",
      "2020/2021 Academic Session",
      "2021/2022 Academic Session",
      "2022/2023 Academic Session"
    ],
    verificationHash: "UEN-NUC-2023-CS-486A",
    registrarName: "Dr. (Mrs.) Ifeoma Ngozi Okoli, Ph.D., FNIM",
    dateIssued: "August 12, 2023",
    semesters: [
      {
        term: "Harmattan Semester (First Year)",
        academicYear: "2019/2020",
        termGpa: 4.88,
        termCredits: 18,
        courses: [
          { code: "COS 101", title: "Introduction to Computer Science & Computing Systems", credits: 3, grade: "A", points: 15.0 },
          { code: "MTH 111", title: "Elementary Mathematics I (Algebra & Trigonometry)", credits: 3, grade: "A", points: 15.0 },
          { code: "PHY 115", title: "General Physics for Physical Sciences I", credits: 2, grade: "A", points: 10.0 },
          { code: "PHY 191", title: "Practical Physics Laboratory I", credits: 1, grade: "A", points: 5.0 },
          { code: "CHM 101", title: "General Physical Chemistry", credits: 3, grade: "B", points: 12.0 },
          { code: "GSP 101", title: "Use of English & Communication Skills I", credits: 2, grade: "A", points: 10.0 },
```

```
          { code: "GSP 105", title: "Natural Sciences & Society", credits: 2, grade: "A", points: 10.0 },
          { code: "GSP 111", title: "Igbo Language, Culture & Social Heritage", credits: 2, grade: "A", points: 10.0 },
        ]
      },
      {
        term: "Rain Semester (First Year)",
        academicYear: "2019/2020",
        termGpa: 4.82,
        termCredits: 17,
        courses: [
          { code: "COS 102", title: "Introduction to Problem Solving & Structured Programming", credits: 3, grade: "A", points: 15.0 },
          { code: "MTH 121", title: "Elementary Mathematics II (Calculus & Coordinate Geometry)", credits: 3, grade: "A", points: 15.0 },
          { code: "PHY 124", title: "General Physics II (Electricity, Magnetism & Modern Physics)", credits: 3, grade: "B", points: 12.0 },
          { code: "GSP 102", title: "Use of English & Scientific Writing II", credits: 2, grade: "A", points: 10.0 },
          { code: "GSP 106", title: "Philosophy & Logic in African Thought", credits: 2, grade: "A", points: 10.0 },
          { code: "STA 132", title: "Inference & Applied Statistics for Computing", credits: 2, grade: "A", points: 10.0 },
          { code: "CED 142", title: "Introduction to Entrepreneurship & Innovation", credits: 2, grade: "A", points: 10.0 },
        ]
      },
      {
        term: "Harmattan Semester (Second Year)",
        academicYear: "2020/2021",
        termGpa: 4.90,
        termCredits: 19,
        courses: [
          { code: "COS 201", title: "Computer Programming I (O
```

```
bject-Oriented Java)", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 231", title: "Data Structures & Linear Algorithms", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 211", title: "Digital Computer Logic & Switching Theory", credits: 3, grade: "A", points: 15.0 },
          { code: "MTH 211", title: "Mathematical Methods I (Differential Equations)", credits: 3, grade: "A", points: 15.0 },
          { code: "MTH 221", title: "Linear Algebra & Matrix Transformations", credits: 3, grade: "A", points: 15.0 },
          { code: "GSP 201", title: "The Social Sciences & Contemporary Nigerian Society", credits: 2, grade: "A", points: 10.0 },
          { code: "GSP 207", title: "Humanities & Cultural Dynamics in Eastern Nigeria", credits: 2, grade: "A", points: 10.0 },
        ]
      },
      {
        term: "Rain Semester (Second Year)",
        academicYear: "2020/2021",
        termGpa: 4.85,
        termCredits: 18,
        courses: [
          { code: "COS 202", title: "Computer Programming II (C++ & Systems Programming)", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 242", title: "Computer Architecture & Assembly Language", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 262", title: "Relational Database Management Systems (SQL)", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 252", title: "Discrete Structures & Automata Theory", credits: 3, grade: "A", points: 15.0 },
          { code: "CED 242", title: "Business Creation & Enterprise Development in Nigeria", credits: 2, grade: "B", points: 8.0 },
          { code: "MTH 242", title: "Vector Analysis & Complex Variables", credits: 4, grade: "A", points: 20.0 },
```

```
        ]
      },
      {
        term: "Harmattan Semester (Third Year)",
        academicYear: "2021/2022",
        termGpa: 4.88,
        termCredits: 18,
        courses: [
          { code: "COS 311", title: "Operating Systems Principles & Concurrency Control", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 331", title: "Design & Analysis of Advanced Algorithms", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 341", title: "Software Engineering Principles & Lifecycle", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 371", title: "Data Communications & Computer Networking Protocols", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 381", title: "Expert Systems & Knowledge-Based Computing", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 391", title: "Research Methodology in Computer Science", credits: 3, grade: "B", points: 12.0 },
        ]
      },
      {
        term: "Rain Semester (Third Year - SIWES)",
        academicYear: "2021/2022",
        termGpa: 5.00,
        termCredits: 16,
        courses: [
          { code: "COS 300", title: "Students Industrial Work Experience Scheme (SIWES - 6 Months)", credits: 6, grade: "A", points: 30.0 },
          { code: "COS 302", title: "SIWES Technical Report & Institutional Defense", credits: 4, grade: "A", points: 20.0 },
          { code: "COS 304", title: "Industry Supervisor Assessment & Field Logbook", credits: 6, grade: "A", points: 30.0 }
```

```
,
        ]
      },
      {
        term: "Harmattan Semester (Final Year)",
        academicYear: "2022/2023",
        termGpa: 4.80,
        termCredits: 18,
        courses: [
          { code: "COS 411", title: "Distributed Systems & Cloud Computing Architectures", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 421", title: "Compiler Construction & Formal Language Grammars", credits: 3, grade: "B", points: 12.0 },
          { code: "COS 451", title: "Computer Networks Security, Cryptography & Cyber Law", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 471", title: "Big Data Analytics & Financial Technology Systems", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 491", title: "Final Year Degree Project Seminar I", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 481", title: "Human Computer Interaction & UI/UX Design", credits: 3, grade: "A", points: 15.0 },
        ]
      },
      {
        term: "Rain Semester (Final Year)",
        academicYear: "2022/2023",
        termGpa: 4.90,
        termCredits: 18,
        courses: [
          { code: "COS 499", title: "Original Research Project / Capstone Degree Thesis", credits: 6, grade: "A", points: 30.0 },
          { code: "COS 462", title: "Internet Technologies & Enterprise Web Systems", credits: 3, grade: "A", points: 15.0 }
```

```
,
          { code: "COS 482", title: "Mobile Application Development (Android/iOS)", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 442", title: "Management Information Systems & Tech Entrepreneurship", credits: 3, grade: "A", points: 15.0 },
          { code: "COS 432", title: "Computer Graphics & Multimedia Systems", credits: 3, grade: "A", points: 15.0 },
        ]
      }
    ]
  },
  "2018/193044": {
    studentId: "2018/193044",
    jambRegNo: "87201940DE",
    fullName: "Ngozi Amarachi Eze",
    dob: "August 29, 1998",
    gender: "Female",
    nationality: "Nigerian",
    stateOfOrigin: "Enugu State (Nsukka L.G.A)",
    degree: "Bachelor of Science (Honours)",
    major: "Banking and Finance",
    faculty: "Faculty of Business Administration (Enugu Campus)",
    enrollmentTerm: "Harmattan Semester 2018/2019",
    graduationDate: "November 24, 2022",
    conferralStatus: "Conferred",
    cumulativeGpa: 4.38,
    totalCreditsEarned: 138,
    academicStanding: "Second Class Honours (Upper Division - 2:1)",
    deanHonorList: ["2020/2021 Academic Session", "2021/2022 Academic Session"],
    verificationHash: "UEN-NUC-2022-BNF-438B",
    registrarName: "Dr. (Mrs.) Ifeoma Ngozi Okoli, Ph.D., FNIM",
    dateIssued: "December 05, 2022",
    semesters: [
```

```
      {
        term: "Harmattan Semester (First Year)",
        academicYear: "2018/2019",
        termGpa: 4.30,
        termCredits: 17,
        courses: [
          { code: "BNF 101", title: "Introduction to Banking & Financial Institutions in Nigeria", credits: 3, grade: "A", points: 15.0 },
          { code: "ACC 101", title: "Principles of Accounting I", credits: 3, grade: "A", points: 15.0 },
          { code: "ECO 101", title: "Principles of Economics I (Microeconomics)", credits: 3, grade: "B", points: 12.0 },
          { code: "BUS 101", title: "Introduction to Business Management & Commerce", credits: 3, grade: "B", points: 12.0 },
          { code: "GSP 101", title: "Use of English & Communication Skills", credits: 2, grade: "A", points: 10.0 },
          { code: "GSP 111", title: "Nigerian Peoples & Culture (Igbo Civilization)", credits: 3, grade: "A", points: 15.0 },
        ]
      },
      {
        term: "Harmattan Semester (Final Year)",
        academicYear: "2021/2022",
        termGpa: 4.45,
        termCredits: 18,
        courses: [
          { code: "BNF 411", title: "Advanced Corporate Finance & Capital Structure", credits: 3, grade: "A", points: 15.0 },
          { code: "BNF 421", title: "International Banking, Forex Markets & Trade Finance", credits: 3, grade: "A", points: 15.0 },
          { code: "BNF 431", title: "Investment Analysis & Nigerian Stock Exchange Portfolio", credits: 3, grade: "A", points: 15.0 },
```

```
          { code: "BNF 441", title: "Bank Lending, Credit Risk Management & Recovery", credits: 3, grade: "B", points: 12.0 },
          { code: "BNF 451", title: "Monetary Policy & Central Bank of Nigeria Operations", credits: 3, grade: "A", points: 15.0 },
          { code: "BNF 491", title: "Final Year Research Seminar", credits: 3, grade: "A", points: 15.0 },
        ]
      },
      {
        term: "Rain Semester (Final Year)",
        academicYear: "2021/2022",
        termGpa: 4.50,
        termCredits: 16,
        courses: [
          { code: "BNF 499", title: "Original Research Project / Financial Sector Thesis", credits: 6, grade: "A", points: 30.0 },
          { code: "BNF 412", title: "Public Finance & Fiscal Policy in Developing Economies", credits: 3, grade: "A", points: 15.0 },
          { code: "BNF 422", title: "Microfinance, Cooperative Banking & Financial Inclusion", credits: 3, grade: "A", points: 15.0 },
          { code: "BNF 432", title: "Ethics, Corporate Governance & Financial Crimes Law", credits: 4, grade: "B", points: 16.0 },
        ]
      }
    ]
  },
  "2021/304192": {
    studentId: "2021/304192",
    jambRegNo: "10928401HB",
    fullName: "Somtochukwu Kenechukwu Nnamani",
    dob: "November 03, 2001",
    gender: "Male",
```

```
    nationality: "Nigerian",
    stateOfOrigin: "Enugu State (Nkanu West L.G.A)",
    degree: "Bachelor of Science",
    major: "Medical Biochemistry",
    faculty: "Faculty of Biological Sciences",
    enrollmentTerm: "Harmattan Semester 2021/2022",
    graduationDate: "Expected October 2025",
    conferralStatus: "In Progress",
    cumulativeGpa: 4.62,
    totalCreditsEarned: 88,
    academicStanding: "First Class Standing (Penultimate 300 L
evel)",
    deanHonorList: ["2021/2022 Academic Session", "2022/2023 A
cademic Session"],
    verificationHash: "UEN-NUC-2025-BCH-462P",
    registrarName: "Dr. (Mrs.) Ifeoma Ngozi Okoli, Ph.D., FNIM
",
    dateIssued: "Current Academic Session",
    semesters: [
      {
        term: "Harmattan Semester (First Year)",
        academicYear: "2021/2022",
        termGpa: 4.70,
        termCredits: 18,
        courses: [
          { code: "BCH 101", title: "Introduction to General B
iochemistry & Biomolecules", credits: 3, grade: "A", points: 1
5.0 },
          { code: "CHM 111", title: "General Physical Chemistr
y with Laboratory", credits: 3, grade: "A", points: 15.0 },
          { code: "BIO 151", title: "General Biology I (Cell B
iology & Genetics)", credits: 3, grade: "A", points: 15.0 },
          { code: "PHY 111", title: "General Physics for Life
& Medical Sciences", credits: 3, grade: "A", points: 15.0 },
          { code: "MTH 111", title: "Elementary Mathematics I"
, credits: 3, grade: "B", points: 12.0 },
          { code: "GSP 101", title: "Use of English & Communic
ation Skills", credits: 3, grade: "A", points: 15.0 },
```

```
        ]
      },
      {
        term: "Harmattan Semester (Second Year)",
        academicYear: "2022/2023",
        termGpa: 4.60,
        termCredits: 19,
        courses: [
          { code: "BCH 201", title: "General Biochemistry I (Proteins, Enzymes & Coenzymes)", credits: 3, grade: "A", points: 15.0 },
          { code: "BCH 203", title: "Functional Biochemistry Laboratory Methods", credits: 2, grade: "A", points: 10.0 },
          { code: "CHM 221", title: "Organic Chemistry of Biomolecules & Reaction Mechanisms", credits: 3, grade: "A", points: 15.0 },
          { code: "MCB 201", title: "General Microbiology & Pathogen Identification", credits: 3, grade: "A", points: 15.0 },
          { code: "PIO 201", title: "Human Physiology for Medical & Life Sciences", credits: 3, grade: "B", points: 12.0 },
          { code: "ANAT 201", title: "Human Gross & Histological Anatomy", credits: 3, grade: "A", points: 15.0 },
          { code: "GSP 201", title: "Peace & Conflict Resolution Studies in Nigeria", credits: 2, grade: "A", points: 10.0 },
        ]
      }
    ]
  }
};

export const INITIAL_REQUESTS: TranscriptRequest[] = [
  {
    id: "TRX-2026-88102",
    studentId: "2019/248910",
    jambRegNo: "96102844AJ",
    remitaRrr: "3309-8412-9014",
```

```
    fullName: "Chidiebube Emmanuel Okafor",
    email: "chidiebube.okafor@alumni.uen.edu.ng",
    phone: "+234 803 555 4392",
    dob: "1999-10-14",
    stateOfOrigin: "Anambra State",
    faculty: "Faculty of Physical Sciences",
    degree: "B.Sc. (Honours) in Computer Science",
    graduationYear: "2023",
    transcriptType: "wes_evaluation",
    priority: "express",
    recipientType: "evaluation_agency",
    recipientName: "World Education Services (WES) Canada - Reference Office",
    recipientEmail: "submit@wes.org",
    evaluationRefNo: "WES-CAN-9912042",
    additionalInstructions: "Please attach certified NUC accreditation letter and Faculty Course Syllabus addendum for Canadian postgraduate evaluation.",
    submittedAt: "2026-09-14 09:30 AM",
    estimatedCompletion: "2026-09-16 04:00 PM",
    status: "dispatched",
    statusNotes: "Official eTranscript verified, cryptographically sealed with University Registrar digital signature, and securely transmitted via WES Direct Electronic Gateway.",
    totalFee: 55000,
    paymentStatus: "Paid",
    trackingNumber: "UEN-WES-DIR-88102",
    uploadedDocumentName: "UEN_Degree_Certificate_Okafor.pdf",
    processedBy: "Dr. (Mrs.) Ifeoma Ngozi Okoli, Registrar",
    dispatchedAt: "2026-09-15 02:15 PM",
    securityHash: "UEN-NUC-2023-CS-486A"
  },
  {
    id: "TRX-2026-77341",
    studentId: "2018/193044",
    jambRegNo: "87201940DE",
    remitaRrr: "1204-7719-4820",
    fullName: "Ngozi Amarachi Eze",
```

```
    email: "ngozi.eze@firstbank.ng",
    phone: "+234 814 555 8819",
    dob: "1998-08-29",
    stateOfOrigin: "Enugu State",
    faculty: "Faculty of Business Administration (Enugu Campus)",
    degree: "B.Sc. (Honours) Banking & Finance",
    graduationYear: "2022",
    transcriptType: "official_electronic",
    priority: "standard",
    recipientType: "employer",
    recipientName: "Central Bank of Nigeria (CBN) - HR Talent Acquisition Division",
    recipientEmail: "recruitment@cbn.gov.ng",
    evaluationRefNo: "CBN-HR-GRAD-2026/088",
    additionalInstructions: "Candidate verification for Central Bank of Nigeria Executive Trainee Scheme.",
    submittedAt: "2026-09-16 11:15 AM",
    estimatedCompletion: "2026-09-21 05:00 PM",
    status: "clearance_review",
    statusNotes: "Academic archives validated. Departmental HOD sign-off completed. Undergoing final Bursary Remita RRR clearance.",
    totalFee: 15000,
    paymentStatus: "Paid",
    uploadedDocumentName: "NYSC_Discharge_Certificate_Eze.pdf",
    processedBy: "Senior Assistant Registrar (Records) E. Ugwu"
  },
  {
    id: "TRX-2026-44910",
    studentId: "2021/304192",
    jambRegNo: "10928401HB",
    remitaRrr: "5501-9234-8812",
    fullName: "Somtochukwu Kenechukwu Nnamani",
    email: "somto.nnamani@students.uen.edu.ng",
    phone: "+234 703 555 3104",
```

```
    dob: "2001-11-03",
    stateOfOrigin: "Enugu State",
    faculty: "Faculty of Biological Sciences",
    degree: "B.Sc. Medical Biochemistry",
    graduationYear: "2025",
    transcriptType: "official_hardcopy",
    priority: "same_day",
    recipientType: "university",
    recipientName: "University of Lagos (UNILAG) - School of P
ostgraduate Studies",
    recipientEmail: "spgs@unilag.edu.ng",
    recipientAddress: "Senate Building, UNILAG Main Campus, Ak
oka, Yaba, Lagos State, Nigeria",
    additionalInstructions: "Enclose in tamper-evident sealed
envelope with University Registrar red seal.",
    submittedAt: "2026-09-18 08:45 AM",
    estimatedCompletion: "2026-09-18 05:00 PM",
    status: "ready_to_seal",
    statusNotes: "Course results consolidated from Academic Bo
ard records. Awaiting Registrar physical embossment and seal."
,
    totalFee: 51500,
    paymentStatus: "Paid",
    uploadedDocumentName: "Student_Identity_Card_Nnamani.pdf",
    processedBy: "Records Officer B. Chukwuemeka"
  },
  {
    id: "TRX-2026-12093",
    studentId: "2017/140291",
    jambRegNo: "78192044KA",
    remitaRrr: "2209-1140-5931",
    fullName: "Emeka Obinna Nwankwo",
    email: "emeka.nwankwo@lawchambers.ng",
    phone: "+234 802 555 7722",
    dob: "1997-04-12",
    stateOfOrigin: "Imo State",
    faculty: "Faculty of Law (Enugu Campus)",
    degree: "Bachelor of Laws (LL.B Honours)",
```

```
    graduationYear: "2022",
    transcriptType: "official_hardcopy",
    priority: "standard",
    recipientType: "university",
    recipientName: "Council of Legal Education - Nigerian Law School",
    recipientEmail: "admissions@lawschool.gov.ng",
    recipientAddress: "Nigerian Law School Headquarters, Bwari, P.M.B. 170, Garki, Abuja FCT, Nigeria",
    submittedAt: "2026-09-15 03:20 PM",
    estimatedCompletion: "Pending Hold Clearance",
    status: "hold",
    holdReason: "Nnamdi Azikiwe University Library Hold: Outstanding borrow record for 'Nigerian Commercial Law by Okonkwo' (Accession #LAW-2019-812). Please return book or pay replacement fee at University Library circulation desk.",
    statusNotes: "Transcript preparation paused due to outstanding Faculty of Law library return clearance.",
    totalFee: 31500,
    paymentStatus: "Paid",
    uploadedDocumentName: "Bar_Part_II_Admission_Letter.pdf",
    processedBy: "Registrar Desk - Legal Records Unit"
  }
];

export const PRICING_RULES = {
  types: {
    official_electronic: {
      name: "Official e-Transcript (Electronic / NUC e-Network)",
      fee: 15000,
      desc: "Digitally signed, cryptographically sealed PDF delivered directly to verified institution / employer portal within Nigeria and abroad."
    },
    official_hardcopy: {
      name: "Official Hardcopy (Watermark Paper & Embossed Seal)",
```

```
      fee: 25000,
      desc: "Printed on official security anti-tamper watermark paper with physical university crest wax seal, enclosed in sealed envelope."
    },
    wes_evaluation: {
      name: "International Credential Evaluation (WES, ECE, ICAS, IQAS)",
      fee: 45000,
      desc: "Direct electronic API transmission to World Education Services (WES Canada/US), ECE, or ICAS with official evaluation reference number."
    },
    unofficial_student: {
      name: "Student Advisory Copy / Statement of Results",
      fee: 5000,
      desc: "Internal academic advisory record for personal employment applications, scholarship screening, or NYSC mobilization."
    },
  },
  priorities: {
    standard: {
      name: "Standard Senate Processing",
      fee: 0,
      eta: "5 to 7 working days"
    },
    express: {
      name: "Express Priority Queue",
      fee: 10000,
      eta: "48 hours (2 working days)"
    },
    same_day: {
      name: "Same-Day Urgent Senate Clearance",
      fee: 20000,
      eta: "Same working day (by 5:00 PM)"
    },
  },
```

```
  delivery: {
    domesticCourier: 6500, // Courier dispatch within Nigeria (Lagos, Abuja, PH, etc.)
    internationalCourier: 35000, // International DHL Express
  }
};

```

index.css

```
@import "tailwindcss";

@layer utilities {
  .font-serif-academic {
    font-family: 'Newsreader', Georgia, Cambria, 'Times New Roman', Times, serif;
  }
  .font-display-crest {
    font-family: 'Cinzel', serif;
  }
  .font-sans-ui {
    font-family: 'Plus Jakarta Sans', system-ui, -apple-system, sans-serif;
  }
}

body {
  font-family: 'Plus Jakarta Sans', system-ui, -apple-system, sans-serif;
  background-color: #f8fafc;
  color: #0f172a;
}

@media print {
  body {
    background: #ffffff !important;
    color: #000000 !important;
  }
  .no-print {
    display: none !important;
  }
  .print-only {
    display: block !important;
  }
  .printable-transcript-page {
    box-shadow: none !important;
```

```
    border: 1px solid #94a3b8 !important;
    padding: 24px !important;
    margin: 0 !important;
    width: 100% !important;
    max-width: 100% !important;
    background: #ffffff !important;
    page-break-after: avoid;
  }
}

```

main.tsx

```tsx
import {StrictMode} from 'react';
import {createRoot} from 'react-dom/client';
import App from './App.tsx';
import './index.css';

createRoot(document.getElementById('root')!).render(
  <StrictMode>
    <App />
  </StrictMode>,
);

```

types.ts

```
export type TranscriptType =
  | 'official_electronic'
  | 'official_hardcopy'
  | 'unofficial_student'
  | 'wes_evaluation';

export type ProcessingPriority = 'standard' | 'express' | 'same_day';

export type RequestStatus =
  | 'submitted'
  | 'archive_retrieval'
  | 'clearance_review'
  | 'ready_to_seal'
  | 'dispatched'
  | 'hold';

export interface CourseRecord {
  code: string;
  title: string;
  credits: number;
  grade: 'A' | 'B' | 'C' | 'D' | 'E' | 'F' | 'A+' | 'A-' | 'B+' | 'B-' | 'C+';
  points: number; // credits * grade multiplier
}

export interface SemesterRecord {
  term: string; // e.g., "Fall 2021", "Spring 2022"
  academicYear: string;
  courses: CourseRecord[];
  termGpa: number;
  termCredits: number;
}

export interface StudentAcademicProfile {
  studentId: string; // Matriculation number e.g. "UEN/2019/24
```

```
8910"
  jambRegNo?: string; // e.g. "95810244BF"
  fullName: string;
  dob: string;
  gender: string;
  nationality: string;
  stateOfOrigin?: string; // e.g. "Anambra State", "Enugu Stat
e", "Imo State"
  degree: string; // e.g. "Bachelor of Science (Honours)"
  major: string; // e.g. "Computer Science"
  faculty: string; // e.g. "Faculty of Physical Sciences"
  enrollmentTerm: string;
  graduationDate: string;
  conferralStatus: 'Conferred' | 'In Progress' | 'Complete';
  cumulativeGpa: number; // e.g. 4.86 / 5.00
  totalCreditsEarned: number;
  academicStanding: string; // e.g. "First Class Honours" or "
Second Class Honours (Upper Division)"
  deanHonorList: string[];
  semesters: SemesterRecord[];
  verificationHash: string;
  registrarName: string;
  dateIssued: string;
}

export interface TranscriptRequest {
  id: string; // Tracking Ref e.g. "TRX-2026-88102"
  studentId: string;
  jambRegNo?: string;
  remitaRrr?: string;
  fullName: string;
  email: string;
  phone: string;
  dob: string;
  stateOfOrigin?: string;
  faculty: string;
  degree: string;
  graduationYear: string;
```

```
  transcriptType: TranscriptType;
  priority: ProcessingPriority;
  recipientType: 'university' | 'employer' | 'evaluation_agency' | 'self';
  recipientName: string;
  recipientEmail: string;
  recipientAddress?: string;
  evaluationRefNo?: string; // e.g. WES ref #
  additionalInstructions?: string;
  submittedAt: string;
  estimatedCompletion: string;
  status: RequestStatus;
  statusNotes?: string;
  holdReason?: string;
  totalFee: number;
  paymentStatus: 'Paid' | 'Pending';
  trackingNumber?: string;
  uploadedDocumentName?: string;
  processedBy?: string;
  dispatchedAt?: string;
  securityHash?: string;
}

export interface VerificationResult {
  verified: boolean;
  code: string;
  studentName?: string;
  studentId?: string;
  degree?: string;
  major?: string;
  dateConferred?: string;
  cgpa?: number;
  status?: string;
  dateIssued?: string;
  institution: string;
  message: string;
}

```

vite.config.ts

```
import tailwindcss from '@tailwindcss/vite';
import react from '@vitejs/plugin-react';
import path from 'path';
import {defineConfig} from 'vite';

export default defineConfig(() => {
  return {
    base: './',
    plugins: [react(), tailwindcss()],
    resolve: {
      alias: {
        '@': path.resolve(__dirname, '.'),
      },
    },
    server: {
      hmr: process.env.DISABLE_HMR !== 'true',
      watch: process.env.DISABLE_HMR === 'true' ? null : {},
    },
  };
});

```