```
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
-- Host: 127.0.0.1
-- Generation Time: Oct 24, 2024 at 12:21 PM
-- Server version: 10.4.32-MariaDB
-- PHP Version: 8.2.12
SET SQL MODE = "NO AUTO VALUE ON ZERO";
START TRANSACTION;
SET time zone = "+00:00";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
-- Database: `apotek`
__ _____
-- Table structure for table `apoteker`
CREATE TABLE `apoteker` (
 `id` int(11) NOT NULL,
  `nama` varchar(32) DEFAULT NULL,
  `tanggal lahir` date DEFAULT NULL,
  `alamat` text DEFAULT NULL,
  `no tlp` char(13) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
-- Table structure for table `detail apoteker`
CREATE TABLE `detail apoteker` (
  `id` int(11) NOT NULL,
  `domisili` varchar(32) DEFAULT NULL,
  `agama` varchar(32) DEFAULT NULL,
  `email` varchar(64) DEFAULT NULL,
  `facebook` varchar(64) DEFAULT NULL,
  `instagram` varchar(64) DEFAULT NULL,
  `twitter` varchar(64) DEFAULT NULL,
  `linked in` varchar(64) DEFAULT NULL,
  `blog` varchar(64) DEFAULT NULL,
  `youtube` varchar(64) DEFAULT NULL,
```

```
`id apoteker` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
__ _____
-- Table structure for table `detail transaksi apotek`
CREATE TABLE `detail_transaksi_apotek` (
  `id` int(11) NOT \overline{NULL},
  `id obat` int(11) DEFAULT NULL,
  `id transaksi` int(11) DEFAULT NULL,
  `harga` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
__ ______
-- Table structure for table `kategori obat`
CREATE TABLE `kategori obat` (
  `id` int(11) NOT NULL,
  `nama` varchar(64) NOT NULL,
  `deskripsi` text DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
-- Dumping data for table `kategori obat`
INSERT INTO `kategori obat` (`id`, `nama`, `deskripsi`) VALUES
(1, 'Vitamin', NULL),
(2, 'Antibiotik', NULL);
-- Table structure for table `obat`
CREATE TABLE `obat` (
  `id` int(11) NOT NULL,
  `nama` varchar(64) NOT NULL,
  `harga` int(11) NOT NULL,
  `stock` int(11) NOT NULL,
  `id kategori` int(11) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
-- Dumping data for table `obat`
```

```
INSERT INTO `obat` (`id`, `nama`, `harga`, `stock`, `id kategori`) VALUES
(1, 'Vitamin A', 389000, 16, 1),
(2, 'Vitamin B', 364909, 13, 1),
(3, 'Penisilin', 281789, 76, 2),
(4, 'Makrolida', 192008, 37, 2);
__ _____
-- Table structure for table `pelanggan`
CREATE TABLE 'pelanggan' (
 `id` int(11) NOT NULL,
  `nama` varchar(32) DEFAULT NULL,
  `alamat` text DEFAULT NULL,
  `no tlp` varchar(13) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
__ ______
-- Table structure for table `transaksi apotek`
CREATE TABLE `transaksi apotek` (
  `id` int(11) NOT NULL,
  `tanggal transaksi` date DEFAULT NULL,
  `total_harga` int(11) DEFAULT NULL,
`id_pelanggan` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4 general ci;
-- Indexes for dumped tables
-- Indexes for table `apoteker`
ALTER TABLE `apoteker`
 ADD PRIMARY KEY ('id');
-- Indexes for table `detail apoteker`
ALTER TABLE `detail apoteker`
 ADD PRIMARY KEY ('id'),
 ADD KEY `id_apoteker` (`id_apoteker`);
-- Indexes for table `detail transaksi apotek`
ALTER TABLE `detail_transaksi_apotek`
 ADD PRIMARY KEY ('id'),
```

```
ADD KEY `id obat` (`id obat`),
 ADD KEY `id_transaksi` (`id_transaksi`);
-- Indexes for table `kategori obat`
ALTER TABLE `kategori obat`
 ADD PRIMARY KEY ('id');
-- Indexes for table `obat`
ALTER TABLE `obat`
 ADD PRIMARY KEY ('id'),
 ADD KEY `fk kategori obat` (`id kategori`);
-- Indexes for table `pelanggan`
ALTER TABLE `pelanggan`
 ADD PRIMARY KEY ('id');
-- Indexes for table `transaksi_apotek`
ALTER TABLE `transaksi apotek`
ADD PRIMARY KEY ('id'),
 ADD KEY `id pelanggan` (`id pelanggan`);
-- AUTO INCREMENT for dumped tables
-- AUTO INCREMENT for table `apoteker`
ALTER TABLE `apoteker`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT;
-- AUTO INCREMENT for table `detail apoteker`
ALTER TABLE `detail apoteker`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT;
-- AUTO INCREMENT for table `detail transaksi apotek`
ALTER TABLE `detail transaksi apotek`
 MODIFY 'id' int(11) NOT NULL AUTO INCREMENT;
-- AUTO_INCREMENT for table `kategori_obat`
```

```
ALTER TABLE `kategori obat`
  MODIFY `id` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=3;
-- AUTO INCREMENT for table `obat`
ALTER TABLE `obat`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=5;
-- AUTO INCREMENT for table `pelanggan`
ALTER TABLE `pelanggan`
 MODIFY `id` int(11) NOT NULL AUTO INCREMENT;
-- AUTO INCREMENT for table `transaksi apotek`
ALTER TABLE `transaksi apotek`
 MODIFY 'id' int(11) NOT NULL AUTO INCREMENT;
-- Constraints for dumped tables
-- Constraints for table `detail apoteker`
ALTER TABLE `detail apoteker`
 ADD CONSTRAINT `detail apoteker ibfk 1` FOREIGN KEY (`id apoteker`)
REFERENCES `apoteker` (`id`);
-- Constraints for table `detail transaksi apotek`
ALTER TABLE `detail transaksi apotek`
ADD CONSTRAINT `detail_transaksi_apotek_ibfk_1` FOREIGN KEY (`id_obat`) REFERENCES `obat` (`id`),
 ADD CONSTRAINT `detail transaksi apotek ibfk 2` FOREIGN KEY
(`id transaksi`) REFERENCES `transaksi apotek` (`id`);
-- Constraints for table `obat`
ALTER TABLE `obat`
  ADD CONSTRAINT `fk_kategori_obat` FOREIGN KEY (`id kategori`)
REFERENCES `kategori obat` (`id`);
-- Constraints for table `transaksi apotek`
ALTER TABLE `transaksi apotek`
 ADD CONSTRAINT `transaksi_apotek_ibfk_1` FOREIGN KEY (`id_pelanggan`)
REFERENCES `pelanggan` (`id`);
```

COMMIT;

```
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```