

Description

My dog-sitter's brother made this website but I can't get in; can you help? login.mars.picoctf.net

Hints

- (None)

Solución

A screenshot of a web page titled 'Login'. The page has a light gray background. It contains a form with two input fields: 'Username' and 'Password'. Below the 'Password' field is a 'Submit' button. The form is centered on the page.

```
<!doctype html>
<html>
  <head>
    <link rel="stylesheet" href="styles.css">
    <script src="index.js"></script>
  </head>
  <body>
    <div>
      <h1>Login</h1>
      <form method="POST">
        <label for="username">Username</label>
        <input name="username" type="text"/>
        <label for="password">Password</label>
```

```

        <input name="password" type="password"/>
        <input type="submit" value="Submit"/>
    </form>
</div>
</body>
</html>

```

```

(async()=>{await new
Promise((e=>window.addEventListener("load",e)),document.querySelector("form
").addEventListener("submit",(e=>{e.preventDefault();const r=
{u:"input[name=username]",p:"input[name=password]"},t={};for(const e in
r)t[e]=btoa(document.querySelector(r[e]).value).replace(/=/g,"");return"YWRt
aW4"!==t.u?alert("Incorrect
Username"):"cGljb0NURns1M3J2M3JfNTNydjNyXzUzcnYzcl81M3J2M3JfNTNydjNyfQ"!==t.
p?alert("Incorrect Password"):void alert(`Correct Password! Your flag is
${atob(t.p)}.`)}}))));

```

JS corregido

```

(async () => {
    await new Promise((resolve) => window.addEventListener("load",
    resolve));

    document.querySelector("form").addEventListener("submit", (event) => {
        event.preventDefault();

        const selectors = {
            u: "input[name=username]",
            p: "input[name=password]"
        };

        const encodedValues = {};

        for (const key in selectors) {
            encodedValues[key] =
            btoa(document.querySelector(selectors[key]).value).replace(/=/g, "");
        }



        if (encodedValues.u !== "YWRtaW4") {
            alert("Incorrect Username");
        } else if (encodedValues.p !==
        "cGljb0NURns1M3J2M3JfNTNydjNyXzUzcnYzcl81M3J2M3JfNTNydjNyfQ") {
            alert("Incorrect Password");
        }
    });





```




```
    } else {  
        alert(`Correct Password! Your flag is  
${atob(encodedValues.p)}.`);  
    }  
});  
})();
```

Usando [CyberChef](#):

Last build: 12 days ago - Version 10 is here! Read about the new features [here](#)

Options  About / Support 






Recipe    

From Base64   




Alphabet
A-Za-z0-9+/=





☒ Remove non-alphabet chars

☐ Strict mode

Input     

YWRtaW4

RBC 7  1  Raw Bytes  LF

Output    

admin

Recipe

From Base64

Alphabet
A-Za-z0-9+/=

☒ Remove non-alphabet chars

☐ Strict mode

Input

cGljb0NURns1M3J2M3JfNTNydjNyXzUzcnYzc181M3J2M3JfNTNydjNyfQ

abc 58 1

Raw Bytes

Output

picoCTF{53rv3r_53rv3r_53rv3r_53rv3r_53rv3r}

login.mars.picoctf.net dice

Correct Password! Your flag is
picoCTF{53rv3r_53rv3r_53rv3r_53rv3r_53rv3r}.

Aceptar

Login

Username

admin

Password

.....

Submit

Bandera

flag: picoCTF{53rv3r_53rv3r_53rv3r_53rv3r_53rv3r}

Notas Adicionales

Referencias

- [CyberChef](#)