

Zoznam publikácií a citácií

Mgr. Erik Bartoš, PhD.

4. októbra 2017

Obsah

1	Pôvodné vedecké práce uverejnené v karentovaných časopisoch	2
2	Pôvodné vedecké práce uverejnené v recenzovaných časopisoch (mimo CC)	14
3	Odborné práce v zborníkoch konferencií	16
4	Ostatné odborné práce	18
5	Editované publikácie	18
6	Popularizačné práce	19
7	Súhrn prác	20
8	Súhrn citácií	20

1 Pôvodné vedecké práce uverejnené v karen- tovaných časopisoch

Literatúra

- [1] E. Bartos et al., “Scalar and pseudoscalar meson pole terms in the hadronic light by light contributions to a_μ^{had} ”, **Nucl. Phys.** B632 (2002), s. 330–342, DOI: 10.1016/S0550-3213(02)00242-0, arXiv: hep-ph/0106084 [hep-ph].
- [2] E. Bartos et al., “Lepton pair production in heavy-ion collisions in perturbation theory”, **Phys. Rev.** A66 (2002), s. 042720, DOI: 10.1103/PhysRevA.66.042720, arXiv: hep-ph/0109281 [hep-ph].
- [3] E. Bartos et al., “Multiple lepton pair production in relativistic ion collisions”, **Phys. Lett.** B538 (2002), s. 45–51, DOI: 10.1016/S0370-2693(02)01991-3, arXiv: hep-ph/0204327 [hep-ph].
- [4] A. Ahmedov et al., “Single spin asymmetry in pion production in polarized proton proton collisions and odderon”, **J. Phys.** G G23 (2003), s. 521–529, DOI: 10.1088/0954-3899/29/3/306, arXiv: hep-ph/0207099 [hep-ph].
- [5] E. Bartos, S.R. Gevorkian a E.A. Kuraev, “Lepton pair production in relativistic ion collisions and its correspondence to the crossing process”, **Phys. Atom. Nucl.** 67 (2004), s. 1923–1927, DOI: 10.1134/1.1811199, arXiv: hep-ph/0204331 [hep-ph].
- [6] E. Bartos et al., “The lowest order inelastic QED processes at polarized photon-electron high energy collisions”, **Nucl. Phys.** B676 (2004), s. 390–398, DOI: 10.1016/j.nuclphysb.2003.10.025, arXiv: hep-ph/0308045 [hep-ph].
- [7] E. Bartos et al., “Calibration processes for photon photon colliders”, **Nucl. Phys.** B676 (2004), s. 481–490, DOI: 10.1016/j.nuclphysb.2003.10.026, arXiv: hep-ph/0308044 [hep-ph].
- [8] E. Bartos, E.A. Kuraev a S. Dubnicka, “Sum rule for a difference of proton and neutron total photoproduction cross-sections”, **Phys. Rev.** D70 (2004), s. 117901, DOI: 10.1103/PhysRevD.70.117901, arXiv: hep-ph/0303194 [hep-ph].

- [9] E. Bartos, E.A. Kuraev a I.O. Cherednikov, “Double-logarithmic behavior of inelastic fermion form factors in QED and QCD”, **Phys. Lett. B** 593 (2004), s. 115–123, DOI: 10.1016/j.physletb.2004.04.069, arXiv: hep-ph/0403193 [hep-ph].
- [10] E. Bartos et al., “QED calibration processes for polarized $\gamma\gamma$ and γe^- colliders”, **Phys. Part. Nucl.** 35 (2004), S90–S93.
- [11] A.B. Arbuzov et al., “High accuracy description of radiative return production of low-mass muon and pion pairs at e^+e^- colliders”, **JETP Lett.** 80 (2004), s. 678–683, DOI: 10.1134/1.1862793.
- [12] S. Dubnicka, E. Bartos a E. Kuraev, “New sum rules for nucleon and trinucleon total photoproduction cross-sections”, **Nucl. Phys. Proc. Suppl.** 126 (2004), s. 100–103, DOI: 10.1016/S0920-5632(03)02314-4, arXiv: hep-ph/0401006 [hep-ph].
- [13] E. Bartos et al., “Multiple exchanges in lepton pair production in high-energy heavy ion collisions”, **J. Exp. Theor. Phys.** 100 (2005), s. 645–655, DOI: 10.1134/1.1926426, 10.1134/1.1926426, arXiv: hep-ph/0410263 [hep-ph].
- [14] E. Bartos et al., “Multiphoton exchanges in pair production processes in heavy ion collisions”, **Acta Phys. Slovaca** 55.1 (2005), s. 1–5.
- [15] V. Bytev et al., “Radiative corrections to chiral amplitudes in quasi-peripheral kinematics”, **J. Exp. Theor. Phys.** 103 (2006), s. 224–240, DOI: 10.1134/S1063776106080061, arXiv: hep-ph/0510084 [hep-ph].
- [16] E. Bartos et al., “Multiphoton exchanges in peripheral heavy ion collisions”, **Acta Phys. Polon.** B38 (2007), s. 987–992.
- [17] E. Bartos et al., “Recoil proton distribution in high energy photoproduction processes”, **Eur. Phys. J. C** 52 (2007), s. 173–176, DOI: 10.1140/epjc/s10052-007-0363-y, arXiv: hep-ph/0611287 [hep-ph].
- [18] E. Bartos et al., “Sum rule for photon target”, **Phys. Rev. D** 76 (2007), s. 057901, DOI: 10.1103/PhysRevD.76.057901, arXiv: 0704.3896 [hep-ph].
- [19] S. Bakmaev et al., “QED processes in peripheral kinematics at polarized photon-photon and photon-electron colliders”, **Eur. Phys. J. C** 52 (2007), s. 75–82, DOI: 10.1140/epjc/s10052-007-0351-2, arXiv: hep-ph/0403111 [hep-ph].

- [20] Yu.M. Bystritskiy et al., “The decay $\phi \rightarrow f_0(980)\gamma$ and the process $e^+e^- \rightarrow \phi f_0(980)$ ”, **Phys. Rev. D** 77 (2008), s. 054008, DOI: 10.1103/PhysRevD.77.054008, arXiv: 0712.0304 [hep-ph].
- [21] E. Bartos et al., “ 2γ and 3γ annihilation as calibration processes for high energy e^+e^- colliders”, **JETP Lett.** 87 (2008), s. 73–77, DOI: 10.1007/s11448-008-2002-8, arXiv: 0801.1592 [hep-ph].
- [22] Richard Pinčák a Erik Bartoš, “With string model to time series forecasting”, **Physica** 436 (2015), s. 135–146, DOI: 10.1016/j.physa.2015.05.013.
- [23] Cyril Adamuščin et al., “Numerical values of f^F , f^D , f^S coupling constants in $SU(3)$ invariant interaction Lagrangian of vector-meson nonet with $1/2^+$ octet baryons”, **Phys. Rev. C** 93.5 (2016), s. 055208, DOI: 10.1103/PhysRevC.93.055208.
- [24] K. Kanjamapornkul, R. Pinčák a E. Bartoš, “The study of Thai stock market across the 2008 financial crisis”, **Physica A** 462 (2016), s. 117–133, DOI: 10.1016/j.physa.2016.06.078.
- [25] Erik Bartoš a Richard Pinčák, “Identification of market trends with string and D2-brane maps”, **Physica A** 479 (2017), s. 57–70, DOI: 10.1016/j.physa.2017.03.014.
- [26] Kabin Kanjamapornkul et al., “Support Spinor Machine”, **Digital Signal Processing** 70 (2017), s. 59–72, DOI: 10.1016/j.dsp.2017.07.023.
- [27] Erik Bartoš et al., “The mass and width differences of the neutral and charged $\rho(770)$, $\rho(1450)$ and $\rho(1700)$ mesons from $e^+e^- \rightarrow \pi^+\pi^-$ and $\nu_\tau\pi^-\pi^0$ processes”, **Int. J. Mod. Phys. A** 32.25 (2017), s. 1750154, DOI: 10.1142/S0217751X17501548.

2 Pôvodné vedecké práce uverejnené v recenzovaných časopisoch (mimo CC)

Literatúra

- [1] E. Bartos, E. A. Kuraev a S. Dubnicka, “Sum rules for photoproduction processes”, **Ukr. J. Phys.** 48.6 (2003), s. 518–521.

- [2] A.B. Arbuzov et al., “Radiative muon (pion) pair production in high-energy electron positron annihilation (the case of small invariant pair mass)”, **Phys. Part. Nucl. Lett.** 2 (2005), s. 214–221, arXiv: hep-ph/0308292 [hep-ph].
- [3] E. Bartos et al., “New possible insight into JLab proton polarization data puzzle by DIS”, **AIP Conf. Proc.** 792 (2005), s. 788–791, DOI: 10.1063/1.2122155.
- [4] E. Bartos et al., “Charged pair production by photon scattering on a proton”, **Fizika B17** (2008), s. 167–174.
- [5] E. Bartos et al., “Sum rules for hadron photoproduction on hadrons and photon”, **Fizika B17** (2008), s. 11–24.
- [6] Yu.M. Bystritskiy et al., “Production of f_0 -meson in the process $e^+e^- \rightarrow \varphi f_0$ ”, **Fizika B17** (2008), s. 363–368.
- [7] E. Bartos, E.A. Kuraev a M. Secansky, “Radiative corrections to muon decay in leading and next-to-leading approximation for electron spectrum”, **Phys. Part. Nucl. Lett.** 6 (2009), s. 365–367, DOI: 10.1134/S1547477109050033, arXiv: 0811.4242 [hep-ph].
- [8] E. Bartos et al., “Photoproduction of scalar and pseudoscalar mesons on a lepton within the local Nambu-Jona-Lasinio model”, **Phys. Part. Nucl. Lett.** 6 (2009), s. 446–449, DOI: 10.1134/S1547477109060041, arXiv: 0902.1384 [hep-ph].
- [9] E. Bartos et al., “Parameter differences of the charged and neutral rho-meson family”, **Nucl. Phys. Proc. Suppl.** 198 (2010), s. 186–189, DOI: 10.1016/j.nuclphysbps.2009.12.036, arXiv: 0910.2123 [hep-ph].
- [10] E. Bartos et al., “Remarkable suppression of the $e^+e^- \rightarrow \pi^+\pi^-$ contribution error into muon $g - 2$ ”, **Nucl. Phys. Proc. Suppl.** 198 (2010), s. 194–198, DOI: 10.1016/j.nuclphysbps.2009.12.038, arXiv: 0910.2006 [hep-ph].
- [11] E. Bartos, S. Dubnicka a A.Z. Dubnickova, “Electromagnetic properties of hyperons”, **Nucl. Phys. Proc. Suppl.** 219-220 (2011), s. 166–169, DOI: 10.1016/j.nuclphysbps.2011.10.090.
- [12] C. Adamuscin et al., “Advanced nucleon electromagnetic structure model and charge proton rms radius”, **Nucl. Phys. Proc. Suppl.** 245 (2013), s. 69–73, DOI: 10.1016/j.nuclphysbps.2013.10.014.

- [13] E. Bartos, S. Dubnicka a A.-Z. Dubnickova, “The advanced nucleon electromagnetic structure model and prediction of hyperon electromagnetic form factors”, **Nucl. Phys. Proc. Suppl.** 245 (2013), s. 78–81, DOI: 10.1016/j.nuclphysbps.2013.10.016.
- [14] Erik Bartoš et al., “On the precise determination of the differences of ρ -meson family parameters”, **EPJ Web Conf.** 81 (2014), s. 05004, DOI: 10.1051/epjconf/20148105004.
- [15] Erik Bartoš, Stanislav Dubnička a Anna-Zuzana Dubničková, “Nucleon and Δ electromagnetic form factors”, **Int. J. Mod. Phys. Conf. Ser.** 39 (2015), s. 1560089, DOI: 10.1142/S2010194515600897.

3 Odborné práce v zborníkoch konferencií

Literatúra

- [1] S. Dubnička, E. Bartoš a Anna Zuzana Dubničková, “Prediction of $\sigma_{tot}(e^+e^- \rightarrow \text{hyperon-antihyperon})$ behaviour” (2001), ed. Yu. S. Anisimov a Š. Gmuca, s. 84.
- [2] E. Bartos et al., “Multiple lepton pair production in relativistic ion collisions” (2002), ed. J. Urbán a J. Vrláková, s. 258–265.
- [3] S. Dubnicka et al., “Is there any room for new physics in the muon $g - 2$ problem?” (2002), ed. J. Urbán a J. Vrláková, s. 31–38, arXiv: hep-ph/0305051 [hep-ph].
- [4] E. N. Antonov, E. Bartos a E. A. Kuraev, “Single-spin assymetry in pion production in polarized pp collisions and odderon” (2002), ed. A. V. Efremov a O. B. Teryaev, s. 130–133.
- [5] E. A. Kuraev, E. Bartos a S. R. Gevorkian, “Crossing symmetry violation in the process of lepton pair production in relativistic ion collisions compared with the crossing process” (2003), ed. E. Steffens a R. Shaidze, s. 253–263.
- [6] E. Bartos et al., “Multiphoton exchanges in pair production processes in heavy ion collisions” (2004), ed. S. Dubnička et al., s. 252–256.
- [7] E. Bartos et al., “The wide angles lepton pair production in heavy ion collisions. The role of multiphoton exchanges” (2004), s. 252–256.
- [8] E. Bartoš et al., “Re-evaluation of $e^+e^- \rightarrow \pi^+\pi^-$ contribution to muon anomaly by unitary and analytic model of pion electromagnetic structure” (2010), ed. Victor T. Kim a Lev. N. Lipatov, s. 207–211.

- [9] E. Bartoš, S. Dubnička a A.Z. Dubníčková, “Electromagnetic structure of $1/2^+$ octet hyperons” (2011), ed. Victor T. Kim a Lev. N. Lipatov, s. 34–38.
- [10] C. Adamuščin, S. Dubnička a E. Bartoš, “Proton charge rms radius from all reliable nucleon EM FFs data respecting SU(3) symmetry” (2013), ed. Yu. S. Anisimov a Š. Gmuca, s. 16–28.
- [11] S. Dubnička et al., “Advanced nucleon EM structure model and its predictability”, **PoS** EPS-HEP2013 (2013), s. 216.
- [12] Erik Bartoš et al., “Differences of masses and widths of the charged and neutral $\rho(770)$, $\rho(1450)$, $\rho(1700)$ mesons from data on electro-weak processes”, **PoS** EPS-HEP2015 (2015), s. 450.
- [13] Cyril Adamuščin et al., “No dependence of coupling constants f^F , f^D , f^S in vector-meson $1/2^+$ octet baryon interaction Lagrangian on the choice of the $\omega - \phi$ mixing configuration”, **PoS** EPS-HEP2017 (2017), s. 729.
- [14] Erik Bartoš et al., “Generalized Gounaris-Sakurai formula and $\rho(770)$, $\rho'(1450)$ and $\rho''(1700)$ masses and widths”, **PoS** EPS-HEP2017 (2017), s. 730.
- [15] Stanislav Dubnička et al., “Theoretical prediction of Λ , Σ , Ξ hyperon magnetic form factors $|G_M^H(t)|$ behaviours and also ratio $|G_E^H(t)|/|G_M^H(t)|$ in time-like region”, **PoS** EPS-HEP2017 (2017), s. 757.

4 Ostatné odborné práce

Literatúra

- [1] E. Bartos, V. Bytev a E. Kuraev, “P violating effects in low-energy Compton scattering” (2000), arXiv: [hep-ph/0011037](#) [[hep-ph](#)].
- [2] A.B. Arbuzov et al., “Radiative muon (pion) pair production in high-energy electron positron annihilation process” (2003), arXiv: [hep-ph/0303083](#) [[hep-ph](#)].

5 Editované publikácie

Literatúra

- [1] (ed.) Bartos Erik, (ed.) Dubnicka Stanislav a (ed.) Dubnickova A.Z., “Hadron structure ’07. Proceedings of 1st Joint International Conference, Hadron Structure ’07, Modra-Harmonia, Slovakia, September 3-7, 2007”, **Fizika** B17 (2008), s. 1.
- [2] (ed.) Dubnicka S., (ed.) Dubnickova A.Z. a (ed.) Bartos E., “Hadron structure ’09, the proceedings of the 3rd Joint International Hadron Structure ’09 Conference, Tatranska Strba, High Tatra Mountains, Slovak Republic, 29th August - 3rd September 2009”, **Nucl. Phys. Proc. Suppl.** 198 (2010), s. 1, DOI: 10.1016/j.nuclphysbps.2009.12.001.
- [3] Stanislav Dubnicka, Anna Zuzana Dubnickova a Erik Bartos, “Hadron structure. Proceedings, 5th Joint International Conference, Hadron Structure’11, HS’11, Tatranska Strba, Slovakia, June 27-July 1, 2011”, **Nucl. Phys. Proc. Suppl.** 219-220 (2011), ed. Stanislav Dubnicka.
- [4] Stanislav Dubnička, Anna Zuzana Dubničková a Erik Bartoš, “Proceedings, 7th Joint International Hadron Structure’13 Conference (HS 13)”, **Nucl. Phys. Proc. Suppl.** 245 (2013), ed. Stanislav Dubnička, pp.1–302.
- [5] Stanislav Dubnička, Anna Zuzana Dubničková a Erik Bartoš, “Proceedings, 9th Joint International Hadron Structure’15 Conference (HS 15)”, **Int. J. Mod. Phys. Conf. Ser.** 39 (2015), ed. Stanislav Dubnička, pp.1560081–1560115.

6 Popularizačné práce

Quark 12/2012: Polstoročie na špici výskumu (*EB*)

Quark 08/2015: Prečo majú jednorazové a nabíjacie batérie rôzne napätie? (*EB*)