Zoznam publikácií a citácií

Mgr. Erik Bartoš, PhD.

3. septembra 2019

Obsah

1	Pôvodné vedecké práce uverejnené v karentovaných časopisoch	2
2	Pôvodné vedecké práce uverejnené v recenzovaných časopisoch (mimo CC)	15
3	Odborné práce v zborníkoch konferencií	17
4	Ostatné odborné práce	19
5	Editované publikácie	19
6	Popularizačné práce	20
7	Súhrn prác	21
8	Súhrn citácií	21

1 Pôvodné vedecké práce uverejnené v karentovaných časopisoch

- [1] E. Bartos et al., "Scalar and pseudoscalar meson pole terms in the hadronic light by light contributions to $a_{\mu}^{\rm had}$ ", **Nucl. Phys.** B632 (2002), s. 330–342, DOI: 10.1016/S0550-3213(02)00242-0, arXiv: hep-ph/0106084 [hep-ph].
- [2] E. Bartos et al., "Lepton pair production in heavy-ion collisions in perturbation theory", **Phys. Rev.** A66 (2002), s. 042720, DOI: 10. 1103/PhysRevA.66.042720, arXiv: hep-ph/0109281 [hep-ph].
- [3] E. Bartos et al., "Multiple lepton pair production in relativistic ion collisions", **Phys. Lett.** B538 (2002), s. 45–51, DOI: 10.1016/S0370-2693(02)01991-3, arXiv: hep-ph/0204327 [hep-ph].
- [4] A. Ahmedov et al., "Single spin asymmetry in pion production in polarized proton proton collisions and odderon", **J. Phys. G** G23 (2003), s. 521–529, DOI: 10.1088/0954-3899/29/3/306, arXiv: hep-ph/0207099 [hep-ph].
- [5] E. Bartos, S.R. Gevorkian a E.A. Kuraev, "Lepton pair production in relativistic ion collisions and its correspondence to the crossing process", **Phys. Atom. Nucl.** 67 (2004), s. 1923–1927, DOI: 10.1134/1. 1811199, arXiv: hep-ph/0204331 [hep-ph].
- [6] E. Bartos et al., "The lowest order inelastic QED processes at polarized photon-electron high energy collisions", **Nucl. Phys.** B676 (2004), s. 390–398, DOI: 10.1016/j.nuclphysb.2003.10.025, arXiv: hep-ph/0308045 [hep-ph].
- [7] E. Bartos et al., "Calibration processes for photon photon colliders", **Nucl. Phys.** B676 (2004), s. 481-490, DOI: 10.1016/j.nuclphysb. 2003.10.026, arXiv: hep-ph/0308044 [hep-ph].
- [8] E. Bartos, E.A. Kuraev a S. Dubnicka, "Sum rule for a difference of proton and neutron total photoproduction cross-sections", Phys. Rev. D70 (2004), s. 117901, DOI: 10.1103/PhysRevD.70.117901, arXiv: hep-ph/0303194 [hep-ph].

- [9] E. Bartos, E.A. Kuraev a I.O. Cherednikov, "Double-logarithmic behavior of inelastic fermion form factors in QED and QCD", Phys. Lett. B593 (2004), s. 115–123, DOI: 10.1016/j.physletb.2004.04.069, arXiv: hep-ph/0403193 [hep-ph].
- [10] E. Bartos et al., "QED calibration processes for polarized $\gamma\gamma$ and γe^- colliders", **Phys. Part. Nucl.** 35 (2004), S90–S93.
- [11] A.B. Arbuzov et al., "High accuracy description of radiative return production of low-mass muon and pion pairs at e^+e^- colliders", **JETP** Lett. 80 (2004), s. 678–683, DOI: 10.1134/1.1862793.
- [12] S. Dubnicka, E. Bartos a E. Kuraev, "New sum rules for nucleon and trinucleon total photoproduction cross-sections", **Nucl. Phys. Proc.** Suppl. 126 (2004), s. 100–103, DOI: 10.1016/S0920-5632(03)02314-4, arXiv: hep-ph/0401006 [hep-ph].
- [13] E. Bartos et al., "Multiple exchanges in lepton pair production in high-energy heavy ion collisions", **J. Exp. Theor. Phys.** 100 (2005), s. 645–655, DOI: 10.1134/1.1926426, 10.1134/1.1926426, arXiv: hep-ph/0410263 [hep-ph].
- [14] E. Bartos et al., "Multiphoton exchanges in pair production processes in heavy ion collisions", **Acta Physica Slovaca** 55.1 (2005), s. 1–5.
- [15] V. Bytev et al., "Radiative corrections to chiral amplitudes in quasi-peripheral kinematics", **J. Exp. Theor. Phys.** 103 (2006), s. 224–240, DOI: 10.1134/S1063776106080061, arXiv: hep-ph/0510084 [hep-ph].
- [16] E. Bartos et al., "Multiphoton exchanges in peripheral heavy ion collisions", **Acta Phys. Polon.** B38 (2007), s. 987–992.
- [17] E. Bartos et al., "Recoil proton distribution in high energy photoproduction processes", Eur. Phys. J. C52 (2007), s. 173–176, DOI: 10. 1140/epjc/s10052-007-0363-y, arXiv: hep-ph/0611287 [hep-ph].
- [18] E. Bartos et al., "Sum rule for photon target", Phys. Rev. D76 (2007), s. 057901, DOI: 10.1103/PhysRevD.76.057901, arXiv: 0704.3896 [hep-ph].
- [19] S. Bakmaev et al., "QED processes in peripheral kinematics at polarized photon-photon and photon-electron colliders", **Eur. Phys. J.** C52 (2007), s. 75–82, DOI: 10.1140/epjc/s10052-007-0351-2, arXiv: hep-ph/0403111 [hep-ph].

- [20] Yu.M. Bystritskiy et al., "The decay $\phi \to f_0(980)\gamma$ and the process $e^+e^- \to \phi f_0(980)$ ", **Phys. Rev.** D77 (2008), s. 054008, DOI: 10.1103/PhysRevD.77.054008, arXiv: 0712.0304 [hep-ph].
- [21] E. Bartos et al., " 2γ and 3γ annihilation as calibration processes for high energy e^+e^- colliders", **JETP Lett.** 87 (2008), s. 73–77, DOI: 10.1007/s11448-008-2002-8, arXiv: 0801.1592 [hep-ph].
- [22] Richard Pinčák a Erik Bartoš, "With string model to time series forecasting", **Physica** 436 (2015), s. 135–146, DOI: 10.1016/j.physa. 2015.05.013.
- [23] Cyril Adamuščín et al., "Numerical values of f^F , f^D , f^S coupling constants in SU(3) invariant interaction Lagrangian of vector-meson nonet with $1/2^+$ octet baryons", **Phys. Rev.** C93.5 (2016), s. 055208, DOI: 10.1103/PhysRevC.93.055208.
- [24] K. Kanjamapornkul, R. Pinčák a E. Bartoš, "The study of Thai stock market across the 2008 financial crisis", **Physica** A462 (2016), s. 117–133, DOI: 10.1016/j.physa.2016.06.078.
- [25] Erik Bartoš a Richard Pinčák, "Identification of market trends with string and D2-brane maps", **Physica** A479 (2017), s. 57–70, DOI: 10. 1016/j.physa.2017.03.014.
- [26] Kabin Kanjamapornkul et al., "Support Spinor Machine", **Digital Signal Processing** 70 (2017), s. 59–72, doi: 10.1016/j.dsp.2017.07.023.
- [27] Erik Bartoš et al., "The mass and width differences of the neutral and charged $\rho(770)$, $\rho(1450)$ and $\rho(1700)$ mesons from $e^+e^- \to \pi^+\pi^-$ and $\nu_\tau \pi^- \pi^0$ processes", **Int. J. Mod. Phys.** A32.25 (2017), s. 1750154, DOI: 10.1142/S0217751X17501548.
- [28] Erik Bartoš et al., "What are the correct $\rho^0(770)$ meson mass and width values?", **Phys. Rev.** D96.11 (2017), s. 113004, DOI: 10.1103/PhysRevD.96.113004.
- [29] E. Bartoš a R. Pinčák, "Study of prediction models for time series", **Acta Physica Slovaca** 67.1 (2017), s. 1–83.
- [30] Richard Pinčák, Kabin Kanjamapornkul a Erik Bartoš, "Forecasting Laurent Polynomial in the Chern–Simons Current of V3 Loop Time Series", **Annalen der Physik** 531.7 (2019), s. 1800375, DOI: 10.1002/andp.201800375.

[31] Kabin Kanjamapornkul, Richard Pinčák a Erik Bartoš, "Cohomology theory for financial time series", **Physica** A (2019), s. 1, DOI: 10.1016/j.physa.2019.122212.

2 Pôvodné vedecké práce uverejnené v recenzovaných časopisoch (mimo CC)

- [1] E. Bartos, E. A. Kuraev a S. Dubnicka, "Sum rules for photoproduction processes", **Ukr. J. Phys.** 48.6 (2003), s. 518–521.
- [2] A.B. Arbuzov et al., "Radiative muon (pion) pair production in highenergy electron positron annihilation (the case of small invariant pair mass)", **Phys. Part. Nucl. Lett.** 2 (2005), s. 214–221, arXiv: hepph/0308292 [hep-ph].
- [3] E. Bartos et al., "New possible insight into JLab proton polarization data puzzle by DIS", **AIP Conf. Proc.** 792 (2005), s. 788–791, DOI: 10.1063/1.2122155.
- [4] E. Bartos et al., "Charged pair production by photon scattering on a proton", **Fizika** B17 (2008), s. 167–174.
- [5] E. Bartos et al., "Sum rules for hadron photoproduction on hadrons and photon", **Fizika** B17 (2008), s. 11–24.
- [6] Yu.M. Bystritskiy et al., "Production of f_0 -meson in the process $e^+e^- \to \varphi f_0$ ", **Fizika** B17 (2008), s. 363–368.
- [7] E. Bartos, E.A. Kuraev a M. Secansky, "Radiative corrections to muon decay in leading and next-to-leading approximation for electron spectrum", **Phys. Part. Nucl. Lett.** 6 (2009), s. 365–367, DOI: 10.1134/S1547477109050033, arXiv: 0811.4242 [hep-ph].
- [8] E. Bartos et al., "Photoproduction of scalar and pseudoscalar mesons on a lepton within the local Nambu-Jona-Lasinio model", **Phys. Part. Nucl. Lett.** 6 (2009), s. 446–449, DOI: 10.1134/S1547477109060041, arXiv: 0902.1384 [hep-ph].
- [9] E. Bartos et al., "Parameter differences of the charged and neutral rho-meson family", **Nucl. Phys. Proc. Suppl.** 198 (2010), s. 186–189, DOI: 10.1016/j.nuclphysbps.2009.12.036, arXiv: 0910.2123 [hep-ph].

- [10] E. Bartos et al., "Remarkable suppression of the $e^+e^- \to \pi^+\pi^-$ contribution error into muon g-2", Nucl. Phys. Proc. Suppl. 198 (2010), s. 194–198, DOI: 10.1016/j.nuclphysbps.2009.12.038, arXiv: 0910.2006 [hep-ph].
- [11] E. Bartos, S. Dubnicka a A.Z. Dubnickova, "Electromagnetic properties of hyperons", **Nucl. Phys. Proc. Suppl.** 219-220 (2011), s. 166–169, DOI: 10.1016/j.nuclphysbps.2011.10.090.
- [12] C. Adamuscin et al., "Advanced nucleon electromagnetic structure model and charge proton rms radius", Nucl. Phys. Proc. Suppl. 245 (2013), s. 69–73, DOI: 10.1016/j.nuclphysbps.2013.10.014.
- [13] E. Bartos, S. Dubnicka a A.-Z. Dubnickova, "The advanced nucleon electromagnetic structure model and prediction of hyperon electromagnetic form factors", **Nucl. Phys. Proc. Suppl.** 245 (2013), s. 78–81, DOI: 10.1016/j.nuclphysbps.2013.10.016.
- [14] Erik Bartoš et al., "On the precise determination of the differences of ρ-meson family parameters", **EPJ Web Conf.** 81 (2014), s. 05004, DOI: 10.1051/epjconf/20148105004.
- [15] Erik Bartoš, Stanislav Dubnička a Anna-Zuzana Dubničková, "Nucleon and Δ electromagnetic form factors", Int. J. Mod. Phys. Conf. Ser. 39 (2015), s. 1560089, DOI: 10.1142/S2010194515600897.

3 Odborné práce v zborníkoch konferencií

[1] S. Dubnička, E. Bartoš a Anna Zuzana Dubničková, "Preditction of $\sigma_{tot}(e^+e^- \to \text{hyperon-antihyperon})$ behaviour" (2001), ed. Yu. S. Anisimov a Š. Gmuca, s. 84.

[2] E. Bartos et al., "Multiple lepton pair production in relativistic ion collisions" (2002), ed. J. Urbán a J. Vrláková, s. 258–265.

[3] S. Dubnicka et al., "Is there any room for new physics in the muon g-2 problem?" (2002), ed. J. Urbán a J. Vrláková, s. 31–38, arXiv: hep-ph/0305051 [hep-ph].

[4] E. N. Antonov, E. Bartos a E. A. Kuraev, "Single-spin assymetry in pion production in polarized pp collisions and odderon" (2002), ed. A. V. Efremov a O. B. Teryaev, s. 130–133.

- [5] E. A. Kuraev, E. Bartos a S. R. Gevorkian, "Crossing symmetry violation in the process of lepton pair production in relativistic ion collisions compared with the crossing process" (2003), ed. E. Steffens a R. Shanidze, s. 253–263.
- [6] E. Bartos et al., "Multiphoton exchanges in pair production processes in heavy ion collisions" (2004), ed. S. Dubnička et al., s. 252–256.
- [7] E. Bartos et al., "The wide angles lepton pair production in heavy ion collisions. The role of multiphoton exchanges" (2004), s. 252–256.
- [8] E. Bartoš et al., "Re-evaluation of $e^+e^- \to \pi^+\pi^-$ contribution to muon anomaly by unitary and analytic model of pion electromagnetic structure" (2010), ed. Victor T. Kim a Lev. N. Lipatov, s. 207–211.
- [9] E. Bartoš, S. Dubnička a A.Z. Dubničková, "Electromagnetic structure of 1/2+ octet hyperons" (2011), ed. Victor T. Kim a Lev. N. Lipatov, s. 34–38.
- [10] C. Adamuščín, S. Dubnička a E. Bartoš, "Proton charge rms radius from all reliable nucleon EM FFs data respecting SU(3) symmetry" (2013), ed. Yu. S. Anisimov a Š. Gmuca, s. 16–28.
- [11] S. Dubnička et al., "Advanced nucleon EM structure model and its predictability", **PoS** EPS-HEP2013 (2013), s. 216.
- [12] Erik Bartoš et al., "Differences of masses and widths of the charged and neutral $\rho(770)$, $\rho(1450)$, $\rho(1700)$ mesons from data on electro-weak processes", **PoS** EPS-HEP2015 (2015), s. 450.
- [13] Cyril Adamuščín et al., "No dependence of coupling constants f^F , f^D , f^S in vector-meson $1/2^+$ octet baryon interaction Lagrangian on the choice of the $\omega \phi$ mixing configuration", **PoS** EPS-HEP2017 (2017), s. 729.
- [14] Erik Bartoš et al., "Generalized Gounaris-Sakurai formula and $\rho(770)$, $\rho'(1450)$ and $\rho''(1700)$ masses and widths", **PoS** EPS-HEP2017 (2017), s. 730.
- [15] Stanislav Dubnička et al., "Theoretical prediction of Λ , Σ , Ξ hyperon magnetic form factors $|G_M^H(t)|$ behaviours and also ratio $|G_E^H(t)|/|G_M^H(t)|$ in time-like region", **PoS** EPS-HEP2017 (2017), s. 757.
- [16] Cyril Adamuscin et al., "Not All Possible $\omega \phi$ Mixing Forms Are Physically Acceptable", **Acta Phys. Polon. Supp.** 11 (2018), s. 519–524, DOI: 10.5506/APhysPolBSupp.11.519.

- [17] Erik Bartoš et al., "The most correct $\rho^0(770)$ meson mass and width values", **EPJ Web Conf.** 199 (2019), s. 02023, DOI: 10.1051/epjconf/201919902023.
- [18] Cyril Adamuščín et al., "There is only one set of the correct values of $\{^F, \{^D \text{ and } \{^S \text{ coupling constants in SU(3) invariant Lagrangian of the vector-meson-baryon interactions",$ **EPJ Web Conf.**199 (2019), s. 02024, DOI: 10.1051/epjconf/201919902024.

4 Ostatné odborné práce

- [1] E. Bartos, V. Bytev a E. Kuraev, "P violating effects in low-energy Compton scattering" (2000), arXiv: hep-ph/0011037 [hep-ph].
- [2] A.B. Arbuzov et al., "Radiative muon (pion) pair production in highenergy electron positron annihilation process" (2003), arXiv: hep-ph/ 0303083 [hep-ph].

5 Editované publikácie

- [1] (ed.) Bartos Erik, (ed.) Dubnicka Stanislav a (ed.) Dubnickova A.Z., "Hadron structure '07. Proceedings of 1st Joint International Conference, Hadron Structure '07, Modra-Harmonia, Slovakia, September 3-7, 2007", **Fizika** B17 (2008), s. 1.
- [2] (ed.) Dubnicka S., (ed.) Dubnickova A.Z. a (ed.) Bartos E., "Hadron structure '09, the proceedings of the 3rd Joint International Hadron Structure '09 Conference, Tatranska Strba, High Tatra Mountains, Slovak Republic, 29th August 3rd September 2009", Nucl. Phys. Proc. Suppl. 198 (2010), s. 1, DOI: 10.1016/j.nuclphysbps.2009.12.001.
- [3] Stanislav Dubnicka, Anna Zuzana Dubnickova a Erik Bartos, "Hadron structure. Proceedings, 5th Joint International Conference, Hadron Structure'11, HS'11, Tatranska Strba, Slovakia, June 27-July 1, 2011", Nucl. Phys. Proc. Suppl. 219-220 (2011), ed. Stanislav Dubnicka.

- [4] Stanislav Dubnička, Anna Zuzana Dubničková a Erik Bartoš, "Proceedings, 7th Joint International Hadron Structure'13 Conference (HS 13)", **Nucl. Phys. Proc. Suppl.** 245 (2013), ed. Stanislav Dubnička, pp.1–302.
- [5] Stanislav Dubnička, Anna Zuzana Dubničková a Erik Bartoš, "Proceedings, 9th Joint International Hadron Structure'15 Conference (HS 15)", Int. J. Mod. Phys. Conf. Ser. 39 (2015), ed. Stanislav Dubnička, pp.1560081–1560115.

6 Popularizačné práce

- [1] Erik Bartoš, "Manuál na tvorbu zoznamu literatúry" (2006), URL: https://mezek.github.io/files/howto_bib.pdf.
- [2] Erik Bartoš, "Symboly v odborných textoch" (2007), URL: https://mezek.github.io/files/angstrom.pdf.

Tlač

Quark 12/2012: Polstoročie na špici výskumu (EB)

Quark 08/2015: Prečo majú jednorazové a nabíjacie batérie rôzne napätie? (EB)