- (1) Write a program that reads the radius of a circle and calculates the area and circumference.
- (2) Write a C program to take a number and a character from user if the number is even print the same character, if the number is odd print the other case of the character (a->A, B->b).
- (3) Write a program to reverse a number in decimal representation (1205->5021).
- (4) Write a program to count the number of 1's in an unsigned 32-bit integer.
- (5) write a program to print the binary representation of a number, try not to print zeros on the left (5->print 101).
- (6) Write c code to reverse bits in an 8-bit number (149->10010101 return 169->10101001), (5->00000101 return 160->10100000).
- (7) Write c code to sum numbers from 1 to 100 (without loop).

- (8) Write a full C program to take 4 choose from user:
 - 1-Set bit.
 - 2-Clear bit
 - 3-Toggle bit.
 - 4-Read bit.

then take number, and bit number.

print the number after set, clear, or toggle if 1,2 or 3 is selected.

print the bit value if 4 is selected.

(9) Write c function to take number of lines and draw pattern with '*' like:



(10) Write c function to count the max number of zeros between two ones in the binary representation of a number (296384-> {1001000010111000000} return 4).

(11) Given two integers: L and R, Find the maximal value of A xor B where A and B satisfy the condition L =< A <= B <= R Constrains: 1 <= L <= R <= 1000 Input format: the input contains two lines first line contains L and next line contains R. Output format: The maximum value of Axor B.</p>

```
The input tells us that l=10 and r=15. All the pairs which comply to above condition are the following:
10 \oplus 10 = 0
10 \oplus 11 = 1
10 \oplus 12 = 6
10 \oplus 13 = 7
10 \oplus 14 = 4
10 \oplus 15 = 5
11 \oplus 11 = 0
11 \oplus 12 = 7
11 \oplus 13 = 6
11 \oplus 14 = 5
11 \oplus 15 = 4
12 \oplus 12 = 0
12 \oplus 13 = 1
12 \oplus 14 = 2
12 \oplus 15 = 3
13 \oplus 13 = 0
13 \oplus 14 = 3
13 \oplus 15 = 2
14 \oplus 14 = 0
14 \oplus 15 = 1
```

Here two pairs (10, 13) and (11, 12) have maximum xor value 7, and this is the answer.

 $15 \oplus 15 = 0$