

ขั้นที่ 7

The screenshot shows the Supabase SQL Editor interface. The browser address bar displays the URL: `supabase.com/dashboard/project/osymptmuadkboxvzuom/sql/6ec84634-e934-46d8-a155-2750509c0f68?schema=public`. A notification banner at the top states: "We are investigating a technical issue · Follow the [status page](#) for updates". The interface includes a sidebar with navigation options like "SQL Editor", "Search queries...", "SHARED", "FAVORITES", "PRIVATE (7)", and "REFERENCE". The main editor area contains a single SQL query:

```
1 CREATE TABLE members (  
2   member_id VARCHAR(10) PRIMARY KEY, -- idu C001  
3   full_name VARCHAR(100) NOT NULL,  
4   gender VARCHAR(10),  
5   address TEXT  
6 );
```

 Below the query editor, the "Results" tab is active, showing the message: "Success. No rows returned". The bottom status bar indicates "0 row". The Windows taskbar at the bottom shows the time as 11:31 on 8/7/2569.

Books

The screenshot shows the Supabase SQL Editor interface for a different project. The browser address bar displays the URL: `supabase.com/dashboard/project/osymptmuadkboxvzuom/sql/018f6cab-89a8-43e0-94f0-7fb2f3e6ee3d?schema=public`. A notification banner at the top states: "We are investigating a technical issue · Follow the [status page](#) for updates". The interface is similar to the previous screenshot, with a sidebar and a main editor area. The SQL query in the editor is:

```
1 CREATE TABLE books (  
2   book_id VARCHAR(10) PRIMARY KEY,  
3   title VARCHAR(100) NOT NULL,  
4   author VARCHAR(100),  
5   category VARCHAR(100)  
6 );
```

 The "Results" tab shows "Success. No rows returned". The bottom status bar indicates "0 row". The Windows taskbar at the bottom shows the time as 11:34 on 8/7/2569.

ขั้นที่ 8

The screenshot shows the Supabase SQL Editor interface. The browser address bar displays the URL: `supabase.com/dashboard/project/osymptmuadkboxvuom/sq/efc08e65-adc5-4b42-adbd-757f0ed59d8a?schema=public`. A notification banner at the top states: "We are investigating a technical issue · Follow the status page for updates". The interface includes a sidebar with a search bar and a list of queries categorized under "PRIVATE (7)". The main editor area contains a single query:

```
1 CREATE TABLE rentals (
2   rental_id SERIAL PRIMARY KEY,
3   member_id VARCHAR(10) REFERENCES members(member_id),
4   book_id VARCHAR(10) REFERENCES books(book_id),
5   rent_date DATE,
6   return_date DATE,
7   daily_rate NUMERIC(6,2)
8 );
```

 The results pane at the bottom shows "Success. No rows returned". The status bar at the bottom indicates "0 row".

ขั้นที่ 9

The screenshot shows the Supabase SQL Editor interface. The browser address bar displays the URL: `supabase.com/dashboard/project/osymptmuadkboxvuom/sq/422be8ab-5c79-47b2-9019-8dd3386e3454?schema=public`. A notification banner at the top states: "We are investigating a technical issue · Follow the status page for updates". The interface includes a sidebar with a search bar and a list of queries categorized under "PRIVATE (7)". The main editor area contains a single query:

```
1 INSERT INTO members (member_id, full_name, gender, address) VALUES
2 ('C001', 'อรุณา สอนช็อค', 'หญิง', '56 ม.1 อ.เชียงดา อ.เมือง จ.พิจิตร'),
3 ('C002', 'มาลี ไร่ขาว', 'ชาย', '15/5 รางคำแดง 60 ราชบุรี'),
4 ('C003', 'อรุณ สอนช็อค', 'หญิง', '4 ม.2 อ.สันทราย อ.เมือง จ.เชียงใหม่');
```

 The results pane at the bottom shows "Success. No rows returned". The status bar at the bottom indicates "0 row".

Insert book

The screenshot shows the Supabase SQL Editor interface. The query editor contains the following SQL code:

```
1 INSERT INTO books (book_id, title, author, category) VALUES
2 ('A0001', 'วันพีซ', 'ลาจันโลส', 'การ์ตูน'),
3 ('A0002', 'นักรบผู้ร่ายเวทมนตร์', 'มิเกล นาเวา', 'วรรณกรรมแปล/อนิเมะ'),
4 ('A0003', 'คณิศรกรรมในท้องทุ่งเมืองนี้', 'วันลา ซาลา', 'สืบสวนสอบสวน'),
5 ('B0001', 'เดอะ...ผู้พิทักษ์ของทางไปข้างหน้า', 'พร. อภิสิทธิ์ ขันดีเจริญ', 'จิตวิทยา/พัฒนาตนเอง'),
6 ('B0002', 'เมื่อโลกถูกไฟไหม้ และคนอยากเล่นๆ', 'พิมพ์ลา ใจดี', 'ความเรียง/ไลฟ์สไตล์'),
7 ('B0003', 'วิธานบริหารงานบริหารภายในองค์กร', 'กมลทิพย์ มั่งคั่ง', 'บริหารธุรกิจ')
8 ;
```

The results section shows "Success. No rows returned". The interface includes a sidebar with "SHARED" and "PRIVATE (7)" queries, and a bottom status bar showing "0 row".

บันทึก 10

The screenshot shows the Supabase SQL Editor interface. The query editor contains the following SQL code:

```
1 INSERT INTO rentals (member_id, book_id, rent_date, return_date, daily_rate) VALUES
2 ('C002', 'A0001', '2011-10-05', '2011-10-09', 30),
3 ('C001', 'B0003', '2011-10-07', '2011-10-16', 40),
4 ('C001', 'B0001', '2011-10-07', '2011-10-16', 40),
5 ('C001', 'A0002', '2011-10-07', '2011-10-16', 40),
6 ('C003', 'A0003', '2011-10-08', '2011-10-14', 40),
7 ('C003', 'B0001', '2011-10-08', '2011-10-16', 40),
8 ('C002', 'B0001', '2011-10-26', '2011-10-31', 40),
9 ('C002', 'B0003', '2011-10-26', '2011-11-16', 40);
```

The results section shows "Success. No rows returned". The interface includes a sidebar with "SHARED" and "PRIVATE (7)" queries, and a bottom status bar showing "0 row".