


Modulo # 12 – Laboratorio # 12.4.5



College

Physical Config CLI

IOS Command Line Interface

```
College(config-if)#ip address 128.107.20.1 255.255.255.0
College(config-if)#ipv6 address 2001:db8:a::1/64
College(config-if)#ipv6 address fe80::1 link-local
College(config-if)#description Link to Class-A
College(config-if)#no shutdown

College(config-if)#
%LINK-5-CHANGED: Interface GigabitEthernet0/0, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/0, changed state to up

College(config-if)#int g0/1
College(config-if)#ip address 128.107.30.1 255.255.255.0
College(config-if)#ipv6 address 2001:db8:b::1/64
College(config-if)#ipv6 address fe80::1 link-local
College(config-if)#description Link to Class-B
College(config-if)#no shutdown

College(config-if)#
%LINK-5-CHANGED: Interface GigabitEthernet0/1, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface GigabitEthernet0/1, changed state to up

College(config-if)#exit
College(config)#ipv6 unicast-routing
College(config)#end
College#
%SYS-5-CONFIG_I: Configured from console by console

College#copy run
College#copy running-config s
College#copy running-config sta
College#copy running-config startup-config
Destination filename [startup-config]?
Building configuration...
[OK]
College#
```

Copy

Paste

☐ Top

Class-B

Physical Config CLI

IOS Command Line Interface

Enter Configuration Commands, one per line. End with CNTL/Z.

```
Switch(config)#
Switch(config)#hostname Class-B
Class-B(config)#banner motd #Unauthorized access to this device is prohibited!#
Class-B(config)#enable secret class
Class-B(config)#line con 0
Class-B(config-line)#password cisco
Class-B(config-line)#login
Class-B(config-line)#line vty 0 4
Class-B(config-line)#password cisco
Class-B(config-line)#login
Class-B(config-line)#exit
Class-B(config)#service pass
Class-B(config)#service password-encryption
Class-B(config)#int
Class-B(config)#interface vlan1
Class-B(config-if)#description Vlan 1
Class-B(config-if)#ip address 128.107.30.15 255.255.255.0
Class-B(config-if)#no shutdown

Class-B(config-if)#
%LINK-5-CHANGED: Interface Vlan1, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface Vlan1, changed state to up

Class-B(config-if)#end
Class-B#
%SYS-5-CONFIG_I: Configured from console by console

Class-B#copy ru
Class-B#copy running-config s
Class-B#copy running-config st
Class-B#copy running-config startup-config
Destination filename [startup-config]?
Building configuration...
[OK]
Class-B#
```

Copy

Paste

☐ Top