

Restful-Booker API Test Cases

Test Case Format (JIRA)

1. PING ENDPOINT TEST CASES

TC_PING_001 - Health Check - Happy Path

TC_PING_002 - Health Check - Connection Timeout

2. AUTH ENDPOINT TEST CASES

TC_AUTH_001 - Create Auth Token - Happy Path

TC_AUTH_002 - Create Auth Token - Invalid Username

TC_AUTH_003 - Create Auth Token - Invalid Password

TC_AUTH_004 - Create Auth Token - Missing Username

TC_AUTH_005 - Create Auth Token - Missing Password

TC_AUTH_006 - Create Auth Token - Empty Credentials

TC_AUTH_007 - Create Auth Token - Special Characters in Credentials

3. GET BOOKING IDS ENDPOINT TEST CASES

TC_BOOKING_IDS_001 - Get All Booking IDs - Happy Path

TC_BOOKING_IDS_002 - Get Booking IDs - Filter by First Name

TC_BOOKING_IDS_003 - Get Booking IDs - Filter by Last Name

TC_BOOKING_IDS_004 - Get Booking IDs - Filter by Check-in Date

TC_BOOKING_IDS_005 - Get Booking IDs - Filter by Check-out Date

TC_BOOKING_IDS_006 - Get Booking IDs - Combined Filters (Name + Dates)

TC_BOOKING_IDS_007 - Get Booking IDs - Invalid Date Format

TC_BOOKING_IDS_008 - Get Booking IDs - No Matches Found

TC_BOOKING_IDS_009 - Get Booking IDs - Case Sensitivity

4. GET BOOKING ENDPOINT TEST CASES

TC_BOOKING_GET_001 - Get Booking - Happy Path

TC_BOOKING_GET_002 - Get Booking - Accept JSON Header

TC_BOOKING_GET_003 - Get Booking - Accept XML Header

TC_BOOKING_GET_004 - Get Booking - Non-Existent ID

TC_BOOKING_GET_005 - Get Booking - Invalid ID Format

TC_BOOKING_GET_006 - Get Booking - Negative ID

TC_BOOKING_GET_007 - Get Booking - Zero ID

TC_BOOKING_GET_008 - Get Booking - Very Large ID

5. CREATE BOOKING ENDPOINT TEST CASES

TC_BOOKING_CREATE_001 - Create Booking - Happy Path (JSON)

TC_BOOKING_CREATE_002 - Create Booking - Happy Path (XML)

TC_BOOKING_CREATE_003 - Create Booking - Missing First Name

TC_BOOKING_CREATE_004 - Create Booking - Missing Last Name

TC_BOOKING_CREATE_005 - Create Booking - Missing Total Price

TC_BOOKING_CREATE_006 - Create Booking - Missing Booking Dates

TC_BOOKING_CREATE_007 - Create Booking - Invalid Check-in Date Format

TC_BOOKING_CREATE_008 - Create Booking - Checkout Before Checkin

TC_BOOKING_CREATE_009 - Create Booking - Negative Total Price

TC_BOOKING_CREATE_010 - Create Booking - Zero Total Price

TC_BOOKING_CREATE_011 - Create Booking - Very Long First Name

TC_BOOKING_CREATE_012 - Create Booking - Special Characters in Name

TC_BOOKING_CREATE_013 - Create Booking - Unicode Characters

TC_BOOKING_CREATE_014 - Create Booking - Decimal Total Price

TC_BOOKING_CREATE_015 - Create Booking - Optional Additional Needs Missing

6. UPDATE BOOKING ENDPOINT TEST CASES

TC_BOOKING_UPDATE_001 - Update Booking - Happy Path (Full Update with Cookie)

TC_BOOKING_UPDATE_002 - Update Booking - Happy Path (Full Update with Basic Auth)

TC_BOOKING_UPDATE_003 - Update Booking - Missing Authentication Token

TC_BOOKING_UPDATE_004 - Update Booking - Invalid Authentication Token

TC_BOOKING_UPDATE_005 - Update Booking - Non-Existent Booking ID

TC_BOOKING_UPDATE_006 - Update Booking - Invalid Booking ID Format

TC_BOOKING_UPDATE_007 - Update Booking - Update Only First Name

TC_BOOKING_UPDATE_008 - Update Booking - Invalid Date Format

7. PARTIAL UPDATE (PATCH) BOOKING ENDPOINT TEST CASES

TC_BOOKING_PATCH_001 - Patch Booking - Update Only First Name

TC_BOOKING_PATCH_002 - Patch Booking - Update Only Last Name

TC_BOOKING_PATCH_003 - Patch Booking - Update Total Price Only

TC_BOOKING_PATCH_004 - Patch Booking - Missing Authentication

TC_BOOKING_PATCH_005 - Patch Booking - Non-Existent ID

TC_BOOKING_PATCH_006 - Patch Booking - Empty Request Body

8. DELETE BOOKING ENDPOINT TEST CASES

TC_BOOKING_DELETE_001 - Delete Booking - Happy Path (Cookie Auth)

TC_BOOKING_DELETE_002 - Delete Booking - Happy Path (Basic Auth)

TC_BOOKING_DELETE_003 - Delete Booking - Missing Authentication

TC_BOOKING_DELETE_004 - Delete Booking - Invalid Authentication Token

TC_BOOKING_DELETE_005 - Delete Booking - Non-Existent Booking ID

TC_BOOKING_DELETE_006 - Delete Booking - Invalid ID Format

TC_BOOKING_DELETE_007 - Delete Booking - Verify Booking Deleted

TC_BOOKING_DELETE_008 - Delete Booking - Delete with Expired Token

TC_BOOKING_DELETE_009 - Delete Booking - Negative ID

TC_BOOKING_DELETE_010 - Delete Booking - Delete Already Deleted Booking

Summary of Test Cases

****Total Test Cases: 65****

| Section | Test Cases | Test IDs |

Test Case Execution Template

For each test case, use the following JIRA format:

Test Case ID: [Test ID]

Priority: [High/Medium/Low]

Preconditions:

Steps to Reproduce:

Expected Result:

Actual Result:

Test Status: [PASS/FAIL/BLOCKED/SKIPPED]

Defect Reference: [If failed, link to JIRA defect]

Notes for Test Execution

1. **Environment Setup**: Ensure API is running at <https://restful-booker.herokuapp.com>

Related Documents

- TEST_PLAN.md - Comprehensive test plan document

****END OF TEST CASES DOCUMENT****

TC_BOOKING_DELETE_008 - Delete Booking - Delete Already Deleted Booking

9. CONTENT TYPE HANDLING TEST CASES

TC_CONTENT_001 - Create Booking - URL Encoded Format

TC_CONTENT_002 - Unsupported Content-Type

Summary

This test case document covers:

Each test case includes:

****Test Execution Notes:****