

Adloggs API Documentation

INTRODUCTION

- The Adloggs API is a RESTful web service for developers to programmatically interact with adloggs's data and real-time delivery management functionality.
- Development api <https://dev.adloggs.com>
- Live api <https://app.adloggs.com>
- Adloggs API uses key based authentication method. You can get a key from Adloggs
- The fields that are not mentioned as optional are considered mandatory.

ORDER STATUSES

Below mentioned are the values of the order_status parameters of the respective Task Status

- 2 -> Pending
- 3 -> Assigned
- 11 -> Arrived at pickup
- 4 -> Picked Up
- 9 -> Out For Delivery
- 8 -> Arrived --- // Delivery location
- 5 -> Delivered
- 6-> Cancelled
- 13 -> Return - - - // If the customer doesn't answer the call, we initiate the return process.
- 14-> RTO-Delivered // Return to origin

AVAILABLE APIS

1. Create order
2. Service availability , Pickup eta and Estimated price
3. Get order current status
4. Cancel order
5. Client web-hook for order status update
6. Check wallet balance
7. Order Flow Samples
 - I. Delivered
 - II. Cancelled
 - III. RTO-Delivered

Adloggs API Documentation

1. Create order

Endpoint : https://<Adloggs_host>/aa/oporder/v2/create

Method : Post

Authentication : Add header { "x-api-key": "<Given adloggs key>" }

Create order sample request :

```
{
  "partner_order_id": "10012458t", //
  "partner_merchant_id": "5421", // Optional
  "partner_reference_id": "78964tghbb", // Optional
  "pickup_contact_name": "Ramu",
  "pickup_contact_no": 9500303975,
  "pickup_contact_email": "ramu@gmail.com", // Optional
  "pickup_address": "new bus stand , avinashi, tiruppur",
  "pickup_address_details": {
    "door_no": "10", // Optional
    "street_name": "north street", // Optional
    "city_name": "Avinashi",
    "district_name": "Tiruppur", // Optional
    "state_name": "Tamilnadu",
    "country_name": "India",
    "pincode": "641654"
  },
  "pickup_date_time": "2023-07-05 21:20",
  "pickup_lat": 11.18731,
  "pickup_long": 77.27788,
  "delivery_contact_name": "Somu",
  "delivery_contact_no": 9500303976,
  "delivery_contact_email": "somu@gmail.com", // Optional
  "delivery_address": "The quest international school , avinashilingapalyam, Tiruppur,tamilnadu,india",
  "delivery_address_details": {
    "door_no": "10", // Optional
    "street_name": "The Quest International schoo", // Optional
    "city_name": "Avinashi",
    "district_name": "Tiruppur", // Optional
    "state_name": "Tamilnadu",
    "country_name": "India",
    "pincode": "641654"
  },
  "delivery_lat": 11.17350,
  "delivery_long": 77.26865,
  "pickup_otp": 5623, // Optional - Only 4 digit
  "delivery_otp": 6698, // Optional - Only 4 digit
  "return_otp": 4789, // Optional - Only 4 digit
  "order_category": "Food and Beverage", // Food and Beverage , Grocery
  "order_total_price": "455.50",
  "order_total_weight_in_kg": "5.50",
  "items": [
    {
      "name": "Atta",
      "quantity": "2",
      "price": "200.50"
    }
  ]
},
```

Adloggs API Documentation

```
"order_description": "dev order", // Optional - Delivery and order description
"utc_offset": 330,
"payment_type": "COD", // ENUM ("COD","Online") It is mandatory for
Cash-On-Delivery Orders
"collectible_amount": 0 // Required only if payment_type is COD
}
```

partner_order_id	((INTEGER)) - Your can pass this key as your own transaction number which can be used to identify orders in adloggs
partner_merchant_id	((INTEGER (optional)))) - If you have multiple branches and need to maintain them in Adloggs, you can use this key to map your order to a particular store in Adloggs. You can pass this key as your own merchant ID, which can be used to identify the merchant in Adloggs. Note: Before using this field, you need to send store names and unique user IDs. After we map them, you will be able to use this field.
pickup_contact_name	((STRING)) - The name of the person from whom the pickup should be collected
pickup_contact_no	((STRING)) - The contact number of the person from whom the pickup should be collected
pickup_contact_email	((STRING (optional))) - The email of the person from whom the pickup should be collected
pickup_address	((STRING)) - The address from which the pickup should be collected. MAX - 500 characters
<pre>"pickup_address_details": { "door_no": "10", // Optional "street_name": "north street", // Optional "city_name": "Avinashi", "district_name": "Tiruppur", // Optional "state_name": "Tamilnadu", "country_name": "India" "pincode": "641654" }</pre>	door_no - Pickup door number (optional) street_name - Pickup street name (optional) city_name - Pickup street name district_name - Pickup district name (optional) state_name - Pickup state name country_name - Pickup country name pincode-Pickup postcode
pickup_date_time	((STRING) - (YYYY-MM-DD HH:mm)) - This is time before which the pickup should be collected
pickup_lat	((STRING)) - This is the latitude of the pickup location
pickup_long	((STRING)) - This is the longitude of the pickup location
delivery_contact_name	((STRING (optional))) - This is the name of the customer to whom the product should be delivered

Adloggs API Documentation

delivery_contact_no	((STRING)) - This is the contact number of the customer to whom the product should be delivered
delivery_contact_email	((STRING (optional))) - This is email of the customer to whom the product should be delivered
delivery_address	((STRING)) - This is the address of the customer to whom the product should be delivered MAX - 500 characters
<pre> "door_no": "10", // Optional "street_name": "The quest international schoo", // Optional "city_name": "Avinashi", "district_name": "Tiruppur", // Optional "state_name": "Tamilnadu", "country_name": "India" "pincode": "641654" } </pre>	door_no - Delivery door number (optional) street_name - Delivery street name (optional) city_name - Delivery street name district_name - Delivery district name (optional) state_name - Delivery state name country_name - Delivery country name pincode -Delivery postcode
delivery_lat	((STRING)) - This is the latitude of the delivery location
pickup_long	((STRING)) - This is the longitude of the delivery location
delivery_otp	((INTEGER, optional, 4 digits)): This OTP will be validated at the delivery point with the end customer.
order_total_price	((DECIMAL)) Order total price
order_category	ENUM (Food and Beverage, Grocery)
order_total_weight_in_kg	((DECIMAL)) Order weight in kilogram
<pre> "items": [{ "name": "Atta", "quantity": "2", "price": "200.50" }], </pre>	Order Items Name - Item name - STRING Quantity - Item quantity - DECIMAL Price - Item value (Item price * Quantity) - DECIMAL
order_description	((STRING (optional))) - The description of the order to be done
utc_offset	((INTEGER)) - Timezone difference with UTC in minutes for e.g. India IND 330, Cuba CDT -240
payment_type	ENUM ('Online', 'COD') Online - The order price is paid at the time of order creation. COD - Cash On Delivery
collectible_amount	Required only if payment_type is COD; otherwise, put 0.

Adloggs API Documentation

Create order Sample Response :

```
{
  "status": true,
  "code": 200,
  "message": "Order Created",
  "data": {
    "order_uuid": "ed573c62-d463-404c-b8ac-e1b433d648c9",
    "trackUrl": "https://dev.adloggs.com/app/full/to?key=ed573c62-d463-404c-b8ac-e1b433d648c9",
    "partner_order_id": "1001242117",
    "partner_merchant_id": "1322",
    "fee": 85,
    "distance": 9.47,
    "meta_data": "{}"
  }
}
```

Errors :

1. Validation Error

```
{
  "status": false,
  "message": "Pickup address missing.",
  "code": 202,
  "data": {}
}
```

2. Authentication Error

```
{
  "status": false,
  "message": "Auth Error",
  "code": 400,
  "err": "Api key have auth issue"
}
```

2. Rider not available condition

```
{
  "status": false,
  "code": 202,
  "message": "Riders not available",
  "data": {}
}
```

Adloggs API Documentation

2. Service availability , Pickup-eta and Estimated price

Endpoint : `https://<Adloggs_host>/aa/oporder/v1.2/service/availability`

Method : **Post**

Authentication : Add header { "x-api-key": "<Given adloggs key>" }

Sample request :

```
{ "partner_merchant_id": 5421, // Optional
  "partner_order_id": "ADO12345",
  "pickup_lat": 12.9783692,
  "pickup_long": 77.64083560,
  "pickup_pincode": "628621",
  "delivery_lat": 12.95836920,
  "delivery_long": 77.64083560,
  "delivery_pincode": "628621",
  "utc_offset": 330, // 330 for india
  "payment_type": "Online" // Or "COD"
}
```

Success response :

```
{ "status": true,
  "code": 200,
  "message": "Service available.",
  "data": {
    "service_available": true,
    "to_pickup": {
      "eta_min": 1
    },
    "distance": 1,
    "estimated_price": 59  }}
```

Errors :

Unserviceable response :

```
{ "status": false,
  "code": 202,
  "message": "Currently service not available in the location",
  "data": {
    "service_availability": false,
    "code": "currently_service_not_available"  }}
```

Distance too long response:

```
{ "status": false,
  "code": 202,
  "message": "Distance too long",
  "data": {
    "service_available": false,
    "code": "distance_too_long"  }}
```

Adloggs API Documentation

3. Get order current status

Endpoint : `https://<Adloggs_host>/aa/oporder/getcurrentstatus`

Method : Post

Authentication : Add header { "x-api-key": "<Given adloggs key>" }

Get order current status sample request :

```
{ "order_uuid": "4BQhO3m0AFaL_AZ9SXo0c**iPIOWKuDlXzd1RLTeDr5A" }
```

Get order current status sample response :

```
{
  "status": true,
  "code": 200,
  "message": "Success",
  "data": {
    "order_uuid": "4BQhO3m0AFaL_AZ9SXo0c**iPIOWKuDlXzd1RLTeDr5A",
    "order_status_id": 6,
    "is_return": false,
    "deliveryStaffDetails": {
      "name": "dev Vignesh M",
      "phone": "9500303975",
      "currentLocation": {
        "lat": "11.17910970",
        "long": "77.28852820"
      }
    }
  }
}
```

Adloggs API Documentation

4. Cancel order

Endpoint : https://<Adloggs_host>/aa/oporder/v1.2/cancel

Method : Post

Authentication : Add header { "x-api-key": "<Given adloggs key>" }

Note : After pickup order not allow to cancel

Cancel order sample request :

```
{  
  "order_uuid": "4ed83e5d-ec49-44ef-a7ea-eba3cfd91416" ,  
  "order_cancel_description": "Changed my mind"  
}
```

Cancel order sample response :

```
{  
  "status": true,  
  "code": 200,  
  "message": "The order has been successfully cancelled",  
  "data": {}  
}
```

Cancel order rejections :

```
{  
  "status": false,  
  "message": "Order already picked up.",  
  "code": 202,  
  "data": {}  
}  
  
{  
  "status": false,  
  "message": "Order already delivered.",  
  "code": 202,  
  "data": {}  
}  
  
{  
  "status": false,  
  "message": "Invalid order uuid",  
  "code": 202,  
  "data": {}  
}
```

Adloggs API Documentation

5. Client web-hook for order status

Endpoint : **client url**

Method : Post

Authentication : Add header { "**client authentication**" }

Client web-hook sample request :

1.Assign to pickup json :

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612142**CS8ER9cpmLpbu36LgGYvc",
  "order_status_id": 3,
  "partner_order_id": "fe2c5bc9-6e2b00478612142",
  "deliveryStaffDetails": {
    "name": "viknesh",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17910110",
      "long": "77.28851930"
    }
  },
  "eta": {
    "to_pickup": 5 // Minutes
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```

2.Pickup to delivery json :

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612142**CS8ER9cpmLpbu36LgGYvc",
  "order_status_id": 4,
  "partner_order_id": "fe2c5bc9-6e2b00478612142",
  "deliveryStaffDetails": {
    "name": "vinesh",

```

Adloggs API Documentation

```
"phone": "9090909090",
"currentLocation": {
  "lat": "11.17910110",
  "long": "77.28851930"
},
"eta": {
  "to_delivery": 5 // Minutes
},
"rider_platform": {
  "name": "Adloggs",
  "lsp_uniq_id": "CRN1361694246"
},
"reason": null,
"otps": {
  "delivery_otp": "9243",
  "pickup_otp": null,
  "return_otp": null
}
}
```

Adloggs API Documentation

6. Check wallet balance

Endpoint : `https://<Adloggs_host>/aa/oporder/wallet/balance`

Method : Post

Authentication : Add header { "x-api-key": "<Given adloggs key>" }

Sample request :

```
{  
  "partner_merchant_id": 96    // Optional  
}
```

Success Response :

```
{  
  "status": true,  
  "code": 200,  
  "message": "Success",  
  "data": {  
    "wallet_balance": "1100.00"  
  }  
}
```

Errors :

If wallet not enabled :

```
{  
  "status": true,  
  "code": 200,  
  "message": "Wallet not enabled",  
  "data": {  
    "code": "wallet_not_enabled"  
  }  
}
```

Adloggs API Documentation

7. Order Flow Samples

i. Delivered Flow

1. Assigned

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612142**CS8ER9cpmLpbu36LgGYvc",
  "order_status_id": 3,
  "partner_order_id": "fe2c5bc9-6e2b00478612142",
  "deliveryStaffDetails": {
    "name": "viknesh",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17910110",
      "long": "77.28851930"
    }
  },
  "eta": {
    "to_pickup": 5 // Minutes
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```

2. Picked-up

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612142**CS8ER9cpmLpbu36LgGYvc",
  "order_status_id": 4,
  "partner_order_id": "fe2c5bc9-6e2b00478612142",
  "deliveryStaffDetails": {
    "name": "vinesh",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17910110",
      "long": "77.28851930"
    }
  },
  "eta": {
    "to_delivery": 5 // Minutes
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  }
}
```

Adloggs API Documentation

```
},
"reason": null,
"otps": {
  "delivery_otp": "9243",
  "pickup_otp": null,
  "return_otp": null
}
}
```

3. Delivered

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612142**CS8ER9cpmLpbu36LgGYvc",
  "order_status_id": 5,
  "partner_order_id": "fe2c5bc9-6e2b00478612142",
  "deliveryStaffDetails": {
    "name": "viknesh",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17910110",
      "long": "77.28851930"
    }
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```

ii. Cancelled Flow

1. Assigned

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612143**UTMHjyrAScbsbYkUqVSDz",
  "order_status_id": 3,
  "partner_order_id": "fe2c5bc9-6e2b00478612143",
  "eta": {
    "to_pickup": 5 // Minutes
  },
  "deliveryStaffDetails": {
    "name": "Mani",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17877410",
      "long": "77.28820160"
    }
  }
},
```

Adloggs API Documentation

```
"rider_platform": {
  "name": "Adloggs",
  "lsp_uniq_id": "CRN1361694246"
},
"reason": null,
"otps": {
  "delivery_otp": "9243",
  "pickup_otp": null,
  "return_otp": null
}
}
```

2. Cancelled

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612143**UTMHjyrAScbsbYkUqVSDz",
  "order_status_id": 6,
  "partner_order_id": "fe2c5bc9-6e2b00478612143",
  "deliveryStaffDetails": {
    "name": "Mani",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17877410",
      "long": "77.28820160"
    }
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```

iii. RTO-Delivered Flow

1. Assigned

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612144**FQaruTH5V5nOQZ37f4pd0",
  "order_status_id": 3,
  "partner_order_id": "fe2c5bc9-6e2b00478612144",
  "eta": {
    "to_pickup": 5 // Minutes
  },
  "deliveryStaffDetails": {
    "name": "karuppasamy",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17917558",
      "long": "77.28850406"
    }
  }
}
```

Adloggs API Documentation

```
    },
    "rider_platform": {
      "name": "Adloggs",
      "lsp_uniq_id": "CRN1361694246"
    },
    "reason": null,
    "otps": {
      "delivery_otp": "9243",
      "pickup_otp": null,
      "return_otp": null
    }
  }
}
```

2. Picked-up

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612144**FQaruTH5V5nOQZ37f4pd0",
  "order_status_id": 4,
  "partner_order_id": "fe2c5bc9-6e2b00478612144",
  "deliveryStaffDetails": {
    "name": "karuppasamy",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17917558",
      "long": "77.28850406"
    }
  },
  "eta": {
    "to_delivery": 5 // Minutes
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```

3. RTO- Initiated

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612144**FQaruTH5V5nOQZ37f4pd0",
  "order_status_id": 13,
  "partner_order_id": "fe2c5bc9-6e2b00478612144",
  "deliveryStaffDetails": {
    "name": "karuppasamy",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17917558",
      "long": "77.28850406"
    }
  }
}
```

Adloggs API Documentation

```
    },
    "rider_platform": {
      "name": "Adloggs",
      "lsp_uniq_id": "CRN1361694246"
    },
    "reason": null,
    "otps": {
      "delivery_otp": "9243",
      "pickup_otp": null,
      "return_otp": null
    }
  }
}
```

4. RTO-Delivered

```
{
  "order_uuid": "fe2c5bc9-6e2b00478612144**FQaruTH5V5nQQZ37f4pd0",
  "order_status_id": 14,
  "partner_order_id": "fe2c5bc9-6e2b00478612144",
  "deliveryStaffDetails": {
    "name": "karuppasamy",
    "phone": "9090909090",
    "currentLocation": {
      "lat": "11.17917558",
      "long": "77.28850406"
    }
  },
  "rider_platform": {
    "name": "Adloggs",
    "lsp_uniq_id": "CRN1361694246"
  },
  "reason": null,
  "otps": {
    "delivery_otp": "9243",
    "pickup_otp": null,
    "return_otp": null
  }
}
```