FILE 01 / 05

DRAFT V0.3

VISION & SOVEREIGNTY CHARTER

Details

HMOS® · HYBRID MASTER OPERATING SYSTEM

Every term read plainly, every claim held to evidence.

Systems for Sovereignty, Made for Certainty.

PAGES	SECTION	STATUS
Charter 01 – 04	00 · About	Draft v0.3

About HMOS®

“Four-corner symmetrical weave engineered for zero-entropy continuity.”

THE ARCHITECT’S DESCRIPTOR, IN HIS OWN WORDS

READING THE MARK



Square	The boundary. Four equal corners; what is inside is yours to govern.
Diamond	The weave. The same square turned and held at four points: symmetry, nothing left loose.
Centre point	The certainty. One fixed point that every behaviour is measured from.

READING THE DESCRIPTOR

FOUR-CORNER

A boundary with four held corners and no open side. Everything inside is governed; nothing crosses unseen.

SYMMETRICAL

The same rules on every side. No privileged path, no back door, no exception for the author.

WEAVE

Components interlock, so no single part carries a critical decision alone.

ZERO-ENTROPY CONTINUITY

Behaviour that does not drift: the same input gives the same result today, next month and after every change.

These describe design intent. Until measured and re-run they are not performance claims (Evidence Rule, section 05).

PRODUCT	BRAND	HOME
Hybrid Master Operating System	Storive	storive.in
ARCHITECT	**SCOPE**	**STATUS**
Mhdali Palsaniya	Vision layer only	Draft v0.3

Precision-engineered custom sovereign hardware and invariant locks.

SECOND DESCRIPTOR, THE ARCHITECT'S WORDS

READING THE DESCRIPTOR

Precision-engineered	Every part is specified before it is built: what it must do, within what limits, and how that will be tested.
Custom	Chosen or made for this purpose, never inherited by default from a vendor's assumptions.
Sovereign hardware	The physical layer is held and inspectable by the customer. This is a direction for the system; the charter records no hardware yet.
Invariant locks	Conditions that must always hold, such as "no data leaves the boundary unlogged". Each is checked automatically, and the system stops rather than continue if one breaks.

STATUS OF EACH TERM

Custom hardware	NOT EVIDENCED	Needs: what it is, who builds it, a bill of materials and a test result that can be re-run.
Invariant locks	DIRECTION	Needs: the written list of invariants, each with its check and its failure behaviour.
Precision	DIRECTION	Needs: the stated limits for each part, with measurements under the Evidence Rule.

Until these exist and have been measured and re-run, this page describes intent, not capability (Evidence Rule, section 05).

OPEN QUESTION FOR THE ARCHITECT

Is custom hardware planned, already in hand, or a figure of speech for the controlled stack? The answer decides whether this stays a direction or is cut from the charter.

What the Studio says, and what is proven.

The architect asked that the Studio be checked for detail. Only the page title and description of the Studio can be read from outside it; what is inside was not available to this charter. This register lists what those two lines state, so nothing is lost and nothing is claimed early.

THE STUDIO SAYS	HOW THE CHARTER TREATS IT	WHAT WOULD PROVE IT
A flagship, enterprise AI infrastructure	Positioning language. Not used as a claim anywhere in this charter.	Nothing to prove; it is a description of ambition.
A principal-agent architecture and audit studio	The studio’s name. No architecture is documented in this charter yet.	An architecture document the architect confirms.
Zero-trust pillars, with a stated count	Direction matches Principle 03. The count is not repeated here.	The list of pillars, each with a check that can be re-run.
A staged pipeline, with a	Direction matches Principle 06. The	The list of stages, each with a pass or
A SHA-256 lock on private files	Matches Promise 05 in intent. Not claimed as built.	A test that shows a private file cannot be read without the lock.
Version 7.0 in the title, 7.2 in the description	A conflict. The charter carries no product version number.	The architect confirms the current version.

TO GO DEEPER

Send the Studio’s own content as an export, a file or pasted text. Each item is then added to the charter with its source and, where a number is given, only after it has been measured and re-run.