Tecnológico De Estudios Superiores De Villa Guerrero

Ingeniería En Sistemas Computacionales

Sistemas Operativos

Manual De Practicas

Elaboro:

Xanat Argelia Zamora Rosas

Docente:

ISC. Juan Reinoso Elías

3501

05 De octubre De 2026

Contenido

Práctica 1: Explorando procesos con ps en Linux....3

Comando ps....3

ps -ef....3

ps -ef | grep firefox....4

ps -eo pid,comm....4

ps -eo pid,comm,%cpu –sort=-%cpu....5

Práctica 2: Monitoreo de procesos con top en Linux....6

Commando top....6

P....7

M....8

k....8


Práctica 3: Explorando el Hardware de tu Sistema con lspci....9

Preguntas....11


Práctica 1: Explorando procesos con ps en Linux

Objetivo: Aprender a usar el comando ps para visualizar, filtrar y entender los procesos activos en el sistema.

Comando ps



ps -ef



ps -ef | grep firefox




```
user@debian:~$ ps -ef | grep firefox
user        3046    1770 90 21:19 ?        00:00:44 /usr/lib/firefox-esr/firefox-esr
user        3054    1588  0 21:19 ?        00:00:00 /usr/lib/firefox-esr/crashhelper 3046 9 /tmp/ 11
user        3134    3046  0 21:19 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -prefsHandle 0:26640 -prefMapHandle 1:268799 -sandboxReporter 2
-chrootClient 3 -ipcHandle 4 -initialChannelId {68727247-27d1-4ce2-9c21-d943e55d9198} -parentPid 3046 -crashReporter 5 -crashHelper 6 -appDir /usr/lib/firefox-esr/browser 1 socket
user        3202    3046  3 21:20 ?        00:00:01 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28015 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {fae4d60b-b88a-49ad-9b76-333632159a00} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 2 tab
user        3210    3046  0 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -prefsHandle 0:28060 -prefMapHandle 1:268799 -sandboxReporter 2
-chrootClient 3 -ipcHandle 4 -initialChannelId {6cdb5787-5f22-4473-9bb9-401a1de9b320} -parentPid 3046 -crashReporter 5 -crashHelper 6 -appDir /usr/lib/firefox-esr/browser 3 rdd
user        3250    3046  4 21:20 ?        00:00:01 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:28266 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {3afc1a8a-42d4-4836-8b69-3fd7ab6adcd3} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 4 tab
user        3278    3046  2 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:27576 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {a811115f-4f92-4292-94f4-63ede349778e} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 5 tab
user        3351    3046  0 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:37626 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {3a8d8d9e-7fbc-46ba-b36a-e10a6ed28ce2} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 6 tab
user        3376    3046  0 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -parentBuildID 20260609153453 -sandboxingKind 0 -prefsHandle 0:40107 -prefMapHandle 1:268799 -
sandboxReporter 2 -chrootClient 3 -ipcHandle 4 -initialChannelId {ae43578f-95be-489c-a03e-ea7e6f3e6a1e} -parentPid 3046 -crashReporter 5 -crashHelper 6 -appDir /usr/lib/firefox-esr/browser 7 u
tility
user        3384    3046  0 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:38247 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {30d01872-64e5-44f1-9317-ec254f5250a6} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 8 tab
user        3388    3046  0 21:20 ?        00:00:00 /usr/lib/firefox-esr/firefox-esr -contentproc -isForBrowser -prefsHandle 0:38247 -prefMapHandle 1:268799 -jsInitHandle 2:242716 -parentBuild
ID 20260609153453 -sandboxReporter 3 -chrootClient 4 -ipcHandle 5 -initialChannelId {e3b65c34-cea0-4e29-a0a3-56114edc6d20} -parentPid 3046 -crashReporter 6 -crashHelper 7 -greomni /usr/lib/fir
efox-esr/omni.ja -appomni /usr/lib/firefox-esr/browser/omni.ja -appDir /usr/lib/firefox-esr/browser 9 tab
user        3474    2949  0 21:20 pts/0    00:00:00 grep firefox
user@debian:~$
```

ps -eo pid,comm



```
user@debian:~$ ps -eo pid,comm
    PID COMMAND
      1 systemd
      2 kthreadd
      3 pool_workqueue_release
      4 kworker/R-kvfree_rcu_reclaim
      5 kworker/R-rcu_gp
      6 kworker/R-sync_wq
      7 kworker/R-slub_flushwq
      8 kworker/R-netns
     11 kworker/0:0H-events_highpri
     13 kworker/R-mm_percpu_wq
     14 rcu_tasks_kthread
     15 rcu_tasks_rude_kthread
     16 rcu_tasks_trace_kthread
     17 ksoftirqd/0
     18 rcu_preempt
     19 rcu_exp_par_gp_kthread_worker/0
     20 rcu_exp_gp_kthread_worker
     21 migration/0
     22 idle_inject/0
     23 cpuhp/0
     24 cpuhp/2
     25 idle_inject/2
     26 migration/2
     27 ksoftirqd/2
     29 kworker/2:0H-events_highpri
     30 cpuhp/4
     31 idle_inject/4
     32 migration/4
     33 ksoftirqd/4
     35 kworker/4:0H-events_highpri
     36 cpuhp/6
     37 idle_inject/6
     38 migration/6
     39 ksoftirqd/6
     41 kworker/6:0H-events_highpri
     42 cpuhp/1
     43 idle_inject/1
     44 migration/1
     45 ksoftirqd/1
     47 kworker/1:0H-events_highpri
     48 cpuhp/3
     49 idle_inject/3
     50 migration/3
     51 ksoftirqd/3
     53 kworker/3:0H-events_highpri
     54 cpuhp/5
     55 idle_inject/5
     56 migration/5
```

ps -eo pid,comm,%cpu –sort=-%cpu




```
user@debian:~$ ps -eo pid,comm,%cpu --sort=-%cpu
    PID COMMAND         %CPU
   3552 ps               200
   3046 firefox-esr     12.3
   1770 gnome-shell      7.1
   2988 soffice.bin      6.5
   2942 gnome-terminal-  1.5
   2954 oosplash         0.8
   2044 gnome-software   0.7
   3250 Privileged Cont  0.5
   3202 WebExtensions    0.3
   2391 ibus-extension-  0.3
   1895 ibus-daemon      0.2
   3278 Isolated Web Co  0.2
   3351 Web Content      0.1
   3388 Web Content      0.1
   2589 fwupd            0.1
   3384 Web Content      0.1
    645 irq/31-ELAN0628  0.1
      1 systemd          0.1
   2399 localsearch-3    0.1
   3032 kworker/u32:0-d  0.1
     70 kworker/u32:4-s  0.1
   1490 wpa_supplicant   0.1
   1449 dbus-daemon      0.1
    177 kworker/u32:5-e  0.1
   2062 evolution-alarm  0.1
   1489 NetworkManager   0.0
   1873 evolution-sourc  0.0
    275 usb-storage      0.0
   1615 wireplumber      0.0
   1588 systemd          0.0
   2797 ibus-engine-sim  0.0
   1610 dbus-daemon      0.0
   3524 kworker/u32:1-e  0.0
   2182 Xwayland         0.0
   2439 mozc_server      0.0
   3210 RDD Process      0.0
     18 rcu_preempt      0.0
   1461 udisksd          0.0
   1453 polkitd          0.0
   1915 gsd-power        0.0
    519 systemd-journal  0.0
   2400 xdg-desktop-por  0.0
   3134 Socket Process   0.0
   1823 colord           0.0
     79 khugepaged       0.0
   2256 evolution-addre  0.0
   1613 pipewire         0.0
```

2 of 3 | 12 words, 54 characters | Default Page Style

Práctica 2: Monitoreo de procesos con top en Linux

Objetivo: Aprender a usar el comando top para observar procesos activos, consumo de CPU, memoria y gestionar tareas en tiempo real.

Commando top



P

S	%CPU	%MEM	TIME+	COMMAND
S	4.5	5.0	2:22.98	gnome-shell
S	4.5	1.0	0:16.15	gnome-terminal-
R	**4.5**	**0.1**	**0:01.27**	**top**
S	2.3	0.2	0:05.33	ibus-daemon
S	0.0	0.3	0:02.55	systemd
S	0.0	0.0	0:00.01	kthreadd
S	0.0	0.0	0:00.00	pool_workqueue_release
I	0.0	0.0	0:00.00	kworker/R-kvfree_rcu_reclaim
I	0.0	0.0	0:00.00	kworker/R-rcu_gp
I	0.0	0.0	0:00.00	kworker/R-sync_wq
I	0.0	0.0	0:00.00	kworker/R-slub_flushwq
I	0.0	0.0	0:00.00	kworker/R-netns
I	0.0	0.0	0:00.00	kworker/0:0H-events_highpri
I	0.0	0.0	0:00.00	kworker/R-mm_percpu_wq
I	0.0	0.0	0:00.00	rcu_tasks_kthread
I	0.0	0.0	0:00.00	rcu_tasks_rude_kthread
I	0.0	0.0	0:00.00	rcu_tasks_trace_kthread
S	0.0	0.0	0:00.12	ksoftirqd/0
I	0.0	0.0	0:01.21	rcu_preempt
S	0.0	0.0	0:00.00	rcu_exp_par_gp_kthread_worker/0
S	0.0	0.0	0:00.01	rcu_exp_gp_kthread_worker
S	0.0	0.0	0:00.02	migration/0
S	0.0	0.0	0:00.00	idle_inject/0
S	0.0	0.0	0:00.00	cpuhp/0
S	0.0	0.0	0:00.00	cpuhp/2
S	0.0	0.0	0:00.00	idle_inject/2
S	0.0	0.0	0:00.26	migration/2
S	0.0	0.0	0:00.10	ksoftirqd/2
I	0.0	0.0	0:00.00	kworker/2:0H-events_highpri
S	0.0	0.0	0:00.00	cpuhp/4
S	0.0	0.0	0:00.00	idle_inject/4
S	0.0	0.0	0:00.25	migration/4
S	0.0	0.0	0:00.13	ksoftirqd/4
I	0.0	0.0	0:00.00	kworker/4:0H-events_highpri
S	0.0	0.0	0:00.00	cpuhp/6
S	0.0	0.0	0:00.00	idle_inject/6
S	0.0	0.0	0:00.27	migration/6
S	0.0	0.0	0:00.13	ksoftirqd/6
I	0.0	0.0	0:00.00	kworker/6:0H-events_highpri
S	0.0	0.0	0:00.00	cpuhp/1
S	0.0	0.0	0:00.00	idle_inject/1
S	0.0	0.0	0:00.25	migration/1
S	0.0	0.0	0:00.11	ksoftirqd/1

Default Page Style English (USA)

M



```
 %MEM     TIME+ COMMAND
 10.7   1:33.25 soffice.bin
  6.7   0:53.92 firefox-esr
  5.0   2:32.10 gnome-shell
  3.1   0:09.98 gnome-software
  2.5   0:02.83 Privileged Cont
  2.0   0:00.97 Isolated Web Co
  1.8   0:01.47 WebExtensions
  1.8   0:00.46 mutter-x11-fram
  1.7   0:01.04 Xwayland
  1.5   0:00.38 gsd-xsettings
  1.5   0:01.44 evolution-alarm
  1.5   0:01.38 Web Content
  1.5   0:01.39 Web Content
  1.5   0:01.40 Web Content
  1.1   0:01.19 evolution-sourc
  1.0   0:16.90 gnome-terminal-
  0.9   0:00.28 RDD Process
  0.8   0:00.66 xdg-desktop-por
  0.7   0:00.16 Socket Process
  0.7   0:00.11 Utility Process
  0.6   0:02.60 fwupd
  0.6   0:02.25 localsearch-3
  0.5   0:05.17 ibus-extension-
  0.5   0:00.47 evolution-addre
  0.5   0:00.15 gjs
  0.5   0:00.15 gjs
  0.5   0:00.24 xdg-desktop-por
  0.5   0:01.19 wireplumber
  0.4   0:00.31 evolution-calen
  0.4   0:00.09 goa-daemon
  0.4   0:00.37 gsd-media-keys
  0.4   0:00.95 mozc_server
  0.4   0:00.65 gsd-power
  0.4   0:00.21 gsd-wacom
  0.3   0:00.44 xdg-desktop-por
  0.3   0:00.17 gsd-color
  0.3   0:00.22 gnome-shell-cal
  0.3   0:01.52 NetworkManager
  0.3   0:00.19 gsd-keyboard
  0.3   0:00.33 pipewire-pulse
  0.3   0:00.34 gnome-session-b
  0.3   0:00.07 cups-browsed
  0.3   0:00.90 udisksd
```

Default Page Style English (USA)

k

```
MiB Swap:      0.0 total,      0.0 free,      0.0 used.   3353.9 avail Mem
PID to signal/kill [default pid = 2988] 3046
    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
   2988 user      20   0 1504768 638340 171520 S   0.0  10.7   1:46.24 soffice.bin
   3046 user      20   0 3158828 400464 232960 S   0.0   6.7   0:54.43 firefox-esr
   1770 user      20   0 6134832 299780 159144 S   1.0   5.0   2:42.37 gnome-shell
   2044 user      20   0 1068628 186904  57300 S   0.0   3.1   0:09.99 gnome-software
```

despues

```
MiB Swap:      0.0 total,      0.0 free,      0.0 used.   3873.9 avail Mem

    PID USER      PR  NI    VIRT    RES    SHR S  %CPU  %MEM     TIME+ COMMAND
   2988 user      20   0 1504768 638344 171520 S  11.2  10.7   1:49.91 soffice.bin
   1770 user      20   0 6142332 294656 153816 S  29.4   5.0   2:53.73 gnome-shell
   2044 user      20   0 1068628 186904  57300 S   0.0   3.1   0:09.99 gnome-software
   2353 user      20   0 1476584 106596  84424 S   0.0   1.8   0:00.46 mutter-x11-fram
   2182 user      20   0 1219208 101224  68472 S   0.0   1.7   0:01.09 Xwayland
   2316 user      20   0 1007024  89932  72908 S   0.0   1.5   0:00.38 gsd-xsettings
   2062 user      20   0 1154412  89700  68196 S   0.0   1.5   0:01.44 evolution-alarm
```

Práctica 3: Explorando el Hardware de tu Sistema con lspci

Objetivo: Familiarizarse con el comando lspci para identificar y entender los dispositivos de hardware (periféricos) conectados a tu sistema a través del bus PCI (Peripheral Component Interconnect).

```
user@debian:~$ lspci
00:00.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Root Complex
00:00.2 IOMMU: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 IOMMU
00:01.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Family 17h (Models 00h-1fh) PCIe Dummy Host Bridge
00:01.2 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 PCIe GPP Bridge [6:0]
00:01.3 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 PCIe GPP Bridge [6:0]
00:08.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Family 17h (Models 00h-1fh) PCIe Dummy Host Bridge
00:08.1 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Internal PCIe GPP Bridge 0 to Bus A
00:08.2 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Internal PCIe GPP Bridge 0 to Bus B
00:14.0 SMBus: Advanced Micro Devices, Inc. [AMD] FCH SMBus Controller (rev 61)
00:14.3 ISA bridge: Advanced Micro Devices, Inc. [AMD] FCH LPC Bridge (rev 51)
00:18.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 0
00:18.1 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 1
00:18.2 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 2
00:18.3 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 3
00:18.4 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 4
00:18.5 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 5
00:18.6 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 6
00:18.7 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Device 24: Function 7
01:00.0 Network controller: Realtek Semiconductor Co., Ltd. RTL8821CE 802.11ac PCIe Wireless Network Adapter
02:00.0 Ethernet controller: Realtek Semiconductor Co., Ltd. RTL8111/8168/8211/8411 PCI Express Gigabit Ethernet Controller (rev 10)
03:00.0 VGA compatible controller: Advanced Micro Devices, Inc. [AMD/ATI] Picasso/Raven 2 [Radeon Vega Series / Radeon Vega Mobile Series] (rev c1)
03:00.1 Audio device: Advanced Micro Devices, Inc. [AMD/ATI] Raven/Raven2/Fenghuang HDMI/DP Audio Controller
03:00.2 Encryption controller: Advanced Micro Devices, Inc. [AMD] Family 17h (Models 10h-1fh) Platform Security Processor
03:00.3 USB controller: Advanced Micro Devices, Inc. [AMD] Raven USB 3.1
03:00.4 USB controller: Advanced Micro Devices, Inc. [AMD] Raven USB 3.1
03:00.5 Multimedia controller: Advanced Micro Devices, Inc. [AMD] Audio Coprocessor
03:00.6 Audio device: Advanced Micro Devices, Inc. [AMD] Family 17h/19h/1ah HD Audio Controller
04:00.0 SATA controller: Advanced Micro Devices, Inc. [AMD] FCH SATA Controller [AHCI mode] (rev 61)
user@debian:~$
```

lspci -v

```
04:00.0 SATA controller: Advanced Micro Devices, Inc. [AMD] FCH SATA Controller [AHCI mode] (rev 61)
user@debian:~$ lspci -v
00:00.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Root Complex
        Subsystem: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Root Complex
        Flags: fast devsel

00:00.2 IOMMU: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 IOMMU
        Subsystem: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 IOMMU
        Flags: bus master, fast devsel, latency 0, IRQ 25
        Capabilities: <access denied>

00:01.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Family 17h (Models 00h-1fh) PCIe Dummy Host Bridge
        Flags: fast devsel, IOMMU group 0


00:01.2 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 PCIe GPP Bridge [6:0] (prog-if 00 [Normal decode])
        Subsystem: Advanced Micro Devices, Inc. [AMD] Device 1453
        Flags: bus master, fast devsel, latency 0, IRQ 26, IOMMU group 1
        Bus: primary=00, secondary=01, subordinate=01, sec-latency=0
        I/O behind bridge: 3000-3fff [size=4K] [16-bit]
        Memory behind bridge: d0800000-d08fffff [size=1M] [32-bit]
        Prefetchable memory behind bridge: [disabled] [64-bit]
        Capabilities: <access denied>
        Kernel driver in use: pcieport


00:01.3 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 PCIe GPP Bridge [6:0] (prog-if 00 [Normal decode])
        Subsystem: Advanced Micro Devices, Inc. [AMD] Device 1453
        Flags: bus master, fast devsel, latency 0, IRQ 27, IOMMU group 2
        Bus: primary=00, secondary=02, subordinate=02, sec-latency=0
        I/O behind bridge: 2000-2fff [size=4K] [16-bit]
        Memory behind bridge: d0700000-d07fffff [size=1M] [32-bit]
        Prefetchable memory behind bridge: [disabled] [64-bit]
        Capabilities: <access denied>
        Kernel driver in use: pcieport


00:08.0 Host bridge: Advanced Micro Devices, Inc. [AMD] Family 17h (Models 00h-1fh) PCIe Dummy Host Bridge
        Flags: fast devsel, IOMMU group 3

00:08.1 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Internal PCIe GPP Bridge 0 to Bus A (prog-if 00 [Normal decode])
        Subsystem: Advanced Micro Devices, Inc. [AMD] Device 0000
        Flags: bus master, fast devsel, latency 0, IRQ 28, IOMMU group 4
        Bus: primary=00, secondary=03, subordinate=03, sec-latency=0
        I/O behind bridge: 1000-1fff [size=4K] [16-bit]
        Memory behind bridge: d0300000-d06fffff [size=4M] [32-bit]
        Prefetchable memory behind bridge: c0000000-d01fffff [size=258M] [32-bit]
        Capabilities: <access denied>
        Kernel driver in use: pcieport

00:08.2 PCI bridge: Advanced Micro Devices, Inc. [AMD] Raven/Raven2 Internal PCIe GPP Bridge 0 to Bus B (prog-if 00 [Normal decode])
        Subsystem: Advanced Micro Devices, Inc. [AMD] Device 0000
```







Preguntas

¿Qué driver está usando tu tarjeta de red Wi-Fi (wireless)?

rtw_8821ce

¿Qué driver está usando tu tarjeta gráfica?

amdgpu