

Router0

Physical Config **CLI** Attributes

IOS Command Line Interface

```
Router>config
Translating "config"...domain server (255.255.255.255)
% Unknown command or computer name, or unable to find computer address

Router>en
Router#config
Configuring from terminal, memory, or network [terminal]? no
?Must be "terminal", "memory" or "network"
Router#config
Configuring from terminal, memory, or network [terminal]? memory
% This command is not supported by Cisco Packet Tracer.
Router#config
Configuring from terminal, memory, or network [terminal]? 1
?Must be "terminal", "memory" or "network"
Router#config t
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#int fa0/0
Router(config-if)#ip address 192.168.0.1 255.255.255.0
Router(config-if)#no shutdown

Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up

%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up

Router(config-if)#ex
Router(config)#ip dhcp excluded-address 192.168.0.1 192.168.0.5
Router(config)#ip dhcp pool companyname
Router(dhcp-config)#network 192.168.0.0 255.255.255.0
Router(dhcp-config)#default-router 192.168.0.1
Router(dhcp-config)#domain-name companyname
Router(dhcp-config)#dns-server 192.168.0.2
Router(dhcp-config)#ex
Router(config)#
```

☐ Top

Physical Config **Desktop** Programming Attributes

Web Browser

< > URL

Cisco Packet Tracer

Welcome to Cisco Packet Tracer. Opening doors to new opportunities. Mind Wide Open.

Quick Links:

- [A small page](#)
- [Copyrights](#)
- [Image page](#)
- [Image](#)

