Set up the project on your Windows laptop

A simple guide for everyone on the team.
Use normal PowerShell - no WSL needed.

1	2	3	4
Install	Seed data	Build	Run demo

Before you start, you need:

- A Windows 10 or Windows 11 laptop
- About 10 GB of free disk space
- Internet access for the downloads
- Docker Desktop installed and running

The four commands are on page 3. Keep this PDF with the project and use it on the laptop you are setting up.

1. Install these four programs

Install each program with its normal installer. After the last install, close PowerShell and open it again. This lets Windows find the new commands.

Program	Where to get it	How to check it
Git	git-scm.com/download/win	git --version
Python 3.12	python.org/downloads/windows. Tick **Add python.exe to PATH**.	py -3.12 --version
Node.js LTS 20.9+	nodejs.org	node --version and npm --version
Docker Desktop	docker.com/products/docker-desktop. Start it and wait for **Running**.	docker --version and docker compose version

> **Keep the folder short.** Use something like `C:\dev\Wear-Right`. Do not put the project inside OneDrive - syncing thousands of files makes installs and builds slow.

2. Download the project

Open PowerShell in the folder where you want the project, then run these two commands. Replace the repository link with the one your team uses.

```
git clone <repository-url> Wear-Right
cd Wear-Right
```

What runs where

The website opens on **http://localhost:3000**. Docker runs the database and the local mail inbox. The website and backend run as normal Windows programs.

Part	Where it runs	Address
Website	Windows program	http://localhost:3000
Backend	Windows program	http://127.0.0.1:8000
Database	Docker container	localhost:5433
Email inbox	Docker container	http://localhost:8025

3. The four commands

Run these from the project folder, in this order. The first one is the slowest. You can copy and paste each command into PowerShell.

Install everything

```
node .\scripts\wearright.mjs install
```

Creates the Python environment, creates `apps\server\.env` with a random secret key, and installs the Python and Node packages. Run it once, or again after pulling new dependencies.

Seed all demo data

```
node .\scripts\wearright.mjs seed
```

Starts Postgres and Mailpit in Docker, applies the database migrations, and creates the demo products, photos, prices, stock, categories, colours, tone rules, customer and both admin logins.

If the mannequin kit is in extras\mannequin-alpha-kit, its bases, layers and looks are imported too.

Create the production build

```
node .\scripts\wearright.mjs build
```

Makes the fast production version of the website in apps\web\.next. It does not start anything.

Run the production demo

```
node .\scripts\wearright.mjs demo
```

Starts Docker, applies migrations, seeds the base data, builds the website, and starts the production website and backend. Open http://localhost:3000.

Press Ctrl + C to stop the website and backend. Then run: node .\scripts\wearright.mjs db-down

Demo logins

Who	Page	Email	Password
Customer	/login	demo@wearright.local	demo12345
Admin	/admin/login	admin@wearright.com	admin123

Admin and customer accounts are separate. Demo emails appear in the local inbox at **http://localhost:8025**.

Mannequin data

The mannequin kit is not in Git because the images are large. Put the provided folder here:

```
Wear-Right\extras\mannequin-alpha-kit\manifest.csv
```

The **seed** command finds that folder automatically. If the kit is somewhere else:

```
node .\scripts\wearright.mjs seed --mannequin-kit "D:\assets\mannequin-alpha-kit"
```

Only rows marked `done` in manifest.csv are imported. The kit references products that must already exist in the database. On a completely empty database, import the product catalogue first or restore a database backup; otherwise the mannequin rows are skipped with a message.

To skip the mannequin even when the kit exists:

```
node .\scripts\wearright.mjs seed --skip-mannequin
```

Every day

```
node .\scripts\wearright.mjs dev
```

Starts Docker and runs the development website and backend with live reload. Open http://localhost:3000.

Useful commands

Command	What it does
db-up	Start Postgres and Mailpit
db-down	Stop the containers, keep the data
db-reset	Delete the database volume and start empty
test	Run the backend and website tests
doctor	Show what is installed and what is missing
--help	Show every command

If something goes wrong

python is not recognized, or the Microsoft Store opens.

Install Python 3.12 from python.org and tick Add python.exe to PATH, or use the py launcher. Check py -3.12 --version, then open a new PowerShell window.

node or npm is not recognized.

Install Node.js LTS, close PowerShell, open it again, then run node --version.

Docker says it cannot connect.

Start Docker Desktop and wait until it says Running. Check docker --version and docker compose version.

Port 5433 is already in use.

Another database is using it. Stop the other program, or change the port in docker-compose.yml and apps\server\.env together.

The website is empty.

Run node .\scripts\wearright.mjs seed, then reload the page.

Product photos are missing.

Check MEDIA_ROOT in apps\server\.env, then run seed again or restore the media backup.

The camera does not open.

Use http://localhost:3000, not a network address. Allow camera access in Windows and in the browser. You can always upload a photo or pick the skin tone manually.

The build stops with a security warning.

Run node .\scripts\wearright.mjs install again. It uses the committed package lock and the tested Next.js version.

> **What "production demo" means.** The website is built once and served with next start, and Django runs without the development reloader. It is still a local demo, not a public website.