🚀 Vite Project Setup Scripts Collection

Lightning-fast PowerShell scripts to bootstrap modern web applications with Vite

○ STARS	**REPO NOT FOUND**

○ FORKS	**REPO NOT FOUND**

○ ISSUES	**REPO NOT FOUND**

LICENSE	**MIT**

POWERSHELL

▼ VITE

⬢ NODE.JS

🚀 Quick Start • 📖 Documentation • 🤝 Contributing • 💬 Community

---

📋 Table of Contents

✦ Features

🚀 Ultra-Fast Setup

Bootstrap complete projects in under 30 seconds

🎨 Modern Stack

Pre-configured with Tailwind CSS, routing, and best practices

🔧 Zero Configuration

Works out of the box with sensible defaults

▦ Multiple Frameworks

React, Vue, Svelte, Solid.js, and Vanilla JS support

🌐 One-Command Deployment

Direct execution from GitHub without downloads

🛡 Production Ready

Includes linting, formatting, and security configurations

🚀 Quick Start (One-Command Setup)

> 💡 **Tip:** Run these commands directly in PowerShell - no downloads required!

⚛ React Projects

▶ ◉ **React + JavaScript (Most Popular)**

```
# 🚀 One-liner setup
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-react-js.ps1").Content
```

Includes: React Router, Tailwind CSS, Lucide React icons, ESLint

▶ ◇ **React + TypeScript**

```
# 🚀 TypeScript-powered React
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-react-ts.ps1").Content
```

Includes: React Router, Tailwind CSS, TypeScript, type definitions

✋ Vue.js Projects

▶ 🧇 **Vue 3 + JavaScript**

```
# 🚀 Modern Vue.js setup
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-vue-js.ps1").Content
```

Includes: Vue Router 4, Pinia state management, Tailwind CSS

🧇 Other Frameworks

▶ 🎭 Svelte

```
# 🚀 Svelte with routing
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-svelte-js.ps1").Content
```

▶ 💎 Solid.js

```
# 🚀 Solid.js performance
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-solid-js.ps1").Content
```

▶ ⚡ Vanilla JavaScript

```
# 🚀 Pure JavaScript power
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-vanilla-js.ps1").Content
```

▶ 🎯 Generic Template (Choose Your Own)

```
# 🚀 Interactive template selection
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-template.ps1").Content
```

🎯 Available Templates

Framework	Language	Script	Features	Best For
⚛ **React**	JavaScript	setup-vite-react-js.ps1	Router, Tailwind, Icons	SPAs, Dashboards
⚛ **React**	TypeScript	setup-vite-react-ts.ps1	Router, Tailwind, Types	Enterprise Apps
🤚 **Vue.js**	JavaScript	setup-vite-vue-js.ps1	Router, Pinia, Tailwind	Progressive Web Apps
🎭 **Svelte**	JavaScript	setup-vite-svelte-js.ps1	Routing, Tailwind	Lightweight Apps
💎 **Solid.js**	JavaScript	setup-vite-solid-js.ps1	Tailwind CSS	High Performance

Framework	Language	Script	Features	Best For
⚡ **Vanilla**	JavaScript	setup-vite-vanilla-js.ps1	Minimal Setup	Learning, Prototypes
🔧 **Full Stack**	JavaScript	setup-vite-frontend.ps1	API Ready, Advanced	Full Applications
🎯 **Generic**	Configurable	setup-vite-template.ps1	Interactive Choice	Custom Requirements

📖 Comprehensive Guide

🔢 Custom Parameters

All scripts support powerful customization options:

```
# 🎨 Basic customization
.\script.ps1 -ProjectName "my-awesome-app" -SkipGit -SkipAutoStart

# 🌐 Full-stack configuration
.\setup-vite-frontend.ps1 -ProjectName "my-app" -ApiUrl "https://api.myapp.com"

# 🎯 Template selection
.\setup-vite-template.ps1 -Framework "vue" -Variant "ts" -ExtraPackages "axios lodash"
```

📋 Parameter Reference

▶ Common Parameters (All Scripts)

Parameter	Type	Default	Description
-ProjectName	String	"frontend"	Project directory name
-SkipGit	Switch	false	Skip Git repository initialization
-SkipAutoStart	Switch	false	Don't start development server

▶ Advanced Parameters

setup-vite-frontend.ps1:

- -ApiUrl - Backend API endpoint (default: "http://localhost:3000/api")

setup-vite-template.ps1:

- -Framework - Target framework (react, vue, svelte, solid, angular)
- -Variant - Language variant (js, ts)
- -ExtraPackages - Additional npm packages to install

💡 Usage Examples

▶ 🎯 **Scenario-Based Examples**

Enterprise React Application

```
# TypeScript React with custom name
$env:PROJECT_NAME="enterprise-dashboard"
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-react-ts.ps1").Content
```

Quick Prototype

```
# Vanilla JS, no git, auto-start disabled
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-vanilla-js.ps1").Content -SkipGit -
SkipAutoStart
```

Full-Stack Application

```
# Download and configure for production API
Invoke-WebRequest -Uri "https://raw.githubusercontent.com/MianAliKhalid/Vite-
Project-Setup-Scripts-Collection/main/setup-vite-frontend.ps1" -OutFile
"setup.ps1"
.\setup.ps1 -ProjectName "my-saas-app" -ApiUrl "https://api.production.com"
```

⚙️ Advanced Configuration

🔧 Environment Variables

Set project name via environment variable:

```
$env:PROJECT_NAME = "my-custom-app"
# Then run any script
```

🎨 Customizing Generated Projects

Each script creates a fully configured project with:

- 🎨 **Tailwind CSS** - Utility-first styling
- 📱 **Responsive Design** - Mobile-first components
- 🔄 **Hot Module Replacement** - Instant development feedback
- 📦 **Optimized Build** - Production-ready bundles
- 🖊️ **Testing Setup** - Ready for unit tests

- 📝 **Documentation** - Comprehensive README

🏗️ Project Structure

```
📁 your-project-name/
├── 📁 public/              # Static assets
├── 📁 src/
│   ├── 📁 components/       # Reusable UI components
│   ├── 📁 pages/           # Route components (React)
│   ├── 📁 lib/             # Utilities and helpers
│   ├── 📄 App.jsx          # Main application component
│   ├── 📄 main.jsx         # Application entry point
│   └── 📄 index.css        # Global styles
├── 📄 .env                 # Environment variables
├── 📄 .gitignore           # Git ignore rules
├── 📄 .editorconfig        # Editor configuration
├── 📄 LICENSE              # MIT license
├── 📄 README.md            # Project documentation
├── 📄 package.json         # Dependencies and scripts
├── 📄 vite.config.js       # Vite configuration
├── 📄 tailwind.config.js   # Tailwind CSS config
└── 📄 postcss.config.js    # PostCSS configuration
```

🔧 Prerequisites

📋 System Requirements

Requirement	Minimum Version	Recommended	Installation
Node.js	v16.0.0	v18+ LTS	Download
npm	v7.0.0	v9+	Included with Node.js
PowerShell	v5.1	v7+	Download
Git	v2.0	Latest	Download

☑️ Quick Check

```
# Verify your system
node --version    # Should show v16+
npm --version     # Should show v7+
git --version     # Should show v2+
```

🛡️ Security Guidelines

🔐 Remote Script Execution Safety

> ⚠️ **Important:** Always verify scripts before execution

☑ **Recommended Practices**

1. 🔍 **Review First**: Check the raw script content

```
# View script before running
Invoke-WebRequest -Uri
"https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-Setup-
Scripts-Collection/main/setup-vite-react-js.ps1" | Select-Object -
ExpandProperty Content
```

2. 🔐 **Use HTTPS**: Always use secure URLs

3. 💾 **Local Copy**: Download for production use

```
# Secure workflow
Invoke-WebRequest -Uri
"https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-Setup-
Scripts-Collection/main/setup-vite-react-js.ps1" -OutFile "setup.ps1"
# Review the file
.\setup.ps1
```

4. 🏢 **Corporate Networks**: Some networks block remote execution

🚨 Troubleshooting

▶ 🔧 **Common Issues & Solutions**

PowerShell Execution Policy

```
# If you get execution policy errors
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope CurrentUser
```

Port Already in Use

```
# Check what's using port 5173
netstat -ano | findstr :5173
# Kill the process if needed
taskkill /PID <PID_NUMBER> /F
```

Network/Firewall Issues

```
# Test connectivity
Test-NetConnection -ComputerName raw.githubusercontent.com -Port 443
```

Node.js/npm Issues

```
# Clear npm cache
npm cache clean --force
# Update npm
npm install -g npm@latest
```

▶ 🆘 **Getting Help**

1. 🗐 **Check Documentation**: Review this README thoroughly
2. 🔍 **Search Issues**: Look through existing issues
3. 💬 **Ask Community**: Create a new issue with details
4. 📧 **Direct Contact**: Reach out via GitHub

🤝 Contributing

We welcome contributions! Here's how to get started:

🚀 Quick Contribution

1. 🍴 **Fork** the repository
2. 🌿 **Create** a feature branch
3. 🖥 **Make** your changes
4. ☑ **Test** thoroughly
5. 📤 **Submit** a pull request

🎯 Contribution Ideas

- 🆕 **New Frameworks**: Add support for Angular, Next.js, Nuxt.js
- 🔧 **Enhanced Features**: Additional utilities, configurations
- 🗐 **Documentation**: Improve guides, add tutorials
- 🔍 **Bug Fixes**: Resolve issues, improve stability
- 🎨 **Templates**: Create new project templates

📝 Development Setup

```
# Clone repository
git clone https://github.com/MianAliKhalid/Vite-Project-Setup-Scripts-Collection.git
cd Vite-Project-Setup-Scripts-Collection
```

```
# Test a script
.\setup-vite-react-js.ps1 -ProjectName "test-project"
```

💬 Community & Support

🐛 Show Your Support

If this project helps you, please consider:

[⭐ **STAR ON GITHUB**]

[🐦 **SHARE ON TWITTER**]

💼 Professional Support

For enterprise support, custom templates, or consulting:

- ✉️ **Email**: Contact via GitHub
- 💼 **LinkedIn**: Connect professionally
- 🐛 **Issues**: Report bugs

📊 Project Statistics

> Something went wrong! file an issue at https://tiny.one/readme-stats
>
> **User Repository Not found**

📄 License

This project is licensed under the **MIT License** - see the LICENSE file for details.

```
MIT License - Free for personal and commercial use
```

Made with 💝 by Mian Ali Khalid

⬆️ Back to Top

📦 All Setup Scripts (Copy & Paste into VS Code)

> **Tip:** Copy the code block for the script you want, paste into VS Code, and save as the filename in the comment.

📥 Direct Script Links

You can copy any script link below and run it directly in PowerShell:

Script	Raw Link	Copy
React + JS	setup-vite-react-js.ps1	📋 Copy
React + TS	setup-vite-react-ts.ps1	📋 Copy
Vue + JS	setup-vite-vue-js.ps1	📋 Copy
Vue + TS	setup-vite-vue-ts.ps1	📋 Copy
Svelte + JS	setup-vite-svelte-js.ps1	📋 Copy
Svelte + TS	setup-vite-svelte-ts.ps1	📋 Copy
Solid + JS	setup-vite-solid-js.ps1	📋 Copy
Solid + TS	setup-vite-solid-ts.ps1	📋 Copy
Preact + JS	setup-vite-preact-js.ps1	📋 Copy
Preact + TS	setup-vite-preact-ts.ps1	📋 Copy
Lit + JS	setup-vite-lit-js.ps1	📋 Copy
Lit + TS	setup-vite-lit-ts.ps1	📋 Copy
Vanilla + JS	setup-vite-vanilla-js.ps1	📋 Copy
Vanilla + TS	setup-vite-vanilla-ts.ps1	📋 Copy
Marko + JS	setup-vite-marko-js.ps1	📋 Copy
Angular + JS	setup-vite-angular-js.ps1	📋 Copy
Qwik + JS	setup-vite-qwik-js.ps1	📋 Copy
Full Stack	setup-vite-frontend.ps1	📋 Copy
Generic/Template	setup-vite-template.ps1	📋 Copy

Example usage:

```
iex (iwr -useb "https://raw.githubusercontent.com/MianAliKhalid/Vite-Project-
Setup-Scripts-Collection/main/setup-vite-react-js.ps1").Content
```

⚠️ **Troubleshooting Script Download Issues**

- If you get a **404 Not Found** error when opening a script link:

  - Make sure the script exists in the repository's `main` branch.
  - The script may have been renamed, moved, or not pushed yet.
  - Visit the GitHub repository scripts folder and check if the script file is present.

- If present, click the script file, then click the **"Raw"** button to view/copy the script content manually.
- If not present, please update your repository or contact the maintainer.

- **How to copy a script manually:**

  1. Go to the script file in the GitHub repo.
  2. Click **Raw**.
  3. Select all, copy, and paste into a `.ps1` file in VS Code.