


Proyecto final: Base de datos de Femicidios en Ecuador


Diseño






Bloques:


Screen1



Cleandatascreen



drawLOBFscreen




Scratch script for the drawLOBFscreen screen:

- when homeButton Click: open another screen screenName Screen1
- when showDataButton Click: call topChartData2D Clear, call bottomChartData2D Clear, call spreadsheet1 ReadSheet sheetName Sheet1
- when spreadsheet1 GotSheetData: set topChartLabel Text to Feminicidios en Ecuador, call topChartData2D ImportFromSpreadsheet (spreadsheet spreadsheet1, xColumn year, yColumn femicides_number, useHeaders true), call bottomChartData2D ImportFromSpreadsheet (spreadsheet spreadsheet1, xColumn year, yColumn life_expectancy, useHeaders true)
- when drawLineOfBestFitButton Click: set topTrendline ChartData to topChartData2D, set bottomTrendline ChartData to bottomChartData2D, set topSlopeValueLabel Text to topTrendline LinearCoefficient, set topY_intValueLabel Text to topTrendline YIntercept, set topCor_coefValueLabel Text to topTrendline CorrelationCoefficient, set bottomSlopeValueLabel Text to bottomTrendline LinearCoefficient, set bottomY_intValueLabel Text to bottomTrendline YIntercept, set bottomCor_coefValueLabel Text to bottomTrendline CorrelationCoefficient

Warnings: 0

MakepredictionsScreen



Scratch script for the MakepredictionsScreen screen:

- when homeButton Click: open another screen screenName Screen1
- when showDataButton Click: call cleanedChartData2D Clear, call dataCleaningChartData2D Clear, call spreadsheet1 ReadSheet sheetName Sheet1, set dataCleaningChart Visible to true, set dataCleaningHorizontalArrangement Visible to true, set AIResponseHorizontalArrangement Visible to false
- when drawLineOfBestFitButton Click: set Trendline1 ChartData to cleanedChartData2D
- when Trendline1 Updated: results, set SlopeValueLabel Text to Trendline1 LinearCoefficient, set Y_intValueLabel Text to round Trendline1 YIntercept, set Cor_coefValueLabel Text to Trendline1 CorrelationCoefficient, set X_intValueLabel Text to round Trendline1 XIntercepts, call cleanedDataChart ExtendDomainToInclude x Trendline1 XIntercepts
- when detectedAnomaliesButton Click: call dataCleaningChartData2D HighlightDataPoints (dataPoints dataCleaningChartData2D, color red), call AnomalyDetection1 DetectAnomaliesInChartData (chartData dataCleaningChartData2D, threshold 2)
- when dataCleaningChartData2D EntryClick: x y, call dataCleaningChartData2D RemoveEntry x get x, y get y, call cleanedChartData2D Clear, call cleanedChartData2D ImportFromList list call dataCleaningChartData2D GetAllEntries

when AIAnalysisButton Click

do

- set dataCleaningChart Visible to false
- set dataCleaningHorizontalArrangement Visible to false
- set AIResponseHorizontalArrangement Visible to true
- call ChatBot1 Converse
 - question join
 - Dado los siguientes datos para el número anual
 - número absoluto de feminicidios en Ecuador
 - call dataCleaningChartData2D GetAllEntines
 - El coeficiente de correlación para la línea de m...
 - Trendline1 CorrelationCoefficient
 - La pendiente de la línea de mejor ajuste es...
 - Trendline1 LinearCoefficient
 - La intercepción en "Y" para la línea de mejor aj...
 - Trendline1 YIntercept
 - Primero, predice el número de feminicidios que h...
 - Cómo se relaciona esta tendencia con las recent...
 - Cómo se relaciona con la educación alcanzada por...
 - Limita tus palabras a 120 palabras

when ChatBot1 GotResponse

responseText

do

- set AIResponseTextBox Text to get responseText

Show Warnings

