

CHAT BOT CREADO POR MI:


1:03



Screen1



Robot que responde preguntas



Cómo se llama la persona más mill...

Preguntar

Limpiar

Actualmente, la persona considerada más rica del mundo es


1:00



Screen1



Robot que responde preguntas



Escribe tu pregunta aqui...

Preguntar

Limpiar

Esperando la respuesta...


1:01



Screen1



Robot que responde preguntas



Cuanto dura una operación a coraz...

Preguntar

Limpiar

Generalmente, una operación a corazón abierto puede durar **entre

BLOQUES:

The image displays two screenshots of the MIT App Inventor web interface, showing the logic blocks for a chat bot application. The interface includes a top navigation bar with 'MIT APP INVENTOR' logo, 'Projects', 'Connect', 'Build', 'Settings', 'Help', 'English', and a user email 'mixatica@gmail.com'. Below the navigation bar, there's a 'chat_bot' project name and a 'Donate to App Inventor' button. The 'Screens' section shows 'Screen1' selected. The left sidebar lists built-in components: Control, Logic, Math, Text, Lists, Dictionaries, Colors, Variables, Procedures, Screen1, and Etiquetal. The main workspace shows the logic blocks for the chat bot.

Top Screenshot:

- when Screen1.Initialize**
 - do
 - set Web1.Url to `https://generativelanguage.googleapis.com/v1beta...`
 - set Web1.Request-Headers to `make a dictionary` with keys `x-goog-api-key` (value `AlzaSyBxNK9AG0zaRSm5mhTxA9BfDgYjdPw0gPk`) and `Content-Type` (value `application/json`)
- when boton_preguntar.Click**
 - do
 - call Web1.PostText with text `make a dictionary` (key `contents`, value `make a dictionary` (key `parts`, value `make a dictionary` (key `text`, value `cajapregunta.Text`)))
- when Web1.GetText**
 - do
 - when Web1.GetResponseCode is `200`
 - then
 - set cajarespuesta.Text to `get value at key path` (key `candidates`, value `content`)
 - else
 - set cajarespuesta.Text to `not found`

Bottom Screenshot:

- when Web1.GetResponseCode is 200**
 - then
 - set cajarespuesta.Text to `get value at key path` (key `candidates`, value `content`)
 - else
 - set cajarespuesta.Text to `not found`
- when boton_limpiar.Click**
 - do
 - set cajapregunta.Text to `clear`