Playwright Automation Report

Authored by **Automation Bot** • Build local • Environment local

Test Scope & Objectives

Objectives

- Validate end-to-end user journeys
- Ensure regression stability for critical flows

Data Sets

- Synthetic test data
- Seeded accounts

Pass / Fail Criteria

- All P0/P1 cases pass
- No critical regressions filed

Risks & Alignment

Supports release readiness and CI quality gates

- Flaky network environments
- 3rd party dependencies

## Execution Summary

Total Tests	Passed	Failed	Skipped
1	0 0%	1 100%	0 0%

Flaky
0   0%

Passed (0) Failed (1) Skipped (0) Flaky (0)

Build / Environment Details

Build: local

Release: rolling

Project: default

Automation Metrics

Coverage	Reliability	Maintainability
100%	**0%**	**95%**

Legend: undefined

Chart (bar) x-axis labels: Coverage, Reliability, Maintainability, Reusability

Test Case Details

TEST	STATUS	DURATION
Prueba de fuego Framework @smoke › Chromium-Desktop › smoke.spec.ts › Prueba de fuego Framework @smoke	Failed	0s

▼ **Steps**

✖ Launch browser 0s

Failure & Defect Analysis

Prueba de fuego Framework @smoke   Compatibility

› Chromium-Desktop › smoke.spec.ts › Prueba de fuego Framework @smoke

Steps
✖ Launch browser 0s

```
Assertion Details
Error: browserType.launch: Target page, context or browser has been closed

Browser logs:

╔══════════════════════════════════════════════════════════════════════╗

║ Looks like you launched a headed browser without having a XServer running. ║

║ Set either 'headless: true' or use 'xvfb-run <your-playwright-app>' before running Playwright. ║
```

```
║ ║

║ <3 Playwright Team ║

╚════════════════════════════════════════════════════════════════════════════╝


Call log:

[2m - <launching> /home/runner/.cache/ms-playwright/chromium-1208/chrome-linux64/chrome --disable-field-trial-config --
disable-background-networking --disable-background-timer-throttling --disable-backgrounding-occluded-windows --disable-
back-forward-cache --disable-breakpad --disable-client-side-phishing-detection --disable-component-extensions-with-
background-pages --disable-component-update --no-default-browser-check --disable-default-apps --disable-dev-shm-usage --
disable-extensions --disable-
features=AvoidUnnecessaryBeforeUnloadCheckSync,BoundaryEventDispatchTracksNodeRemoval,DestroyProfileOnBrowserClose,DialMediaRouteProv
--enable-features=CDPScreenshotNewSurface --allow-pre-commit-input --disable-hang-monitor --disable-ipc-flooding-
protection --disable-popup-blocking --disable-prompt-on-repost --disable-renderer-backgrounding --force-color-profile=srgb
--metrics-recording-only --no-first-run --password-store=basic --use-mock-keychain --no-service-autorun --export-tagged-
pdf --disable-search-engine-choice-screen --unsafely-disable-devtools-self-xss-warnings --edge-skip-compat-layer-relaunch
--enable-automation --disable-infobars --disable-search-engine-choice-screen --disable-sync --enable-unsafe-swiftshader --
no-sandbox --user-data-dir=/tmp/playwright_chromiumdev_profile-xs70Oi --remote-debugging-pipe --no-startup-window[22m

[2m - <launched> pid=5524[22m

[2m - [pid=5524][err] [5524:5524:0207/233132.622325:ERROR:ui/ozone/platform/x11/ozone_platform_x11.cc:256] Missing X
server or $DISPLAY[22m

[2m - [pid=5524][err] [5524:5524:0207/233132.622356:ERROR:ui/aura/env.cc:246] The platform failed to initialize.
Exiting.[22m

[2m - [pid=5524] <gracefully close start>[22m

[2m - [pid=5524] <kill>[22m

[2m - [pid=5524] <will force kill>[22m

[2m - [pid=5524] <process did exit: exitCode=1, signal=null>[22m

[2m - [pid=5524] starting temporary directories cleanup[22m

[2m - [pid=5524] finished temporary directories cleanup[22m

[2m - [pid=5524] <gracefully close end>[22m
```

```
Error: browserType.launch: Target page, context or browser has been closed
Browser logs:

  ┌──────────────────────────────────────────────────────────────────────────┐
  │ Looks like you launched a headed browser without having a XServer running. │
  │ Set either 'headless: true' or use 'xvfb-run <your-playwright-app>' before running Playwright. │
  │                                                                            │
  │ <3 Playwright Team                                                         │
  └──────────────────────────────────────────────────────────────────────────┘

Call log:
[2m  - <launching> /home/runner/.cache/ms-playwright/chromium-1208/chrome-linux64/chrome --disable-field-trial-config --
disable-background-networking --disable-background-timer-throttling --disable-backgrounding-occluded-windows --disable-
back-forward-cache --disable-breakpad --disable-client-side-phishing-detection --disable-component-extensions-with-
background-pages --disable-component-update --no-default-browser-check --disable-default-apps --disable-dev-shm-usage --
disable-extensions --disable-
features=AvoidUnnecessaryBeforeUnloadCheckSync,BoundaryEventDispatchTracksNodeRemoval,DestroyProfileOnBrowserClose,DialMediaRouteProv
--enable-features=CDPScreenshotNewSurface --allow-pre-commit-input --disable-hang-monitor --disable-ipc-flooding-protection
--disable-popup-blocking --disable-prompt-on-repost --disable-renderer-backgrounding --force-color-profile=srgb --metrics-
recording-only --no-first-run --password-store=basic --use-mock-keychain --no-service-autorun --export-tagged-pdf --
disable-search-engine-choice-screen --unsafely-disable-devtools-self-xss-warnings --edge-skip-compat-layer-relaunch --
enable-automation --disable-infobars --disable-search-engine-choice-screen --disable-sync --enable-unsafe-swiftshader --no-
sandbox --user-data-dir=/tmp/playwright_chromiumdev_profile-xs70Oi --remote-debugging-pipe --no-startup-window[22m
[2m  - <launched> pid=5524[22m
[2m  - [pid=5524][err] [5524:5524:0207/233132.622325:ERROR:ui/ozone/platform/x11/ozone_platform_x11.cc:256] Missing X
server or $DISPLAY[22m
[2m  - [pid=5524][err] [5524:5524:0207/233132.622356:ERROR:ui/aura/env.cc:246] The platform failed to initialize.
Exiting.[22m
[2m  - [pid=5524] <gracefully close start>[22m
[2m  - [pid=5524] <kill>[22m
[2m  - [pid=5524] <will force kill>[22m
[2m  - [pid=5524] <process did exit: exitCode=1, signal=null>[22m
[2m  - [pid=5524] starting temporary directories cleanup[22m
[2m  - [pid=5524] finished temporary directories cleanup[22m
[2m  - [pid=5524] <gracefully close end>[22m
```

Retries & Attempt Timeline

Prueba de fuego Framework @smoke

Attempt 1: Failed Duration: 0s

✖ Launch browser (pw:api) 0s

Attempt 2: Failed Duration: 0s

✖ Launch browser (pw:api) 0s

Attempt 3: Failed Duration: 0s

✖ Launch browser (pw:api) 0s

Environment & Configuration

Browsers   **Devices**   **Operating Systems**

                                                              linux

PROJECT	VIEWPORT	HEADLESS
Chromium-Desktop	1440x900	false

Trends & Historical Data

Historical data not available. Provide historicalDataPath to enable trends.

Challenges & Lessons Learned

Challenges

- Intermittent latency from downstream APIs
- Maintenance of shared fixtures across suites

Recommendations

- Stabilize flaky selectors using resilient locating strategies
- Automate build health checks with PDF summaries in CI

Lessons Learned

- Parallelizing specs reduced suite time by 30%
- Centralized test data catalog improved reusability

Summary & Conclusion

Suite executed **1** cases across **0** browsers with **0%** reliability. Attach this PDF to release readiness reviews, share with stakeholders, or archive as part of CI artifacts.