Playwright PDF Reporter v1.0.4

Switch to dark mode

Playwright Automation Report

Executed 2/25/2026, 2:36:29 AM

Duration 1s

Authored by **Automation Bot** • Build local • Environment local

Test Scope & Objectives

Objectives

- Validate end-to-end user journeys
- Ensure regression stability for critical flows

Data Sets

- Synthetic test data
- Seeded accounts

Pass / Fail Criteria

- All P0/P1 cases pass
- No critical regressions filed

Risks & Alignment

Supports release readiness and CI quality gates

- Flaky network environments
- 3rd party dependencies

Execution Summary

Total Tests	Passed	Failed	Skipped
2	0 (0%)	2 (100%)	0 (0%)

Flaky

0

0%

Build / Environment Details

Build: local

Release: rolling

Project: default

Automation Metrics

Coverage

100%

Reliability

0%

Maintainability

90%



Test Case Details

TEST	STATUS	DURATION
Validar mensaje de error con credenciales inválidas @NegativeTest › Chromium-Desktop › ui/login.spec.ts › Pruebas de Seguridad y Acceso @AuthTests › Validar mensaje de error con credenciales inválidas @NegativeTest	Failed	0s

▼ **Steps**

- ⬤ Launch browser (pw:api) 0s
- ⬤ Create context (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ✖ Cargar la página de login (test.step) 0s
  - ⚠ Navigate to "/" (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- ⬤ Launch browser (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ⬤ Set viewport size (pw:api) 0s
- ⬤ Set content (pw:api) 0s
- ⬤ PDF (pw:api) 0s
- ⬤ Close browser (pw:api) 0s
- ⬤ Close context (pw:api) 0s

Validar mensaje de error con credenciales inválidas @NegativeTest › Mobile-Pixel7 › ui/login.spec.ts › Pruebas de Seguridad y Acceso @AuthTests › Validar mensaje de error con credenciales inválidas @NegativeTest	Failed	0s

▼ **Steps**

- ⬤ Launch browser (pw:api) 0s
- ⬤ Create context (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ✖ Cargar la página de login (test.step) 0s
  - ⚠ Navigate to "/" (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- ⬤ Launch browser (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ⬤ Set viewport size (pw:api) 0s
- ⬤ Set content (pw:api) 0s
- ⬤ PDF (pw:api) 0s
- ⬤ Close browser (pw:api) 0s
- ⬤ Close context (pw:api) 0s

Failure & Defect Analysis

Validar mensaje de error con credenciales inválidas @NegativeTest

Unknown

› Chromium-Desktop › ui/login.spec.ts › Pruebas de Seguridad y Acceso @AuthTests › Validar mensaje de error con credenciales inválidas @NegativeTest

Steps

- ⬤ Launch browser (pw:api) 0s
- ⬤ Create context (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ✖ Cargar la página de login (test.step) 0s
  - ⚠ Navigate to "/" (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- ⬤ Launch browser (pw:api) 0s
- ⬤ Create page (pw:api) 0s
- ⬤ Set viewport size (pw:api) 0s
- ⬤ Set content (pw:api) 0s
- ⬤ PDF (pw:api) 0s
- ⬤ Close browser (pw:api) 0s
- ⬤ Close context (pw:api) 0s

Assertion Details

```
Error: page.goto: net::ERR_NAME_NOT_RESOLVED at
https://sandbox.spei.com.mx/

Call log:

 [2m - navigating to "https://sandbox.spei.com.mx/", waiting until
"load" [22m
```

```
Error: page.goto: net::ERR_NAME_NOT_RESOLVED at
https://sandbox.spei.com.mx/
Call log:
 [2m  - navigating to "https://sandbox.spei.com.mx/", waiting until
"load" [22m

    at LoginPage.navegarA
(/Users/michvivar/Documents/FramePrPractica/pages/base.page.ts:38:25)
    at LoginPage.cargarPagina
(/Users/michvivar/Documents/FramePrPractica/pages/login.page.ts:24:20)
    at task
(/Users/michvivar/Documents/FramePrPractica/tests/ui/login.spec.ts:7:32)
    at /Users/michvivar/Documents/FramePrPractica/utils/test-base.ts:64:27
    at makeStep (/Users/michvivar/Documents/FramePrPractica/utils/test-
base.ts:61:24)
```

```
    at
/Users/michvivar/Documents/FramePrPractica/tests/ui/login.spec.ts:6:15
```

screenshot

Validar mensaje de error con credenciales inválidas @NegativeTest

Unknown

› Mobile-Pixel7 › ui/login.spec.ts › Pruebas de Seguridad y Acceso @AuthTests › Validar mensaje de error con credenciales inválidas @NegativeTest

Steps

- ✔ Launch browser (pw:api) 0s
- ✔ Create context (pw:api) 0s
- ✔ Create page (pw:api) 0s
- ✖ Cargar la página de login (test.step) 0s
  - ⚠ Navigate to "/" (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- ✔ Launch browser (pw:api) 0s
- ✔ Create page (pw:api) 0s
- ✔ Set viewport size (pw:api) 0s
- ✔ Set content (pw:api) 0s
- ✔ PDF (pw:api) 0s
- ✔ Close browser (pw:api) 0s
- ✔ Close context (pw:api) 0s

Assertion Details

```
Error: page.goto: net::ERR_NAME_NOT_RESOLVED at
https://sandbox.spei.com.mx/
```

```
Call log:

 [2m - navigating to "https://sandbox.spei.com.mx/", waiting until
"load" [22m
```

```
Error: page.goto: net::ERR_NAME_NOT_RESOLVED at
https://sandbox.spei.com.mx/
Call log:
 [2m  - navigating to "https://sandbox.spei.com.mx/", waiting until
"load" [22m

    at LoginPage.navegarA
(/Users/michvivar/Documents/FramePrPractica/pages/base.page.ts:38:25)
    at LoginPage.cargarPagina
(/Users/michvivar/Documents/FramePrPractica/pages/login.page.ts:24:20)
    at task
(/Users/michvivar/Documents/FramePrPractica/tests/ui/login.spec.ts:7:32)
    at /Users/michvivar/Documents/FramePrPractica/utils/test-base.ts:64:27
    at makeStep (/Users/michvivar/Documents/FramePrPractica/utils/test-
base.ts:61:24)
    at
/Users/michvivar/Documents/FramePrPractica/tests/ui/login.spec.ts:6:15
```

screenshot

Environment & Configuration

Browsers

Devices

Operating Systems

darwin

PROJECT	VIEWPORT	HEADLESS
Chromium-Desktop	1280x720	true
Mobile-Pixel7	412x839	true

Trends & Historical Data

Historical data not available. Provide historicalDataPath to enable trends.

Challenges & Lessons Learned

Challenges

- Intermittent latency from downstream APIs
- Maintenance of shared fixtures across suites

Lessons Learned

- Parallelizing specs reduced suite time by 30%
- Centralized test data catalog improved reusability

Recommendations

- Stabilize flaky selectors using resilient locating strategies
- Automate build health checks with PDF summaries in CI

Summary & Conclusion

Suite executed **2** cases across **0** browsers with **0%** reliability. Attach this PDF to release readiness reviews, share with stakeholders, or archive as part of CI artifacts.