Switch to dark mode

Playwright Automation Report

Executed 2/7/2026, 5:38:12 PM

Duration 4s

Authored by **Automation Bot** • Build local • Environment local

Test Scope & Objectives

Objectives

- Validate end-to-end user journeys
- Ensure regression stability for critical flows

Data Sets

- Synthetic test data
- Seeded accounts

Pass / Fail Criteria

- All P0/P1 cases pass
- No critical regressions filed

Risks & Alignment

Supports release readiness and CI quality gates

- Flaky network environments
- 3rd party dependencies

Execution Summary

Total Tests

1

Passed

1

100%

Failed

0

0%

Skipped

0

0%

Flaky

0

0%

Passed (1)   Failed (0)   Skipped (0)   Flaky (0)

Build / Environment Details

Build: local

Release: rolling

Project: default

Automation Metrics

Coverage

Reliability

100%

100%

Maintainability

100%

Chart legend: undefined

Bar chart values by category:
- Coverage
- Reliability
- Maintainability
- Reusability

Test Case Details

TEST	STATUS	DURATION
Validar mensaje de error con credenciales inválidas @NegativeTest › Mobile-Chrome › login.spec.ts › Pruebas de Login @LoginTests › Validar mensaje de error con credenciales inválidas @NegativeTest	Passed	4s

TEST	STATUS	DURATION

▼ Steps

- 🟢 Launch browser (pw:api) 0s
- 🟢 Create context (pw:api) 0s
- 🟢 Create page (pw:api) 0s
- 🟢 Cargar la página de login (test.step) 1s
  - ↳ Navigate to "/" (pw:api) 0s
  - ↳ Wait for load state "networkidle" (pw:api) 0s
  - ↳ Wait for selector getByPlaceholder('Usuario') (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- 🟢 Intentar iniciar sesión con credenciales inválidas (test.step) 1s
  - ↳ Fill "34405" getByPlaceholder('Usuario') (pw:api) 0s
  - ↳ Fill "Da10030123" getByPlaceholder('Contraseña') (pw:api) 0s
  - ↳ Click getByRole('button', { name: 'Acceder' }) (pw:api) 0s
  - ↳ Screenshot (pw:api) 0s
- 🟢 Validar que se muestra el mensaje de error (test.step) 0s
  - ↳ Expect "toBeVisible" getByText('Usuario o contraseña no válidos') (expect) 0s
  - ↳ Expect "toBe" (expect)
  - ↳ Screenshot (pw:api) 0s
- 🟢 Launch browser (pw:api) 0s
- 🟢 Create context (pw:api) 0s
- 🟢 Create page (pw:api) 0s
- 🟢 Set content (pw:api) 0s
- 🟢 PDF (pw:api) 0s
- 🟢 Close browser (pw:api) 0s
- 🟢 Close context (pw:api) 0s

Environment & Configuration

Browsers   ## Devices

Operating Systems

linux

PROJECT	VIEWPORT	HEADLESS
Mobile-Chrome	430x932	true

Trends & Historical Data

Historical data not available. Provide historicalDataPath to enable trends.

Challenges & Lessons Learned

Challenges

- Intermittent latency from downstream APIs
- Maintenance of shared fixtures across suites

Lessons Learned

- Parallelizing specs reduced suite time by 30%
- Centralized test data catalog improved reusability

Recommendations

- Stabilize flaky selectors using resilient locating strategies
- Automate build health checks with PDF summaries in CI

Summary & Conclusion

Suite executed **1** cases across **0** browsers with **100%** reliability. Attach this PDF to release readiness reviews, share with stakeholders, or archive as part of CI artifacts.