Meesix

AI agent for marketers

Checks, explains, and approves campaigns before money is spent.

Meesix is the control layer for paid media launches. It validates campaign settings, protects attribution hygiene, flags expensive errors before spend goes live, and records a clean approval trail across Meta, Google Ads, and LinkedIn.

Spend protection

Faster QA

Cleaner attribution

Approval trail

Why buyers care

- Wrong budgets, geos, dates, or URLs waste real spend.
- Broken UTMs and tracking pollute reporting before anyone notices.
- Manual QA takes up to 60 to 110 minutes per launch and still misses things.
- Approval often lives in scattered Slack messages with no audit trail.

The pain is operational, expensive, and mostly invisible.

Meesix exists because campaign launch quality still depends on manual checklists, tribal knowledge, and hurried review windows. The result is wasted spend, broken tracking, and approval processes nobody can audit later.

60–110 min

Manual QA per multi-platform launch

Teams often spend an hour or more checking budgets, targeting, UTMs, schedules, landing pages, and naming conventions before a campaign can go live.

375–1,125 hrs

Annual QA time per team

That manual review burden can absorb the equivalent of months of skilled campaign manager time every year, even before error costs are counted.

USD 5–20B

Estimated preventable configuration waste

Misconfigured budgets, geos, scheduling, broken destinations, and corrupted tracking create a hidden but material waste layer across global paid media operations.

What actually goes wrong

- Budgets are set to the wrong level or against the wrong objective.
- Geo targeting and schedules drift from the approved launch plan.
- UTM hygiene and tracking setup fail silently, corrupting attribution.
- Landing pages break, redirect, or timeout after the ad is already approved.

Meesix becomes the control plane before launch.

Instead of relying on a person to remember every check, Meesix runs the campaign through a repeatable read-only validation flow, summarises the result in plain language, and routes a human decision before money is exposed.

1 Connect and select

Connect Meta, Google Ads, and LinkedIn in read-only mode, then choose the launch-ready campaign to validate.

2 Run validation

Check budget, scheduling, geo rules, naming, UTM hygiene, and destination health against the workspace rule set.

3 Approve with context

Return a pass, warn, or fail verdict, explain every issue clearly, push the summary to Slack, and store the decision trail.

Spend protection
Catch preventable launch errors before budget is spent.

Time compression
Turn an hour of manual QA into a few minutes of review.

Attribution integrity
Protect tracking, naming, and taxonomy before data is corrupted.

Approval accountability
Create a timestamped record of what was checked and who signed off.

Who it is for and why it wins the first meeting.

Best initial buyers

- **Performance marketing agencies**
  High campaign volume, repeated launches, many clients, and visible downside when QA fails.
- **Mid-market in-house paid media teams**
  Multi-platform spend with lean teams that cannot afford waste, delay, or bad attribution.
- **Multi-brand e-commerce operators**
  Frequent launches and strict naming and tracking conventions make repeatable QA valuable fast.

Positioning line

Meesix prevents paid media teams from shipping broken campaigns by checking, explaining, and approving launches before spend goes live.

Why the message is stronger than generic "AI marketer"

- It leads with a concrete operational outcome, not a vague AI claim.
- It is anchored to measurable pain: wasted spend, slow QA, broken attribution, weak approval control.
- It positions Meesix as risk-control infrastructure rather than another metric dashboard.
- It gives buyers a safe adoption path because the MVP stays read-only while still proving value.