UI5con ^{@SAP} AGENDA 2017 Track A	Track B	Track C
Opening	Opening (Broadcast)	
Frederic Berg	Frederic Berg	
09:30 - 09:50	09:30 - 09:50	
News around UI5 that you absolutely have to know	News around UI5 that you absolutely have to know (Broadcast)	
Stefan Beck 09:50 - 10:30	Stefan Beck 09:50 - 10:30	
UI5 Evolution – performance, architecture, trends	Open-sourcing Offline UI5 apps	Write reliable application tests for your SAP UI5 applicatio
Peter Muessig, Andreas Ecker	Tom Van Doorslaer	
10:40 - 11:20	10:40 - 11:20	
SAPUI5 on SAP HANA XSA - SAP Full-stack JavaScript Development	Plug in your feature into SAP Web IDE	Maxim Naidenov
		10:40 - 11:40
		Writing a real-time geolocation map with OpenLayers 3
HP Seitz	Wouter Lemaire, Vered Constantin	
11:30 - 12:10	11:30 - 12:10	
Upcoming – UI5 OData V4 Model	Developing Custom ESLint Rules	7
	Alexander Flammer	
	12:20 - 12:40	Manual Blockschr-1-4
		Manuel Blechschmidt 11:50 - 12:50
Patric Ksinsik, Thomas Chadzelek		
12:20 - 13:00		
	UI5 Supportability Reloaded	7
		Functional Programming for your UI5 App
Easy integrations with UI5	╗	
Meredith Hassett	Gergana Kremenska, Stanislava Baltova	
13:50 - 14:10	13:30 - 14:10	
Collaborators wanted for UI5Lab - a Custom UI5 Repo	The UI5 app to create UI5 apps	7
Michael Graf, Emanuele Ricci	Christopher C. Bouveret	DJ Adams
14:20 - 14:40	14:20 - 14:40	13:40 - 14:40
)		
Mixed Reality with OpenUI5	UI5 Apps beyond the office	FLP meets SAPUI5 – extending the Fiori Launchpad
Dmitriy Buslov	Denny Schreber	
14:50 - 15:10	14:50 - 15:10	
Building a companion conversational UI for a Fiori App	Controlling UI5 Apps and FLP via Speech	¬
Gregor Brett	Aparna Narayanaswamy	
15:20 - 15:40	15:20 - 15:40	_
·		Thilo Seidel
IoT full stack scenario	A modern OpenUI5 app project boilerplate	14:50 - 15:50
		Fiori 2 O for Your Application
		Fiori 2.0 for Your Application
Mateusz Skadorwa, Tomasz Wilk	Michael Dell, Jascha Quintern	
15:50 - 16:30	15:50 - 16:30	
CI: Build process & automated testing of UI5 Apps	Keep an eye on SAPUI5 Flexibility	7
		Stanislava Baltova, Yavor Ivanov
		16:00 - 17:00
Matthias Oßwald, Merlin Beutlberger	Alexander Rauh, Sebastian Wennemers	
16:40 - 17:20	16:40 - 17:20	Cotting started with LIE on Cloud Farmed
	<u> </u>	Getting started with UI5 on Cloud Foundry
Real-time Image Processing & Augmented Reality	Leveraging Service Workers	7
Volker Buzek	Benedikt Schölch, Tobias Sorn	
17:30 - 17:50	17:30 - 17:50	
) ⁵		
From native Android to UI5	UI5 Theming explained	
Jan Zaruba, Tomas Krejci	Matthias Oßwald	Frederic Berg
18:00 - 18:20	18:00 - 18:20	17:20 - 18:20
	· · · · · · · · · · · · · · · · · · ·	
) ³		

UI5con^{@SAP} AGENDA 2017 Booth 1 Booth 2 Booth 3 JI5 Controls for Document Handling Metadata-Driven Controls with Rest Services Behavior-Driven Development with OPA5 automated tests Pia Kinkel, Christoph Laux 09:40 - 10:20 Embedded Analytics with Charts Martin Schaus András Kónva, Lóránt Guth 09:50 - 10:30 09:50 - 10:30 lew Demo Kit - Your Way to UI5 ne OpenUI5 Developer Blog - Behind the Scenes 10:20 - 11:00 Developer Clinic: UI5 Controls Petya Begovska 10:40 - 11:20 10:40 - 11:20 Mikhail Benderskiy, Christian Voshage 11:30 - 12:10 Ondrej Bohaciak, Vaclav Vopenka 11:30 - 12:10 Christoph Laux, Bohdan Pukalskyi 12:00 - 13:00 Tiles in UI5 SEO for OpenUI5 Apps Virtual Tour around a Company Site with UI5 Yavor Ivanov 13:00 - 13:40 Christoph Laux, Bohdan Pukalskyi 13:00 - 14:00 Smart Micro Charts Components - More Performance! Teaser: Implementing Custom Tiles for SAP Fiori Launchpad as SAPUI5 Components Stephan Heyne 13:50 - 14:30 Peter Muessig, Matthias Osswal 13:50 - 14:30 Code-free Fiori Apps with SAP Web IDE RAD and Layout Editor Create your own UI5 controls - what's coming up

Vered Constantin

15:30 - 16:10

Elena Makarenko 16:20 - 17:00

an Robert Taylor, Dirk Teufel

Drafts: Extending Two-Way Binding to Provide an Editing Concept

A hitchhiker's guide to the UI5 demo apps & tutorials

Andreas Kunz

Jiawei Cao, Malte Wedel 15:30 - 16:10

Savio Dimatteo 16:20 - 17:00

Time or Money? Time (DateFormat) and Money (NumberFormat)!

Effortless OPA testing with Gherkin Reusable Specs

14:40 - 15:20

10:30 10:35 10:40 10:45 10:50 Pia Kinkel, Christoph Laux, Bohdan Pukalskyi 10:55 11:00 11:05 11:10 11:15 11:20 11:25 11:30 11:35 11:40 11:45 11:50 11:55 12:00 12:05 12:10 12:15 Pia Kinkel, Bohdan Pukalskyi, Dominic Holzwarth 11:00 - 12:00 How to Build an Ice Cream Machine with UI5 Co 12:20 12:25 12:30 12:35 12:40 12:45 12:50 12:55 13:00 13:05 13:10 13:15 13:20 13:25 13:30 13:35 13:40 13:45 13:50 13:55 14:00 14:05 14:10 14:15 14:20 14:25 14:30 14:35 14:40 14:45 14:50 14:55 15:00 15:05 15:10 15:15 Bohdan Pukalskyi, Dominic Holzwarth 14:00 - 15:00 15:20 15:25 15:30 15:35 15:40 15:40 15:45 15:50 15:55 16:00 16:05 Pia Kinkel, Christoph Laux, Bohdan Pukalskyi 15:00 - 16:00 Integrate Feed Capabilities Using UI5 Controls 16:10 16:15 16:20 16:25 16:30 16:35 16:40 16:45 16:55 17:00 17:05 Christoph Laux 16:00 - 17:00 17:10 17:15 17:20 17:25 17:30 17:35

Time 09:30 09:35

09:35 09:40 09:45 09:50

09:55 10:00 10:05 10:10 10:15 10:20 10:25

Start	End Room	Speaker Name	Session Title	Session Abstract	Туре
09:30	09:50 Room A	Frederic Berg	Opening		
09:30	09:50 Room B	Frederic Berg	Opening (Broadcast)		
09:40	10:20 Booth 3	Pia Kinkel, Christoph Laux	UI5 Controls for Document Handling	Complex process flows and document flows are clear and understandable when you use the ProcessFlow control. The ProcessFlow control visualizes documents or other items and their dependencies. Attaching documents to an app is easy when you use the UploadCollection control that includes features such as Multiple Upload, Drag&Drop, Sorting, Filtering.	Session
09:50	10:30 Room A	Stefan Beck	News around UI5 that you absolutely have to know	SAPUI5 is evolving and thus best practices or recommended controls change over time. In this session, you'll get an update on the new supportability tool, the new DemoKit, new and updated controls, news in the framework like our plans towards OData V4 and improved Smart Controls. Finally we'll share some insights into more radical renovation activities that will come early in 2018.	Key Note
09:50	10:30 Room B	Stefan Beck	News around UI5 that you absolutely have to know (Broadcast)	SAPUI5 is evolving and thus best practices or recommended controls change over time. In this session, you'll get an update on the new supportability tool, the new DemoKit, new and updated controls, news in the framework like our plans towards OData V4 and improved Smart Controls. Finally we'll share some insights into more radical renovation activities that will come early in 2018.	Key Note
09:50	10:30 Booth 1	Martin Schaus	Metadata-Driven Controls with Rest Services	s Demo new upcoming features of UI5 regarding Metadata Driven Controls. Allow to manipulate the artifacts live in an editor and see the immediate result. Create custom control using a Fragment Control, add a Swagger service to the View and enhance the metadata. Drive the new custom control and other UI controls from the metadata.	Session
09:50	10:30 Booth 2	András Kónya, Lóránt Guth	Behavior-Driven Development with OPA5 automated tests	Imagine a world where development and business can understand each other without using lengthy code lines. Applying human-readable language you will have the possibility to enable everyone in your team, even your customers, to create business driven automated tests. Our solution will lead your agile workflow towards acceptance testing using OPA5 and Cucumber over Fiori stack which provide basis for behavior driven development. We are going to present a Cucumber and OPA5-based test automation framework where users write test scenarios adopting human-readable Gherkin language. Additionally, we will talk about the key test concepts of healthy test automation pyramids, appropriate placement of test levels, and misconcepts about TDD and BDD.	Session
10:20	11:00 Booth 3	Pia Kinkel, Christoph Laux, Bohdan Pukalskyi	Embedded Analytics with Charts	Learn how to use various types of charts in different sizes and form factors to provide analytical insights in your application.	Session
10:40	11:20 Room A	Peter Muessig, Andreas Ecker	UI5 Evolution – performance, architecture, trends	This session will provide an overview about the UI5 evolution topic. UI5 evolution is thought as the innovation project of OpenUI5/SAPUI5 which focuses on improving the performance, fixing architectural gaps and embracing Open Source technologies. Our challenge will be to do this innovation in a compatible way so that also existing applications will partially benefit.	Lecture
10:40	11:20 Room B	Tom Van Doorslaer	Open-sourcing Offline UI5 apps	I admit, offline UI5 apps are not exactly "Wow!". It's been done before, many many times. Except that, well I've done it many times according to the SAP Standards and using the SMP SDK. It's tedious, and comes at a cost. So I figured: I can improve this. First of all, if you're developing in openUI5, you don't always have an oData service in the backend. More often than not, you'll be limited to a JSON service. So the offline oData Plugin is not an option. More so since you need an SMP license and you might not be in an SAP environment. Secondly, the SAP ERP data model is very ill-suited for data synchronizations. If you're not working on an SAP backend and you can still influence the data model, better do it right. Thirdly, executing operations on UI5 models is cumbersome, since you need to access the entity using a path, pull the data out, call some function with the data, catch the result and move it back into the model-entity CumbersomeBit by bit, we'll tackle each of these issues and introduce: Timesliced database BusinessObjects (no, not businessObjects-analytics, but software representations of a business object, as in OO) BusinessObjectModel Local DB Synch-model	Lecture

Start E	nd Room	Speaker Name	Session Title	Session Abstract	Туре
10:40	11:40 Room C	Maxim Naidenov	Write reliable application tests for your SAP UI5 application	Writing reliable application tests for web applications has never been easy. Modern JavaScript-centric frameworks like UI5 have made this even more complicated as the application UI is generated completely asynchronously by JavaScript code. The main challenge for an application test creator is to write a test that does not suffer from sporadic failures that dismiss its value as a testing tool. Together with all its enterprise qualities, OpenUI5 provides a state-of-the-art application testing framework called OPA. Using it, everyone can write application tests that synchronize with the state of the UI5 framework and provide inherent reliability without any explicit efforts from the test. Together with support for backend mocking provided from the MockServer one could build extensive, self-contained test suites that cover most UI interactions supported by the application. In this session we will start from an existing UI5 application and build an OPA test for some of its UI interaction scenarios. We will cover all aspects of test setup, selecting and interacting with UI5 controls, execution and debugging. We will also touch some advanced topics like structuring the tests in page objects and journeys, custom matchers and interaction with composite controls. As this session involves live coding, please make sure you have a local or remote development setup. For local development you will need: browser, Git client, nodejs (preferred v6.11.0 LTS). Or you can use SAP WebIDE by registering a SAP Cloud trial account at: https://cloudplatform.sap.com/try.html	Hands-On
10:40	11:20 Booth 1	Petya Begovska	New Demo Kit - Your Way to UI5	The starting point for everyone working with UI5 is the Demo Kit Application. Here you can find all the needed information such as API Reference, Developer Guide, Samples and Demo apps.Now, it is completely redesigned to showcase the innovative, responsive and multi theme capable UI5 framework!Come and see the new Demo Kit app accessible on any device, with modern look and feel and easy to use. Provide your valuable feedback so we can make it even better!	
10:40	11:20 Booth 2	Holger Schäfer	The OpenUI5 Developer Blog - Behind the Scenes	Showcasing the apps and controls behind the blog for further Q&A	Session
11:00	12:00 Booth 3	Pia Kinkel, Bohdan Pukalskyi, Dominic Holzwarth	Developer Clinic: UI5 Controls	Get answers to your questions about UI5 Controls - such as GenericTile, MicroCharts, ProcessFlow, and many more.	Session
11:30	12:10 Room A	HP Seitz	SAPUI5 on SAP HANA XSA - SAP Full-stack JavaScript Development	Especially with the availability of SAP HANA Express Edition since September 2016 every developer has the possibility to do full-stack JavaScript development with SAP Backend. The session will demonstrate utilizing SAPUI5 on the SAP HANA Platform with HANA XSA (Node.js) using SAP Web IDE for SAP HANA and also an external IDE like WebStorm. This is the logical successor of the session "Full-stack JavaScript with OpenUI5" about the NEMO stack from the first UI5Con in Frankfurt.	Lecture
11:30	12:10 Room B	Wouter Lemaire, Vered Constantin	Plug in your feature into SAP Web IDE	SAP Web IDE is THE development environment for SAPUI5, mobile and other applications. Wouldn't it be great if you could extend it by adding new development capabilities and features? This is now possible. SAP Web IDE allows you to create extensions through which you can add new functionality to the SAP Web IDE and improve the development experience. In this session, we will present how you can develop, test and share with the development community your own SAP Web IDE features. We will show a real use case, that already leverages this capability, written by Flexso, an SAP partner.	Lecture
11:30	12:10 Booth 1	Mikhail Benderskiy, Christian Voshage	Adapting UI @ Runtime	Your application users have various good reasons for adapting their UI: to support their own business cases more efficient, to simplify workflows or to improve usability. Join us in this session to learn, why SAPUI5s innovative solution - UI Adaptation at Runtime (RTA) makes at as simple and efficient as never before, discuss your use-cases with our experts and share your own experience about UI extensibility! Complicated was in the past, now comes Flexibility!	Session
11:30	12:10 Booth 2	Ondrej Bohaciak, Vaclav Vopenka	Advanced Charting Controls Coming to UI5	We will present newly released and upcoming controls which we have developed in Brno Suite Controls team. We will have prototypes and demos ready for the upcoming controls and demo apps for released controls. We'll be happy to answer any questions regarding implementation of our controls in your apps.	Session
11:50	12:50 Room C	Manuel Blechschmidt	Writing a real-time geolocation map with OpenLayers 3	In this session we will use a custom component (https://github.com/ManuelB/openui5-ol/) that wraps the OpenLayers v3 API (https://www.openlayers.de) for showing a map. This map will be bound to a XMPPJsonPatchSyncModel (https://github.com/ManuelB/XMPPJSONPatchSyncModel) to make it possible to track other people in real time on the map.You should pre-install the following software on your notebook: git Your favorite IDE ejabbered (a public server will be running on the speaker notebook) A webserver e.g. (python -m SimpleHTTPServer 8000)	Hands-On
12:00	13:00 Booth 3	Christoph Laux, Bohdan Pukalskyi	How to Build an Ice Cream Machine with UIS Controls	In our UI5 demo app, you'll learn to build an ice cream machine. We will show the demo app and a tutorial with a step-by-step explanation of how to build this app using various UI5 Controls.	Session

rt E	nd Room	Speaker Name	Session Title	Session Abstract	Туре
12:20	13:00 Room A	Patric Ksinsik, Thomas	Upcoming – UI5 OData V4 Model	Why is there the new OData Version 4.0 and how does UI5 support for it differ from OData V2 support? Learn about the	Lecture
		Chadzelek		architecture principles of the UI5 OData V4 model, its feature set and the current implementation status.	
12:20	12:40 Room B	Alexander Flammer	Developing Custom ESLint Rules	This session covers the development of custom ESLint rules for UI5 projects. Expand your static code checks to your specific	Lecture
				needs - whether you want to make sure that certain coding standards are followed or some statements are not being used, you	
				can do all of this with custom ESLint Rules integrating into your CI process.	
13:00	13:40 Booth 1	Yavor Ivanov	SEO for OpenUI5 Apps	You use openui5 to build your publicly facing home page and site content. There are few tricks you can use to make sure search	Session
				engines can find and understand your content. You will learn about structuring your links, JS rendering of dynamic content and	
				more advanced topics like pre-rendering.	
13:00	13:40 Booth 2	Helmut Tammen	Virtual Tour around a Company Site with UI5	In this session you will see a virtual 3D tour around a company site. The employees of the customer wanted to have a graphical	Session
				visualization of their huge factory site. The users can now fly above their production areas. If they have found the production hall	
				of interest they can walk inside and have a look at the production equipment. For further investigation they can dive deeper and	
				deeper. There are two modes of visualization available. The Free Flight and the Egoshooter mode. Furthermore the users can	
				jump into SAP PM transactions, into OpenText documents and other systems to get more information related to the selected	
				equipment. All this is achieved by using SAPUI5 and the sap.ui.vk library. Cause the standard library did not completely fulfill the	
				users requirements in respect to usability we enhanced the vk library using some technologies and ideas from WebGL and	
				Three.jsCome to Booth 2 from 2:00 PM to 2:40 PM and I will show you whats possible with UI5 in the field of 3D visualization.	
13:00	14:00 Booth 3	Christoph Laux, Bohdan	Tiles in UI5	A tile is a container that represents an app on the SAP Fiori launchpad . The Generic Tile control and related content provide a	Session
		Pukalskyi		toolbox in UI5 that allows the display of a variety of content, such as news, KPIs or images.	
13:30	14:10 Room B	Gergana Kremenska, Stanislava	UI5 Supportability Reloaded	In this session we will present the improvements we've added to SAPUI5 Supportability: Brand new Support Assistant tool	Lecture
		Baltova		enables application developers to check whether their applications follow the guidelines and are built according to the best	
				practices. With Support Rules supplied by SAP, that are also easy to be authored directly in the Support Assistant tool,	
				developers and designers can benefit from best advices how to avoid well known common mistakes and improvement hints on-	
				the-spot of running application. Overview of other Support/Troubleshooting tools will be provided as well	
13:40	14:40 Room C	DJ Adams	Functional Programming for your UI5 App	Functional programming techniques allow you to write solid-state code, more stable and easier to reason about. In this session	Hands-On
				you'll get the chance to learn what it's like to use functional programming techniques in your code. Rather than look at code on	
				slides, you'll write it yourself, guided by the session lead, to get a feel for the code under your fingertips and how it works. We'll	
				take some standard UI5 demo apps and replace sections by introducing mechanisms such as currying, partial application and	
				point-free coding, with a healthy dose of list-orientation and immutability.	
10.50	1110.5		- III III III III III III III III III I		
13:50	14:10 Room A	Meredith Hassett	Easy integrations with UI5	New to SAPUI5? Looking to learn more about integrations inside and out of SAP? In my session, we'll take a look at how to	Lecture
				integrate APIs, Business Services, and OData services with UI5. You'll see how easy it is and be on your way to building an	
				integrated application. We'll use SAP technologies like Web IDE, Cloud Platform, and API Business Hub to show how easy it is to	
				integrate your SAP world. You'll come out with an understanding of Destinations, OData, AJAX, and REST APIs and be on your	
				way to creating an application with UI5 using external data. 20 minutes is all you need to get started integrating with SAPUI5!	
10.50	4400 5 11 4				
13:50	14:30 Booth 1	Peter Muessig, Matthias Osswal	Components – More Performance!	Describes the components concepts and especially the concept of the descriptor with regards to performance improvements	Session
10.50	4400 B II C	61 1 11	T	(manifest first, async loading, model preloading,)	
13:50	14:30 Booth 2	Stephan Heyne	Teaser: Implementing Custom Tiles for SAP	Custom SAP Fiori launchpad tiles can now be developed similar like SAPUI5 apps are created. This session is marked as a teaser	Session
			Fiori Launchpad as SAPUI5 Components	as this is a new approach which is not yet available on all Fiori technology stacks.	
14:00	15:00 Booth 3	Bohdan Pukalskyi, Dominic	Smart Micro Charts	Use OData annotation with the SmartMicroChart control to add analytics to your application with less javascript coding.	Session
14.00	15.00 000113	Holzwarth	Sitial Civilot Offal (S	use obtain annotation with the small twitinothal control to add analytics to your application with less Javascript couling.	2C22IOI1
14.20	14:40 Room A	Michael Graf, Emanuele Ricci	Collaborators wanted for LII5I ab. a Custom	UI5 makes creation of custom controls and extensions of the framework very easy. With project "UI5Lab" - a community-driven	Lecture
14:20	14.40 ROUIII A	Wildriger Graf, Effiativete Ricci		initiative started in April - we created a concept for a public place to share, contribute, and consume these artifacts in your	Lecture
			UI5 Repo		
20				application projects. UI5Lab is an exceptional project where UI5 developers and the Community collaborate interactively on	
20				Clack Trollo, and CitHub to discuss best practices and drive the tenie We are injute working on the project!!!	
20				Slack, Trello, and GitHub to discuss best practices and drive the topic. We are jointly working on the project's mission and are	
				Slack, Trello, and GitHub to discuss best practices and drive the topic. We are jointly working on the project's mission and are actively looking for contributors in all areas of the project. Join @michadelic and @stermi to see the current status of the UI5Lab prototype and learn how to contribute to make it a success!	

t Ei	nd Room	Speaker Name	Session Title	Session Abstract	Туре
14:20	14:40 Room B	Christopher C. Bouveret	The UI5 app to create UI5 apps	Since its foundation iTiZZiMO deals with SAP and integrated business apps. As OpenUI5 was released we were perfectly happy to	Lecture
				have found a library to fulfill our requirements in terms of optics, performance and robustness. Since the first release of OpenUI5	
				we use the technology for the frontend design of our platform Simplifier that in turn allows the creation of further UI5 apps. The	
				Simplifier itself consists of three parts, the UI designer, the process designer and the code designer. We use several established	
				elements of UI5 library but also developed own UI5 controls, mainly presented within the process designer. Here, the business	
				logic of the application is created via Visual Scripting. As most of our customers are SAP customers using OpenUI5 and SAPUI5	
				they of course prefer the SAP technology due to the trouble-free visualization of SAP-data for mobile devices. So to say, we	
				created a huge UI5 app creation machine with its UI based on OpenUI5.We want to present our technology and custom UI5	
				controls to show the great variety of the UI framework and our own custom framework for process designing. To get a brief	
				overview, please visit: https://www.youtube.com/watch?v=lcZCekNxPhk	
				ore veri, please visit. https://www.youtabe.com/wateriv-nazeownia/nk	
14:40 15:20	15:20 Booth 1	Andreas Kunz	Create your own UI5 controls – what's	Have you developed your own UI5 controls? Yes? It's getting even easier now! We are working on new ways to bind data within	Session
			coming up	composite controls and to even declare controls by combining others in so-called "FragmentControls"! (straight from the lab,	
				never seen before)	
14:40	15:20 Booth 2	Vered Constantin	Code-free Fiori Apps with SAP Web IDE RAD	Did you know you can create beautiful SAP Fiori applications without any coding? This is now possible with the innovative SAP	Session
			and Layout Editor	Web IDE RAD perspective that allows you to view and modify your application using visual editors. You don't have to deal with	
			-	complex technologies no more, from now on you can use SAP Web IDE RAD perspective and layout editor to add pages to your	
				app, edit the UI, drag & drop controls, create event handlers, add bindings and much more. All without a single line of code!	
14:50	15:10 Room A	Dmitriy Buslov	Mixed Reality with OpenUI5		Lecture
				example of OpenUI5 component for VR and a little extension with Mixed Reality.	
14:50	15:10 Room B	Denny Schreber	UI5 Apps beyond the office	Session Description: In this session I will discuss options how UI5 web apps can be used as a basis for apps beyond your typical	Lecture
				office requirements. While SAP Fiori apps and Fiori LaunchPad are the basis for SAPs Digital Workplace of the future, there exist	
				much more possibilities how the web can be the basis for your digitalization efforts. We are looking into WebAPIs, standards	
				such as WebRTC and 3rd party extensions and how this can be applied in enterprise settings. Adding Cloud APIs into the mix, lots	
				of demand for feature-rich apps can already be fulfilled leveraging the web.	
44.50	45.50.5	T. II. O. I. I.	510		
14:50	15:50 Room C	Thilo Seidel	FLP meets SAPUI5 – extending the Fiori		Hands-On
			Launchpad	use the renderer extension api of FLP to place SAPUI5 controls into the FLP UI to improve the user experience of the Lauchpad	
				AND learn that SAPUI5 and Fiori Launchpad are actually of the same kind.	
15:00	16:00 Booth 3	Pia Kinkel, Christoph Laux,	Embedded Analytics with Charts	Learn how to use various types of charts in different sizes and form factors to provide analytical insights in your application.	Session
		Bohdan Pukalskyi			
15:20	15:40 Room A	Gregor Brett	• .	a Building a Conversational UI for the Fiori My Inbox app using API.AI. I will run through the code needed and do a live demo.	Lecture
15:20	15:40 Room B	Aparna Narayanaswamy	Fiori App Controlling UI5 Apps and FLP via Speech	Modern browsers provide Web Speech API, enabling the application of speech recognition in web applications. We have	Lecture
10.20	.5.10 1.00111 D	parria ivara janaswanny	Some of the state of the special state of the special state of the sta	developed an application that demonstrates how this browser capability can be leveraged in the FLP as a control mechanism.	2001010
				acrosoped an application that demonstrates now this proviser capability can be reveraged in the LF as a control medialism.	
15:30	16:10 Booth 1	Jiawei Cao, Malte Wedel	Time or Money? Time (DateFormat) and	With UI5, you don't need to struggle with the dilemmas of happiness which oblige you to choose one from time and money. You	Session
			Money (NumberFormat)!	can have both of them! Oh, here we mean that you can have both time and money perfectly formatted across different	
				locales.In this session, we will present the most exciting features of core.format.NumberFormat and core.format.DateFormat	
				with interactive examples. We will demonstrate how we tackle the seemingly easy but actual complicated task to perfectly	
				format date and number across different locales.	
				TOTHIAL WATE AND HUTHINET ACTOSS WITTERENT TOTALES.	
15:30	16:10 Booth 2	lan Robert Taylor, Dirk Teufel	Drafts: Extending Two-Way Binding to	In this Demo Booth session we will explain the concepts of Drafts, which enable a concept for editing entities. Two way binding	Session
			Provide an Editing Concept	provides a mechanism to maintain entities, but does not offer the feature to lock an entity during editing nor the option to	
				control the visibility of a changed entity. In this session we examine the features needed from OData and from Function Imports	
				that provide the mechanism to enable Drafts in a Freestyle Fiori App according to the SAP Fiori UX Guidelines.	
				and provide the meditalism to chable braits in a recessfie normapp according to the one more on outdollines.	
15:50	16:30 Room A	Mateusz Skadorwa, Tomasz	IoT full stack scenario	IoT is the future, and SAP HANA is already future compatible. Is SAPUI5 the door for the users, to enter?IoT scenario will be	Lecture
		Wilk		presented, using such elements as Arduino, SAP HANA and SAPUI5. Temperature data are put in the HANA database, they are	
				The state of the s	
				displayed in UI5 application in a chart, update in real time. The strong point of this presentation is the full stack development of	

16:00 16:00 16:20	17:00 Room (17:00 Booth 3 17:00 Booth 3	Stanislava Baltova, Yavor Ivanov Christoph Laux Savio Dimatteo	Fiori 2.0 for Your Application Integrate Feed Capabilities Using UI5 Controls Effortless OPA testing with Gherkin Reusable Specs	Based on a public OpenUI5 boilerplate project (not published, yet) we want to share our experience and knowledge on how to setup and use a modern OpenUI5 app structure and build process by using Babel, Flow and Gulp (especially addressing non-SAP developers). Furthermore an overview of very useful best practices, does & don'ts and quick enhancements (like new useful methods in the app Component and BaseController) that should speed up your development workflow and that keep the app maintainable and scalable. Find out everything you need to know about the new version of SAP Fiori. Learn what makes Fiori 2.0 different and which are the new UI5 features empowering Fiori 2.0 experience. In this session we will show and tell how to develop your Fiori 2.0 app from scratch and even more - how to migrate your existing app to Fiori 2.0. Social media is ubiquitous, but a feed can also include system events or comments. UI5 provides a set of controls that support you in implementing feed capabilities for your application. One Page Acceptance Tests (OPA5) enable developers to test UI5 applications from the interaction point of view with relative ease. OPA5 can be further combined with Gherkin which provides a framework to describe test scenarios in natural language. With OPA5 and Gherkin in place, the developer must close a gap: translate sentences from natural language into code that runs the OPA tests. In this talk I show how to bypass this time-consuming activity, and have the developer's focus shifted toward writing the actual test specification in natural language rather than code.	Hands-On Session Session
16:00 16:20	17:00 Booth 3	Christoph Laux Savio Dimatteo	Integrate Feed Capabilities Using UI5 Controls Effortless OPA testing with Gherkin Reusable Specs	new UI5 features empowering Fiori 2.0 experience.In this session we will show and tell how to develop your Fiori 2.0 app from scratch and even more - how to migrate your existing app to Fiori 2.0. Social media is ubiquitous, but a feed can also include system events or comments. UI5 provides a set of controls that support you in implementing feed capabilities for your application. One Page Acceptance Tests (OPA5) enable developers to test UI5 applications from the interaction point of view with relative ease. OPA5 can be further combined with Gherkin which provides a framework to describe test scenarios in natural language. With OPA5 and Gherkin in place, the developer must close a gap: translate sentences from natural language into code that runs the OPA tests. In this talk I show how to bypass this time-consuming activity, and have the developer's focus shifted toward	Session
16:20	17:00 Booth 1	Savio Dimatteo	Controls Effortless OPA testing with Gherkin Reusable Specs	you in implementing feed capabilities for your application. One Page Acceptance Tests (OPA5) enable developers to test UI5 applications from the interaction point of view with relative ease. OPA5 can be further combined with Gherkin which provides a framework to describe test scenarios in natural language. With OPA5 and Gherkin in place, the developer must close a gap: translate sentences from natural language into code that runs the OPA tests. In this talk I show how to bypass this time-consuming activity, and have the developer's focus shifted toward	
			Specs	ease. OPA5 can be further combined with Gherkin which provides a framework to describe test scenarios in natural language. With OPA5 and Gherkin in place, the developer must close a gap: translate sentences from natural language into code that runs the OPA tests. In this talk I show how to bypass this time-consuming activity, and have the developer's focus shifted toward	Session
16:20	17:00 Booth 2	Elena Makarenko	A hitchhikar's quida to the LIIE dome anno 9		
			tutorials	There are many hidden gems waiting to be discovered in our demo kit and we consistently update our demo apps and tutorials to reflect the latest recommendations of the UI5 framework. See how you can quickly get up to speed and where to find essential features that you can re-use in your application projects. Enjoy a free tour across our Demo Apps, Tools, Templates, and Tutorials to find out the true meaning of code, the UI5verse, and everything.	Session
16:40	17:20 Room A	Matthias Oßwald, Merlin Beutlberger		Learn how to continuously develop, build and test UI5 Apps using Open Source Node.js based tools. You will see how to apply dependency loading, bundling, minification und automated testing in your UI5	Lecture
16:40	17:20 Room E	Alexander Rauh, Sebastian Wennemers		What is SAP's new extensibility approach all about? Well, the key is flexibility. Partners and customers need to adapt the UIs of SAP apps, for example add, hide or rearrange fields. Sounds technical and complicated? SAPUI5 extensibility changes all that allowing upgrade-safe, modification-free, and role-based UI changes with intuitive and easy-to-use tools – even for non-developers. What's the strategy behind it, what are the benefits, and what's the roadmap? In this session you'll find out.	Lecture
17:10	18:10 Room (Frederic Berg		In this session, we will demonstrate how to get started on cloud foundry. We will see how to onboard onto the platform, install the necessary tools and deploy a UI5 application which makes use of platform services to persist its data.	Hands-On
17:30	17:50 Room A	Volker Buzek	Reality	It all started with a Proof-of-Concept of a UI5 hybrid application for discrete object recognition on mobile devices. In the course of the PoC, research led to several experiments around the key words in the session title: from real-time Image manipulation via visual object recognition up to Augmented Reality flavors, all of that within the UI5 framework. I'd like to show the results of the experiments and evaluate their sustainability and production readiness.	Lecture
17:30	17:50 Room E	Benedikt Schölch, Tobias Sorn		Make your app future proof by taking the advantage of Service Workers in combination with UI5. In this talk you should learn about the new opportunities you have with Service Workers when applied to a UI5 application.	Lecture
18:00	18:20 Room A			Movement from native Android to UI5 in order to show the way over hybrid application with Cordova using native business logic. Problems, learnings and outlook to move it to JS.	Lecture
18:00	18:20 Room E	Matthias Oßwald		Get a deep dive into how theming in UI5 works and how to easily build your own themes. This includes Introduction into Less. js Theme structure and extension Usage of Node. js based build tools to compile custom themes	Lecture
18:30	18:40 Room A		Closing words		